

A11100 992875

NAT'L INST OF STANDARDS & TECH R.I.C.



A11100992875

/NBS building science series
TA435 .U58 V75;1979 C.1 NBS-PUB-C 1974

NIST
PUBLICATIONS



NBS BUILDING SCIENCE SERIES 75

Building Research at the National Bureau of Standards 1968-1974

TA

435

.U58

NO.75

1979

C.2

U.S. DEPARTMENT OF COMMERCE/National Bureau of Standards

NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards¹ was established by an act of Congress March 3, 1901. The Bureau's overall goal is to strengthen and advance the Nation's science and technology and facilitate their effective application for public benefit. To this end, the Bureau conducts research and provides: (1) a basis for the Nation's physical measurement system, (2) scientific and technological services for industry and government, (3) a technical basis for equity in trade, and (4) technical services to promote public safety. The Bureau's technical work is performed by the National Measurement Laboratory, the National Engineering Laboratory, and the Institute for Computer Sciences and Technology.

THE NATIONAL MEASUREMENT LABORATORY provides the national system of physical and chemical and materials measurement; coordinates the system with measurement systems of other nations and furnishes essential services leading to accurate and uniform physical and chemical measurement throughout the Nation's scientific community, industry, and commerce; conducts materials research leading to improved methods of measurement, standards, and data on the properties of materials needed by industry, commerce, educational institutions, and Government; provides advisory and research services to other Government Agencies; develops, produces, and distributes Standard Reference Materials; and provides calibration services. The Laboratory consists of the following centers:

Absolute Physical Quantities² — Radiation Research — Thermodynamics and Molecular Science — Analytical Chemistry — Materials Science.

THE NATIONAL ENGINEERING LABORATORY provides technology and technical services to users in the public and private sectors to address national needs and to solve national problems in the public interest; conducts research in engineering and applied science in support of objectives in these efforts; builds and maintains competence in the necessary disciplines required to carry out this research and technical service; develops engineering data and measurement capabilities; provides engineering measurement traceability services; develops test methods and proposes engineering standards and code changes; develops and proposes new engineering practices; and develops and improves mechanisms to transfer results of its research to the ultimate user. The Laboratory consists of the following centers:

Applied Mathematics — Electronics and Electrical Engineering² — Mechanical Engineering and Process Technology² — Building Technology — Fire Research — Consumer Product Technology — Field Methods.

THE INSTITUTE FOR COMPUTER SCIENCES AND TECHNOLOGY conducts research and provides scientific and technical services to aid Federal Agencies in the selection, acquisition, application, and use of computer technology to improve effectiveness and economy in Government operations in accordance with Public Law 89-306 (40 U.S.C. 759), relevant Executive Orders, and other directives; carries out this mission by managing the Federal Information Processing Standards Program, developing Federal ADP standards guidelines, and managing Federal participation in ADP voluntary standardization activities; provides scientific and technological advisory services and assistance to Federal Agencies; and provides the technical foundation for computer-related policies of the Federal Government. The Institute consists of the following divisions:

Systems and Software — Computer Systems Engineering — Information Technology.

¹Headquarters and Laboratories at Gaithersburg, Maryland, unless otherwise noted; mailing address Washington, D.C. 20234.

²Some divisions within the center are located at Boulder, Colorado, 80303.

MAR 15 1979

NOT ACC - CIRC

TA435

.U58

no. 75

1979

C2

Building Research at the National Bureau of Standards 1968-1974

NBS Building Science Series

Neil Gallagher, Editor

Center for Building Technology
National Engineering Laboratory
National Bureau of Standards
Washington, D.C. 20234



U.S. DEPARTMENT OF COMMERCE, Juanita M. Kreps, Secretary

Jordan J. Baruch, Assistant Secretary for Science and Technology

NATIONAL BUREAU OF STANDARDS, Ernest Ambler, Director

Issued March 1979

Library of Congress Catalog Card Number 79-600008

National Bureau of Standards Building Science Series 75

Nat. Bur. Stand. (U.S.), Bldg. Sci. Ser. 75, 126 pages (Mar. 1979)

CODEN: BSSNBV

U.S. GOVERNMENT PRINTING OFFICE

WASHINGTON: 1979

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402

Stock No. 003-003-02029-0 Price \$3

(Add 25 percent additional for other than U.S. mailing)

FOREWORD

Shelter, one of mankind's basic concerns, has always been a part of the program of the National Bureau of Standards. From its beginning in 1901, the Bureau carried out studies to meet the needs for technical information on properties of building materials. In 1921, the Secretary of Commerce, Herbert Hoover, expanded these studies to include scientific, technical, and economic research in building; simplification and standardization of building materials; and assistance in the revision of State and municipal building codes. These functions, shaped by the demands of today's dynamic building community, are still a part of the Bureau's program.

It was, however, in 1968, that the Bureau began to add additional strengths to its building research activities. Such new and relevant disciplines as psychology, architecture, sociology, urban planning, and economics were added. The performance approach to building was stressed, a concept that has its philosophical roots deep in a desire to satisfy the user's requirements. Consideration was given not only to the generation of knowledge but the delivery of that knowledge to as wide an audience as possible. This action was consistent with both the nature of applied research and the information dissemination obligation of a publicly supported laboratory.

This report, undertaken in that spirit of dissemination and accountability, describes the changes that took place in the Bureau's building research activities from 1968 to 1974. It is a follow-up to the first history of building research at NBS published in 1970. As that document served as a key to the building research work done by the Bureau in the previous 69 years, this document is also intended to be of service to building users, and to builders, engineers, architects, students, Government officials, and others who have an interest in building research.



E. Ambler
Director

PREFACE

This report is supplemental to Building Research at the National Bureau of Standards through 1968 (designated BSS-0 in the Bureau's Building Science Series). It is also a self-standing account of a specific and unique period in NBS' long and continuing history in building technology. It was made possible through the able contributions of the following NBS staff members: Harvey W. Berger, Sandra A. Berry, James O. Bryson, Dr. Paul G. Campbell, Louis E. Cattaneo, Robert D. Dikkers, Daniel R. Flynn, Dr. Lawrence Galowin, Daniel Gross, Dr. Tamami Kusuda, Charles T. Mahaffey, Dr. Harold Marshall, Thomas E. Pierce, Frank J. Powell, Deborah Raisher, Mary Reppert, Nancy Starnes, Dr. Robert Wehrli, and Robert S. Wyly.

The editor also expresses his appreciation to the Management Group in the NBS Center for Building Technology for its guidance and support.

Neil Gallagher, Editor

ABSTRACT

This report discusses the progress of building research at the Center for Building Technology from the year 1968 to 1974. Starting with the backlog of needed research in building techniques, components, and materials that faced researchers in the 60's, this history covers the evolution of the performance concept for building specifications, cooperation with states and codes-generating organizations, and specific accomplishments. The report continues with discussions of programs involving the building community, research on the needs of the building users, and technology transfer. A special chapter is devoted to energy conservation in buildings and how CBT's test methods and other programs - including solar - were pressed into this vital national struggle.

Key Words: Building technology; Center for Building Technology;
 history of building research.

CONTENTS

Chapter 1	
BUILDING TECHNOLOGY AND CHANGES IN DIRECTION - 1960s	1
For building research, a new home, a new commitment, and a new direction... Deficiencies in the built environment and the building processes--government studies and actions...Building a new kind of research team...Measurement for building...The performance approach,... Working with other Federal agencies, standards groups, the States, and the building community.	
Chapter 2	
BUILDING RESEARCH ACCOMPLISHMENTS IN THE LATE 1960s	7
Explicit consideration of the building user...The Sensory Environment Branch...Energy sensitivity...Accelerated weathering... Porcelain enamel... Organic coatings...Inorganic building materials...Roofing hail damage... Heat release calorimeter...Standards participation-materials, fire, structures...Precoordination... CCRL...The electrical codes...Testing of a housing system.	
Chapter 3	
THE PERFORMANCE CONCEPT	17
Performance and a study of its relationship to housing...Some origins of performance...The "Man and His Shelter Conference"... First stirrings of Operation Breakthrough...HUD's engagement of NBS advisory and operating services...The NBS team and its approach to Breakthrough...A performance specification for office buildings...Application of the performance specification by the Public Buildings Service.	
Chapter 4	
WORKING WITH THE STATES	23
A chance meeting in Wisconsin...A gathering of State representatives... Founding the National Conference of States on Building Codes and Standards (NCSBCS)...Regulatory constraints on "the two economies"...HUD and NCSBCS influences...The Laboratory Evaluation and Accreditation Program...The Coordinated Evaluation System Model legislation.	
Chapter 5	
BUILDING RESEARCH ACCOMPLISHMENTS IN THE EARLY 1970s	29
Plumbing, reduced-size venting...Mobile homes...Floor coverings.. Joint sealants...Reinforcing bar coatings...Disaster mitigation... Wind studies... Long-range research...Progressive collapse...Structural testing, deflections... Performance standards.	
Chapter 6	
REORGANIZATION AT NBS TO MEET THE NEEDS OF THE BUILDING COMMUNITY	39
The need for a different kind of research organization... Creation of the Center for Building Technology...A Policy Advisory Committee... Streamlining the research organization...Programmatic reshapings--acoustics and fire research.	

Chapter 7	
RESEARCH FOR THE BUILDING OCCUPANT	43
A wide spectrum of research investigation...The work of the newer disciplines in building research at NBS...Stair safety... Security...User requirements...Psychophysical approach...Acoustics Illumination...Color... Lead paint.	
Chapter 8	
REACHING THE APPLICATION POINTS	49
Technology transfer...Standards participation... Working with other agencies...The dissemination program...Formal and informal interaction with the building community...Working with research organizations abroad in "large areas of common interest."	
Chapter 9	
CONSERVATION OF ENERGY	53
Thermal load determination program...Indoor air quality...Air infiltration... A demonstration building...Total energy...Early solar work...Insulation... Symposia...Mean radiant temperature... Modular boilers...Solar test methods... Solar retrofit...MIUS... Insulating glass...Heat pump evaluation...Energy economics.	
Chapter 10	
A MATURING CENTER FOR BUILDING TECHNOLOGY	63
Buildings perceived in different terms...Statutory responsibilities of building research at NBS...Demands on building research...NCSBCS' interest in energy and its requests of NBS... Criteria for energy conservation in new buildings...Response capability...The maturing of a comprehensive laboratory... Richard Wright succeeds James Wright.	
Bibliography.	69
Supplements	
Staffing/Funding 1966-74	.109
Disciplines of Professional Staff	.110
Sponsors of Building Research.	.111
Technical Evaluation Panel Members	.113
Center for Building Technology Advisory Committee. . . .	.120

CHAPTER 1

BUILDING TECHNOLOGY AND CHANGES IN DIRECTION 1960's

For building research at the National Bureau of Standards (NBS), the late 1960s and early 1970s was a time of change--change in place, in level of effort, and in research orientation.


The place of building research changed, the Bureau moving in 1966 from its former site in Washington, D.C., to a modern research facility in Gaithersburg, Md.

The Bureau's personnel investment in building technology changed, the building research staff growing from 98 in 1967 to a leveling-off figure of more than 250 in 1971. The research direction changed, with Dr. James R. Wright, Chief of the Building Research Division, infusing his staff with an application-oriented, performance-based, multidisciplinary approach to building research.

Concurrently, both government and the building community were in search of better building procedures and better built environments. A 1966 study by the Advisory Commission on Intergovernmental Relations¹ blamed the system of building regulation for placing "unjustified burdens on the technology and economics of building" and declared that the "economic range of housing" was being circumscribed. Two years later the Douglas Commission² reached a similar finding.

The Douglas Commission and later the Kaiser Commission³ concluded that the building industry was fragmented and incapable of constructing enough buildings for America's needs by the end of the century.

The Housing Act of 1968 asserted a "national commitment" to the production through both rehabilitation and new construction of 26 million housing units in a single



¹Established by Congress and approved by President Dwight D. Eisenhower in 1959 to bring together representatives of local, State and Federal governments for the consideration of common problems.

²Formally, the National Commission on Urban Problems which was requested by President Lyndon B. Johnson and approved by the Congress in 1967. The Commission's charge was to conduct "a penetrating review" of zoning, housing and building codes, taxation, and development standards, and to recommend solutions to problems unearthed by the study.

³Officially, the President's Commission on Urban Housing, established in 1967 to study housing problems and recommend solutions.

decade, a goal that was to prove to be either overdrawn or under-served. Nonetheless, the 1968 Housing Act was to have significant influence on building research at the National Bureau of Standards. The provisions of the legislation for the fostering of new technology within the Department of Housing and Urban Development (HUD) put the Department in greater need of laboratory-based support and inclined HUD toward a technical reliance on NBS.

Change was sought at the popular level. People were demanding and achieving a new importance in the overall scheme of things. And change was urged at the professional level. What the world of building needed was not further technical advances, concluded a 1969 study commissioned by the American Institute of Architects, but "social inventions."⁴ In the building enterprise, people--building occupants--gained in importance, and while "sticks and stones" considerations continued to predominate, no longer did this predominance go unchallenged.

The Building Research Division in 1967 had a disciplinary base confined to structural engineering, mechanical engineering, mathematics, chemistry, and physics. There was one notable exception, however. A small project staff was set up to consider building systems and the performance approach to building. Comprised primarily of architects (architecture was considered an exotic discipline for the Division at the time), the group later was to gain organizational status in its designation as the Division's Building Systems Section.

NBS' traditional research strengths in building technology were coupled with a more people-oriented capability. Building Research Division management in a 1968 policy statement contended that "the combined talents of the architect, engineer, physical scientist, and behavioral scientist must be applied to make the building more responsive to the human occupant." The statement called for "greater emphasis on the human being as a meter," i.e., as a register of response in the way of instrumentation.

James Wright promoted the argument for subjective measurement offered originally by John P. Eberhard, Director of the Institute for Applied Technology,⁵ who once listed nine examples of human-meter measurement--some humans have 'perfect' pitch, anyone can recognize famous people from caricatures, experts can identify by taste the source vineyard of a wine and the year of harvest, and so on.

At the same time, Wright criticized the use of subjective measurement where objective measurement was possible. And he warned against analyzing subjective data as though they were obtained by objective means.

⁴William R. Ewald, Jr. in a study for the Future of the Profession Committee, American Institute of Architects, Washington, D.C., 1969.

⁵Eberhard served in this position from 1966 to 1968.

To be sure, the emphasis was placed on the identification of the subjects for, and means of, meaningful measurement, an emphasis reiterated a year later (1969) in a policy statement which asserted that the Division, "as an integral unit of the National Bureau of Standards, has a major responsibility for developing adequate measurement techniques for the nation's building industry, both public and private." According to the policy, the Bureau's resources were to be used in "developing both technical and user requirements for buildings in terms of performance, and to stimulate innovation and application of systems methodology in Federal construction."

The new research philosophy stressed the performance approach to building, an approach setting forth the function to be performed by a building material, component, or system regardless of the means employed. This approach differs crucially from the building industry's traditional prescriptive orientation. Instead of stipulating the performance sought--and letting it go at that--the prescriptive approach specifies how the desired performance is to be delivered. Prescription dictates construction particulars; it limits the solution to these particulars.

A principal advantage of the performance approach lies in its impartiality vis-a-vis traditional and innovative technologies. The performance approach accommodates innovation and by so doing facilitates innovation. When installed in a building regulatory system and made meaningful by a means of evaluating candidate technologies and a willingness to accept validated technologies, performance avoids over-regulation and nurtures benefit-cost gains.

Another value of the performance approach is that it forces examination of the needs of building users, and the consequent evaluation of candidate technologies in the context of those needs. The performance approach encourages multidisciplinary approaches to building questions. Consider the performance questions implicit in the "simple" wall: Is the wall structurally adequate? Would it withstand earthquake forces? What are its privacy implications, visually and acoustically? What are its economic implications? Is it thermally efficient? Is it durable? How do you hang a picture on it when it is made of steel? What are its fire characteristics? What are the psychological implications of its opaque surfaces and voids? Its color? Texture? In short, how should the wall perform in terms of a host of considerations, each of which requires its own disciplinary expertise and all of which lie at the base of design?

Not only does the performance approach imply a wide variety of attributes of walls, for example, but performance also requires the researcher to delve deeply into each and to understand the interrelationships of attributes. In researching acoustic and thermal properties of exterior walls, the researcher first studies properties which add or detract from both acoustic and thermal performance, then studies commonalities and differences. He must be thorough in his analysis of each factor which contributes to or denies acoustic or thermal performance.

The Building Research Division was taken with, but not preoccupied with, the performance philosophy. It also sought to be involved in and have influence on the "real world" of building. The Division extended its hand to Federal agencies having building responsibilities and endeavored to reach the private sector as well. "Building research is applied research," a Division policy statement said. "There is no use doing research unless it gets applied. We ought not sit in isolation on the NBS campus and carry out research of interest to our individual researchers and their peers in science and engineering, whether they are in government, universities, or industry. We must also be part of the total building construction process."

The Division shouldered a greater volume of research for other agencies. Steps were taken to improve communication with the more than 40 Federal agencies which have a role in planning, financing, designing, constructing, and operating buildings. Closer coordination with the other Federal agencies was urged by the Advisory Commission on Intergovernmental Relations (ACIR) and the Douglas Commission, an urging repeated by the Bureau of the Budget.⁶

The Bureau of the Budget in early 1968 asked a selected group of representatives of various Federal agencies to consider an ACIR recommendation that Federal agencies use a common set of building construction standards.

The interagency group in its final report to the Bureau of the Budget said it could not, on the basis of a limited survey it had conducted, trace a relationship between poor construction and differences in standards. The group noted that the Federal Construction Council of the Building Research Advisory Board, National Academy of Sciences, was looking into the subject of Federal standards and that "the more important task" for the Federal building family was "improved communications, cooperation, and coordination."

The Bureau of the Budget requested that NBS conduct activities to improve communications between the Federal agencies. NBS agreed to 1) ensure positive dissemination of its research findings, 2) promote an exchange of information between agencies by distributing technical bulletins or a newsletter, and 3) conduct seminars to ensure that agencies are made aware of the most important developments in standards and practices.

The Division made available to other agencies brief accounts of its research projects and began a series of Federal Building Workshops in which representatives of the Federal agencies could discuss building problems and interests with NBS building research staff. Instrumental in arranging this workshop series was Harry E. Thompson, Deputy Chief of the Division.

⁶Now the Office of Management and Budget.


The Division continued its participation in the work of more than 200 standards-generating committees and attached a new importance to the concept of appropriate technical support to building regulation. In the latter connection, it helped to arrange a meeting of several States to consider regulatory matters and the advisability of following up with a formal conference for all the States.

A meeting was held in 1967 at NBS with persons from seven States attending along with Division staff members and representatives of the Advisory Commission on Intergovernmental Relations. As a result of this meeting a representative of one of the States called for a meeting of the several States to consider NBS' invitation to assist with a national organization that might be patterned after the National Conference of States on Weights and Measures. The meeting was held and the organization which emerged was called the National Conference of States on Building Codes and Standards ("NCSBCS" and "Nix-Bix" by written and spoken acronym), and NBS became its secretariat.

The revitalized Building Research Division also moved to improve its communication with the building community. It named Dr. William W. Walton to head a newly established Scientific and Professional Liaison Section, focus of communications and liaison with builders and building researchers both at home and abroad. The Division not only sought to broaden its research program but to widen and hasten the diffusion of research results.

It would be misleading to suggest that the Building Research Division prior to 1968 lacked an interest in the performance approach to building, in the support of other Federal agencies, or in the transfer of technology. Accomplishments were achieved in all three areas of concern. Still, it is fair to say that these were concerns which now had become explicit targets of building research at NBS. The building users--always at least an implicit factor in building research and, for that matter, in the building enterprise--was elevated to the level of conscious concern.


"Consideration of the performance requirements for buildings from the user's point of view," wrote Paul Reece Achenbach, "quickly reveals that the occupant is more responsive to such factors as space arrangements, natural and artificial illumination, noise and vibration control, air purity, the thermal environment, and the convenience and effectiveness of the service systems than he is to the more basic characteristics of strength, safety, and



⁷The term "building community" includes the many participants in the design-build process--architects, engineers, developers, contractors, specialty contractors, researchers, planners, standards writers, regulators, financiers, product producers, owners and operators, etc.--plus the users of buildings.

health because he cannot evaluate the adequacy of these latter characteristics directly with his senses."⁸

And so a Sensory Environment Branch was formed within the Division with Achenbach as its Chief. It was comprised of the Environmental Engineering Section, the Psychophysics Section, and the Building Transport Systems Section. The Branch was charged with responsibility for broader, performance directed studies, and its staffing brought to the Division a discipline--psychology--previously missing from building research at NBS.



⁸Achenbach, P.R., Building Research at the National Bureau of Standards through 1968, Building Science Series 0, National Bureau of Standards, Washington, D.C. 20234 (1970).

CHAPTER 2

BUILDING RESEARCH ACCOMPLISHMENTS IN THE LATE 1960's

The Sensory Environment Branch occupied a pivotal role not only in the Division's commitment to performance but in the energy supply/price crunch soon to come. Many of the environmental phenomena to which the occupant is responsive--the thermal and illuminative factors, for example--are also energy sensitive/factors.

Branch studies concerned the thermal, acoustical and visual environment; the systems and equipment that transport energy, fuel, waste, water, materials, and people in buildings; the response of the building occupant to physical stimuli; and the thermophysical properties of materials.

While the focus on energy was sharpened by the harsh new supply/cost realities that so suddenly presented themselves, energy as a subject of building research at NBS extends back through the decades. Indeed, because of the NBS history of energy-relevant research and a management sensitivity to the energy issue, building researchers at the Bureau were considering energy questions well before the energy problem seized the nation's full attention.

The Division over the years sought to improve measurements of the effectiveness of thermal insulating materials. NBS researchers in 1920 developed a guarded hot plate apparatus for such measurements. This apparatus has been used in both NBS' own research and in the supply of other laboratories with measured samples of selected insulating materials for calibration purposes.

The guarded hot plate apparatus had served as the model for a test method of the American Society for Testing and Materials (ASTM). However, seemingly minor differences in design led to differences between test results obtained at various laboratories. That researchers were troubled by inaccuracies proved fortunate. The pursuit of accuracy and precision may have seemed somewhat academic in the days of plentiful and inexpensive energy, but for the future, far more than measurement nicety hung in the balance.

To improve handbook data on insulating materials, researchers wanted an apparatus that possessed not only the qualities of scientific accuracy and precision but one that was simpler, faster-operating, and more readily maintainable than existing equipment. The Thermal Engineering Section produced such an apparatus based on a concept developed by the late Henry E. Robinson, a senior research fellow, and christened it the Robinson Line-Heat-Source Guarded Hot Plate Apparatus (818).⁹

⁹Figures indicate references in the Bibliography.

For the most part, however, the Division's work in the late 1960s focused on longstanding issues embodied in building materials, structures, and mechanical systems. Measurement was the keystone in these studies. And measurement embraced not only the development of techniques and apparatus designed to detect and quantify a property or attribute, but fundamental questions of what should be measured in the first place.

Objective and contributive participation in the standards generation processes of the nation's system of voluntary standards was continued and was accompanied by notable instances of cooperation with other government agencies and the private sector. An example of this cooperation produced a back-up system for the testing technique known as accelerated weathering.


Accelerated Weathering

Early work at NBS led to the development of accelerated weathering devices which today are produced commercially and used throughout the world to measure the performance of materials under controlled laboratory conditions. However, outdoor exposure testing is also necessary to establish a correlation between the effects of laboratory and in-service exposures (339, 408).

Largely through the efforts of the Division's William C. Cullen and the cooperation with the Tri-Services Committee (consisting of building-concerned representatives of the three Armed Service branches), a network of outdoor exposure stations was set up at military bases from Alaska to Puerto Rico; thus an exposure spectrum ranging from the sub-arctic to the tropic was established.

The Division's work in materials also involved close association with the private sector. Private industry researchers worked at Gaithersburg under a collaborative program and exchanged technical information with Bureau staff.

The Asphalt Roofing Industry Bureau¹⁰ established a Research Associateship at the Bureau in 1926 which continued formally until 1968. Since then close collaboration has continued between the two organizations in roofing research. The Manufacturing Chemists Association also established a Research Associate Program to study the performance of plastic building materials. This cooperative program involved the exposure of plastic materials to the climates of Arizona, Florida, and Maryland and provided valuable information on the outdoor performance of plastics (416).



¹⁰Now the Asphalt Roofing Manufacturers Association.

Porcelain Enamel

The Research Associate Program initiated with the Porcelain Enamel Institute in 1937 was designed to develop standard tests for the quality control of porcelain enamels, i.e., with respect to weatherability, adherence to steel and aluminum, and cleanability (104, 129, 138, 150, 159, 313). Research results also were furnished through consultative and advisory services to other Federal agencies, manufacturers, and the user.

Organic Coatings


Research programs ongoing in the late 1960s included the upgrading of organic coatings (paints containing carbon compounds in their binders) through the development of performance criteria and the necessary test methods to ensure compliance with these criteria.

A comprehensive text on organic coatings was prepared for the general public (107) and performance specifications were also developed for coatings used on masonry, wood, and metal substrates.

The development of synthetic resins for use in coatings spurred the development of methods for determining resin contents in various coating systems. Among the resin systems studied were styrene-acrylate, styrenebutadiene, and acrylic latex systems (800, 801, 802). These test methods have been incorporated in many Federal and military specifications of the General Services Administration and Department of Defense, respectively.

In cooperation with the Tri-Services Paint Committee, tests were conducted at various military bases to study the field performance of selected coating systems. As an example, results of a field test were used in the preparation of specifications for a lead-free primer and top coat system for exterior wood surfaces.

A coatings manual was developed for the military services which provided guidance for all facets of coatings, e.g., surface preparation, safety, application methods, and which also recommended to the military services coating systems for housing and other facilities (803). The use of the manual expanded to a number of other Federal agencies and the text was made available to the general public.



¹¹For example--TT-P-001510 Paint, Latex, Exterior for Wood Surfaces, White and Tints; TT-P-001728 Paint, Latex-base, Interior, Flat, Deep-tone; MIL-P-28577 Primer, Water Reducible, Corrosion Resistant, for Metal Surfaces, May 14, 1971; and MIL-P-28582 Primer Coating, Exterior, Lead Pigment-Free (Undercoat for Wood, Ready-mixed, White and Tints) March 17, 1972.

Additional work on protective coating systems has included the development of performance criteria for industrial and residential siding materials (409), building stone preservatives (459), and waterproofing of concrete masonry surfaces (346).

Inorganic Building Materials

Inorganic building materials have been researched at the Bureau for more than 60 years. This work has yielded many publications covering cement, concrete, gypsum, and lime (102, 108, 115, 135). Recent studies have concentrated on the performance of these materials and have been directed towards an understanding of the relationship between composition, microstructure, and performance.

A study seeking relationships between cement and concrete properties, with particular reference to trace elements, used 199 concrete specimens which had been, exposed outdoors for 16 years (136). The durability of the specimens was determined by dimensional changes, weight changes, changes in appearance, and other laboratory techniques. The results of the work, carried out by R.L. Blaine and H.T. Arni, provide the basis for performance criteria for concrete based upon actual outdoor exposure conditions.

A series of investigations was carried out on the products formed between calcium sulfate and water (gypsum plaster). The analytical techniques used involved scanning electron microscopy, differential thermal analysis, and infrared spectroscopy. The effects of additives on the setting times and on the crystal morphology of hardened plaster were studied and a modified crystallization theory has been proposed (321, 804, 805). The performance of plaster can be improved through improvements in set regulating additives.

Roofing

The Federal agencies with roofing problems and the roofing industry, with which Cullen, the Bureau's leading roofing expert, maintained close contact, looked to Gaithersburg for technical support. NBS prepared guidelines and procurement criteria designed to avoid the expense of over-design as well as the cost (plus replacement inconvenience) of under-design (155, 328).

Studies addressed the chemistry of photooxidation of coating grade roofing asphalts, hail resistance, insulation, slippage, membrane rheology, and roofing design (300, 302, 344). The performance of roofing felts was investigated (119, 124, 303), and in a continuing study of the chemistry of asphalt, an infrared spectroscopy technique was developed and applied to the preparation of coating grade asphalts.



Hail Damage

Hail causes enormous damage to roofing, especially in the Great Plains where severe hailstorms are common. An NBS study of the problem, which produced new measurement techniques and unique test equipment, e.g., a "hail gun" that fires ice spheres to simulate hail impact damages at terminal and wind-driven velocities. This work established a technical basis for performance criteria for roofing and siding materials (123). The Bureau, supported in this work by the Asphalt Roofing Manufacturers Association, tested traditional as well as innovative roofing systems. In addition, the use of the hail gun was expanded to study the effects of hail on industrial and residential siding.



Performance criteria for hail resistance were developed in time to be applied to a massive housing experiment of the Department of Housing and Urban Development (HUD)--the soon-to-come Operation Breakthrough.

Standards Participation

Materials research findings were incorporated in voluntary standards for roofing, sealants coatings, and flooring systems. Findings in studies of bituminous built-up roofing, the most widely used industrial roofing, were applied to a proposed ASTM standard.¹² Additionally, a rapid, simple method for measuring viscosity and viscosity temperature relationships of asphalts was developed and proposed as an ASTM standard.¹³

Arthur Hockman, a materials engineer, was prominent in stone and sealant activities of ASTM. The Federal specifications Hockman developed for sealants were adopted, with minor modification, by countries around the world--England, Germany, Japan and Australia to name a few.

In fire research, an NBS-developed smoke density test method achieved wide acceptance for measuring the quantity of smoke generated by building materials and aircraft interior finishes (322). The method was proposed to ASTM and the National Fire Protection Association and was incorporated in many specifications and safety standards. In addition, a large amount of technical data, associated directly and indirectly with standards, was provided to the Federal Fire Council, to national and international organizations, and to building code authorities. These activities, led by Irwin A. Benjamin, were concerned primarily with the life safety of building occupants, included such subjects as alarms, detectors, sprinklers, extinguishers, elevators, surface flammability, smoke movement, and structural fire protection.

¹²Proposed Method of Test for Coefficient of Linear Thermal Expansion of Roofing and Waterproofing Membranes, 1975 Annual Book of ASTM Standards, Part 15.

¹³Proposed for publication in the 1977 Annual Book of ASTM Standards.

Participation in Standards generating activities continued at a high level in the late 1960s for structures researchers as well. NBS's structural engineers served in the chair of the American Standards Association¹⁴ Committee A41, Design of Masonry, included Robert G. Mathey, Robert D. Dijkers, and Dr. Felix Y. Yokel. The contributions to standards made by NBS professionals were based on considerable laboratory and theoretical work (133, 134). Research in the area of masonry construction has been a continuing activity of the Division throughout its history. It was one of the activities of the Structures Section to experience little interruption in the move to Gaithersburg.

The Bureau developed an analytical procedure for predicting the response of masonry wall systems to combined axial and flexural loading. Predicted values correlated closely with those obtained in physical testing. These findings were disseminated to the professional community through a number of publications.

The research effort was continued into the area of shear walls on the belief that masonry design standards did not recognize the beneficial effects of compressive loads on the racking strength of masonry walls. Laboratory-generated data, it was thought, would lead to improved design procedures and more economical construction. Later analysis of test results indicated it was possible to predict ultimate failure loads by rational methods (496).

Investigations of the behavior of masonry structural systems were carried out in collaboration with the Structural Clay Products Institute,¹⁵ the National Concrete Masonry Association, and the Tri-Services Committee. Results were presented to standards-producing organizations such as the American Concrete Institute Committee 531 on Concrete Masonry Structures. NBS personnel served on the technical committees of these organizations, sometimes chairing the committee, as with the American National Standards Institute (ANSI) Committee A41, Design of Masonry.

The same kind of standards participation marked loads research, the Division serving as secretariat to ANSI Committee A58 on Building Code Requirements for Minimum Design Loads in Buildings and Other Structures. Again, this work was directed toward more rational code provisions based on analysis of known conditions, as distinguished from those suggested by experience. During the tenure of the A58 secretaryship by Division wind loads specialist, Richard D. Marshall (130, 309, 310), the Committee worked toward a new edition of ANSI A58.1--American National Standard: Building Load Requirements for Minimum Design Loads in Buildings and Other Structures. This edition contained important changes.



¹⁴Now the American National Standards Institute.

¹⁵Now the Brick Institute of America.

The cooperative efforts of the Committee with the Environmental Data Service are reflected in the section on wind loads which contains a major innovation--the concept of varying wind load requirements both with the dynamic properties of the structure and the nature of the terrain. This enables the engineer to design structures with more uniform safety and therefore with greater economy. In the light of wind losses which yearly run between \$500 million and \$2.5 billion, the objective of reducing losses was attractive. (Mentioned in another section of A58.1 are works by James Bryson and Daniel Gross (116) involving techniques for the study of live loads and fire loads in office buildings.)

But improved safety and economy of building is a structural research goal with many facets. Many aspects of structural safety and economy were pursued upon settling into the new research facilities. Studies were resumed on prestressed T-beams constructed by the split-beam method (131)--a technique of casting the compressive portion of the beam after the web has been formed and prestressed to effect an economy of materials.

Innovative concepts such as honeycomb core panels (143) were researched with a view to application by the military. Also, performance studies were being made of devices suitable for suspending loads from ceilings in commercial and institutional buildings to optimize expensive floor space utilization, but at safely designed load-carrying capacities (142).

Precoordination

The concept of having a common dimensional module for use by building designers and component manufacturers has been a source of long but sporadic interest on the part of the building community. ANSI Committee A62, Precoordination of Building Components and Systems, was re-activated in 1966 with NBS serving as secretariat. The committee's major objective was to "establish, through national standards, a fundamental theory of coordination which will serve as a format for the application of industrial efficiencies within the building process."

NBS' role with A62 was in a sense a pilot function undertaken with the hope that industry would assume secretariat responsibilities. This was not to occur, and the Bureau eventually terminated its support. As metrication became a more likely prospect for the United States, and as the relationship between metrication and dimensional coordination became pronounced, the principles of coordination were to re-emerge in the mid-1970s with new promise.

Heat Release Calorimeter

Why and how buildings withstand the effects of fire has long been a research subject at NBS. Early on it was found that the severity of a building fire depended on the amount of heat produced by the burning of its combustible elements and contents. If these materials gave



off small amounts of heat at a slow rate, the fire would be less severe than if the materials quickly generated large amounts of heat. Thus the measurement of the quantity and rate of heat released by building materials under fire conditions became a major objective.

A heat release calorimeter was developed to measure the rate at which heat is released from burning materials under carefully controlled exposure conditions.

Reference Laboratory

There are two materials reference laboratories at the National Bureau of Standards; the Cement and Concrete Reference Laboratory (CCRL) sponsored by the American Society for Testing and Materials and the AASHTO Materials Reference Laboratory (AMRL) sponsored by the American Association of State Highway and Transportation Officials. Both of these organizations were housed with the Building Research Division until the late 1960s but have since been located elsewhere in the Institute for Applied Technology (now reorganized into the National Engineering Laboratory).


The principal function of CCRL is to promote uniformity in the testing of hydraulic cement and hydraulic cement concrete in materials testing laboratories throughout the United States and Canada. The principal function of AMRL is to promote uniformity in the testing of soils, bituminous materials, and bituminous concrete in primary state and federal transportation materials testing laboratories throughout the United States.

By 1970, CCRL had completed 17 tours of the over 400 participating laboratories and had distributed 30 proficiency test samples of portland cement. Its personnel were actively serving on ASTM committees and the American Concrete Institute, and for over 40 years had performed major secretarial work of ASTM Committee C-1 on Cement and had served as the liaison representative of this committee with several other ASTM committees.

AMRL had completed three inspection tours of laboratories and had implemented proficiency sample programs to test aggregates, soils, and bituminous materials. Staff members were actively participating in several ASTM committees and were steadily contributing to improving AASHTO specifications and methods of test for materials used in construction of highways and other transportation facilities.

Electrical Codes

Again in support of the nation's voluntary system of standards, NBS for 60 years--from 1913 to 1973--served as secretariat to the National Electrical Safety Code effort, which operates under ANSI procedures. Under the leadership of NBS, three of the electrical code's four parts were updated and the fourth was well along in its recasting at the time of the secretariat transfer to the Institute of Electrical and Electronic Engineers.



NBS personnel--notably William Meese--also contributed to the National Electrical Code developed under the auspices of the National Fire Protection Association. This code ANSI C1, is primarily concerned with the installation of wiring and electrical equipment in buildings.

The Importance of Testing

A 1968 event which was to mean much for the Division's immediate future took place in the structures laboratory. It illustrated the Division's ability to respond within a matter of weeks to a real-world problem faced by HUD, and it was probably influential in HUD's turning to the Bureau for technical support in Operation Breakthrough. The event was Project Phoenix (125).

"Phoenix" was the name of a Detroit housing project undertaken in the aftermath of ghetto rioting. The project was to use an innovative building system of factory-made pre-cast concrete components assembled at the site to create a structural framework. The system involved a number of departures from conventional building practices, its developer mindful of HUD's admonition that each additional \$100 in the cost of a house prices some 15,000 American families out of the market.


In conventional structural practice the design usually depends solely on the building's framework to provide strength and stiffness. The developer of the Phoenix system also took into account the structural contribution of walls and partitions.

Detroit's commissioner of buildings, however, could not credit these "skin" components with a structural contribution. HUD, meanwhile, was eager to have the project built and held discussions with the City of Detroit for more than a year. Finally it was agreed to test the system's overall performance to determine whether it met the code requirements. The Building Research Division was chosen to perform the tests.

The housing system was erected on the tie-down floor of the Division's main structures testing laboratory. Hydraulic rams and pneumatic air bags were used to simulate loadings.

Expressing the Detroit building code load requirements in terms of people, research engineers found that a 3.7 by 6 m (12 by 20 ft.) room would have to support a load comparable to 240 persons, in itself a decidedly stern requirement. But the laboratory test showed the floor capable of supporting 540 persons, at which point the test had to be terminated due to the failure of one of the air bags used in loading.

As for lateral loading, the structure had to resist the equivalent of about a 40 m/s (90 mph) wind. The full-scale tests were discontinued when a wind load equivalent of a 67 m/s (150 mph) was reached; the test structure was experiencing excessive uplift rather than internal structural damage.



The tests showed that with skins in place, the innovative system easily met the intent of the building code. They also yielded more knowledge about the structural behavior of buildings and the part played by "non-structural" components. The City of Detroit granted a waiver from its building code, permitting the system to be used.

The Phoenix testing took five weeks. It demonstrated both NBS's capability for short-deadline laboratory support and the kind of measurement necessary to advance the performance concept in building.

CHAPTER 3

THE PERFORMANCE CONCEPT

The performance approach accentuates function. Since buildings serve people and their activities, function is defined by the attributes necessary to satisfy human requirements. The means of delivering attributes is left open. It is in this way that the builder or the supplier of building components is invited to innovate--and indeed, the encouragement of innovation (and the corollary avoidance of overregulation) is sometimes cited as the reason for being of the performance approach. But the philosophy of performance puts its principal emphasis on the satisfaction of human requirements.

The Building Research Division addressed not only the theory of performance, but its practical application as well. It had gained the interest of the Office of Urban Technology and Research¹⁶ in the Department of Housing and Urban Development (HUD). The Department joined with the Division in funding a preliminary study on how the performance concept might be applied to housing.

Housing has long been a research concern at NBS. The first organizational unit established specifically for building research at NBS was named the Division for Housing and Building Technology. That was in 1922.

The HUD/NBS performance-in-housing project sought to identify the knowledge gaps that had to be filled to develop a practical set of performance standards. It sought the formulation of impartial, innovation-inducing standards to replace the prescriptive "cookbook" provisions blamed for needlessly constraining building technology. "It is hypothesized that if adequate performance standards for low-cost housing could be developed, and if they were broadly used," explained the study agreement with HUD, "an important and fundamental way would have been opened to accommodate the introduction of cost-reducing innovations into the design of low-cost housing."¹⁷

The words "if...broadly used" went beyond "economies of technology." Clearly they suggested scale (mass production) economies as well.

The study probed an idea--performance-that, while hardly pervasive, was not entirely novel, either. As early as the 1930s the Building Research Station in Great Britain

¹⁶Now the Office of Policy Development and Research

¹⁷Eberhard, J.P., The Performance Concept: A Study of Its Application to Housing, Preface, National Bureau of Standards, Washington, D.C. 20234 (1969).

proposed that health and safety considerations be couched in performance terms.¹⁸ A 1938 NBS publication noted that "adequate performance requirements of nationwide acceptance would facilitate the rapid development of new, better, and, it is hoped, cheaper methods of construction."¹⁹ NBS' George N. Thompson in a 1949 paper urged the judicious application of performance in building code formulation and cited advantages to this approach.²⁰ France, South Africa, and the Nordic countries over the years also made important contributions to the concept and its application.

The first project to use performance requirements in the United States was directed by Ezra Ehrenkrantz. This was the School Construction System Development project, which Ehrenkrantz, who had had previous experience in building systems in Great Britain, began in 1961.

"System," a word often associated with the performance approach, derives from two sources. It comes from building systems--the dimensional and functional coordination of the subsystems of a building which when assembled deliver specified attributes, and from operations research or systems analysis.

While it is generally held that the performance approach and systems analysis are separate and distinct, the two methodologies hold much in common. Both seek a high degree of problem definition; both reject unquestioning adoption of conventional solutions; both seek out and entertain the widest array of possible solutions; both apply an evaluative routine to potential solutions; both emphasize feedback in order that future solutions can benefit from earlier experience; both insist on procedurally organized methods; and both insist philosophically on a comprehensive view of the problem and an open-ended range of possible solutions.

The Division in 1968 held a conference for the building community on the theme, "Performance of Buildings--Concept and Measurement; Man and His Shelter" (101). The conference and its proceedings not only advanced the performance concept but had the effect of spreading the word that the Division welcomed new challenges, especially those that would permit it to move from its traditional materials-testing preoccupation to performance standards for buildings.

¹⁸Wright, J.R., "The Performance Approach: History and Status," Performance Concept in Buildings, Vol. 2, Special Publication 361, National Bureau of Standards, Washington, D.C. 20234 (1972).

¹⁹Whittemore, H.L., and Stang, A.H., Methods of Determining the Structural Properties of Low-Cost House Constructions, Building Materials and Structures 2, National Bureau of Standards, Washington, D.C. 20234 (1938).

²⁰Thompson, George N., Preparation and Revision of Building Codes, Building Materials and Structures 119, National Bureau of Standards, Washington, D.C. 20234 (1949).

Significantly, the sub-title of this notable conference began not with sticks and stones but with "Man." The Division was convinced that building research must involve not only physical scientists and engineers but social scientists, research architects, economists, urban planners, and "those who have the specific task of getting results put into practice," i.e., those who understood the needs of the appliers of building technology and of the regulators--the building code officials principally--of this technology.

At HUD, meanwhile, Secretary George Romney was equally convinced that the rationalized and coordinated mass-production techniques of the automobile industry from which he had come could be transferred to homebuilding. Romney wanted to achieve a "break through" to innovative, industrialized housing. And so, "Operation Breakthrough."

An Operation Breakthrough Request for Proposals, distributed in the summer of 1969 yielded 632 proposals from a wide range of industrial and professional firms and consortia. From these proposals, 22 housing system producers were chosen to participate in the largest housing prototype demonstration program ever conducted in the United States.²¹


HUD's new Assistant Secretary for Research and Technology, Harold B. Finger, told the Bureau in late 1969 that HUD, "in order to establish testing requirements, performance criteria, and the validity of testing procedures and results," required the "advisory, consultative, and operating services of the National Bureau of Standards." Pilot funding followed to enable NBS building researchers to begin work on Operation Breakthrough.

The Division had a clear idea of how to proceed. Its immediate objective was the development of a comprehensive set of performance criteria for the design and evaluation of the entire range of the 22 housing systems selected. A December 22, 1969, meeting between HUD, NBS, and the National Academy of Sciences indicated that the Division would manage the "evaluation program" for Operation Breakthrough and would develop the performance criteria necessary for evaluation--by February 1, 1970.

An interdisciplinary Operation Breakthrough team was formed, its members representing every Section and discipline within the Division. Dr. Edward O. Pfrang, then Chief of the Structures Section, was appointed program manager and Vannie E. Gray, a chemist, was named assistant manager.

Planning for the task of developing a comprehensive set of performance criteria was constrained by the tight schedule imposed on the Division. The development of the criteria in so short a time required disciplined procedures and an ordered framework. It was decided to structure the criteria according to a matrix (707). One axis on the two-dimensional matrix represented the built

²¹The selection panel included two NBS staff members, Paul Reece Achenbach and Thomas Ware.



elements and the other the attributes necessary to serve the user. The intersection of each built element with each attribute was examined in the formulation of performance statements. The matrix also provided a way of organizing these as provisions of the resulting performance specification.

Built elements were lettered and attributes were numbered. The built element "structure" (A) and the attribute "fire safety" (4) formed the intercept A-4. Here could be found all performance statements bearing on the structural/fire safety interrelationship.

Operation Breakthrough activities for a time tended to eclipse many of the Division's other research activities. The conduct of the entire evaluation effort--which was founded on the criteria--proved an absorbing, significant, and meaningful responsibility.


Any assessment of the Division's contribution to housing via Operation Breakthrough on the one hand depends on the value of the program itself, and on the other on the quality of the Division's technical support irrespective of Breakthrough's merits.

To Harold Finger the question of Breakthrough's success was beyond dispute. Three years after the program's launching Finger declared: "Our goal was to accelerate the rate of change, of improvement in housing, to encourage innovation in housing systems, in land planning, and in providing opportunities for all people to live in well-designed communities. In this short time we have accomplished much of what we set out to do, and in many areas we have accomplished more than we expected. We have broken through many of the constraints to the improvements we are seeking."²²

Finger ascribed to Operation Breakthrough a large measure of credit for the industrialized housing laws or general purpose building codes adopted by 20 States in the first years of Operation Breakthrough.

Certainly the development of performance criteria for Operation Breakthrough was considered an enduring technical achievement. These criteria were published in four volumes covering as many kinds of housing--single-family detached, single-family attached, multi-family low-rise, and multi-family high-rise. Entitled Guide Criteria for the Design and Evaluation of Operation Breakthrough Housing Systems (704) they have influenced building codes, standards used by HUD, and indeed the perspective at NBS with respect to performance and prescription.

The experience of working with new materials and techniques, the opportunity to challenge state-of-the-art technology, and most of all, the greater engagement in real-world problems afforded by Breakthrough, stimulated and redirected building research at Gaithersburg.



²²Foster, B.E., Performance Concept in Buildings, Vol. 2, Special Publication 361, p. 819, National Bureau of Standards, Washington, D.C. 20234 (1972).

The performance criteria in addition to health and safety considerations also included issues of durability and livability. Durability and livability had to be addressed since the innovative systems in question had not undergone the test of time or marketplace. Moreover, Operation Breakthrough sought not only safe and healthful housing but housing of improved quality (715).

The Breakthrough team aimed at achieving at least that level of health and safety intended by the codes. "Targets of opportunity" having high payoff also were incorporated, an example being smoke detection. The Breakthrough criteria called for smoke detectors on a much broader scale than did most regulatory jurisdictions. In general, considerable attention was paid to life safety, the Breakthrough team believing that historically regulations placed too little emphasis on protecting housing occupants compared with the stress on protecting property.

It was necessary to identify and measure inherent but unexpressed attributes in conventional housing in order to ensure their presence in innovative housing. For example, for the first time attention was given to the fire safety of innovative materials and construction techniques for single-family residences. Never before had building codes prescribed fire endurance requirements for flooring and wall assemblies, or smoke generation limitations for interior finish materials, or smoke detectors. Since the criteria sought a level of safety at least the equal of that found in conventional construction (708), researchers had to first define and quantify conventional technology in order that the Operation Breakthrough criteria could be assigned commensurate values (312).

The Guide Criteria for the Design and Evaluation of Operation Breakthrough Housing Systems was one of two major performance documents generated at NBS. The other was the PBS Performance Specification for Office Buildings. The Public Buildings Service (PBS) in the General Services Administration funded the specification in an effort to achieve better government office buildings and to generally advance systems know-how in the building community. Arthur F. Sampson, PBS Commissioner, said in 1971: "This new approach to the design and construction process presents a challenge which must be accepted in order to ensure continuing excellence in Federal and private building construction."

The specification was a product of the Building Systems Section which was headed by Robert Blake and which counted among its staff systems and performance thinkers, Michael Brill, Thomas E. Ware, and David B. Hattis (700). It was developed for three payment centers of the Social Security Administration. Earmarked for San Francisco, Philadelphia, and Chicago, the buildings' combined cost was estimated at \$110 million.

The performance specification envisaged buildings in part designed and constructed by conventional techniques and in part designed, manufactured, and assembled by coordinated (system) methods. Procurement provisions of the



system portions are stated clearly in performance terms rather than in the particular technologies of pre-existing models. The specification is aimed at any or all of the following advantages: increased building quality, decreased building costs, and more efficient construction management techniques.

The specification addresses the volumetric portion of the building, the portion that houses the building's operational reason-for-being as distinct from ancillary spaces, e.g., spaces serving circulation or special-purpose functions, seven of the major elements of the work space: structural frame, HVAC equipment (ductwork, and through a later PBS revision, air-handling equipment), electrical and telephone distribution, lighting fixtures, finished floors, finished ceilings, and partitions.

The performance specification changes the process of building and introduces a new participant--the executive architect. It is the executive architect's responsibility to define the roles of all participants and to maintain open lines of communication between them. The specification encourages the offsite manufacture of coordinated subsystems, this to replace the traditional in-situ, piece-by-piece assembly of the building.

Additionally, the systems building approach with its through-process management "pulls the parts together" within government, countering a tendency of the building process to segment along functional lines--site acquisition, space requirements, design, construction, etc.

Finally, it raises such ideas as life-cycle costing from conceptual to application levels. PBS undertook the development of bid equalization factors so that proposals with attractive first costs--but high maintenance and operating costs--would not necessarily win in the bidding. This is a stark departure from customary practice in an industry dominated by first costs. Moreover, as the cost dynamics in energy became felt, bid proposals were required to be energy sensitive as well as cost descriptive in relation to time.

Two of the three Social Security payment centers were completed by the mid-1970s and the third was under construction. PBS was also applying the specification to two more Social Security buildings in Baltimore with an estimated total cost of \$61 million. PBS found that the construction process was speeded up and that the office work environments which resulted were superior to those of conventional construction. Costs were within estimates but did not lend themselves to comparison with conventional construction because of the complicating life-cycle aspect.²³

²³Conversation with James Parksen, Chief, Criteria and Research Branch, Professional Services Division, PBS.

CHAPTER 4

WORKING WITH THE STATES

An NBS building technologist was in Madison, Wis., his day's business at the Forest Products Laboratory completed. It was 1967, and in spite of his having participated in a major building codes study conducted by the Advisory Commission on Intergovernmental Relations, he had in mind no particular thoughts on the subject of building regulation. The technologist, Charles T. Mahaffey, was in Madison on other business.

He met by chance an official of the NBS Office of Weights and Measures who that night was to meet with a group from the National Conference on Weights and Measures, and he was invited to attend the session as an observer.

The cordial but effective nature of meeting with the State representatives impressed Mahaffey. On his return to Gaithersburg he asked Dr. A. Allan Bates, then Chief of the Building Research Division (BRD), to consider formal interaction with the States on the subject of building regulation. Bates first wanted to determine if the States were interested. A telephone survey of 10 representative States was conducted; it revealed a distinct enthusiasm for the idea.

A month later officials of the States met in a two-day session with NBS staff members. The morning went well, but it was at a noon luncheon with NBS Director Allen V. Astin that the State representatives developed an approving attitude toward the National Bureau of Standards. Astin's low-key style and candid manner, but most of all his insistence that NBS's offer of help was on condition that the States assume the leadership role, offset worries over Federal pre-emption.

Among the State representatives on hand was Gene A. Rowland, one of three Commissioners in the Wisconsin Department of Industry, Labor, and Human Relations. Rowland was keenly interested in the notion of interstate cooperation on building regulation; he asked the Governor of Wisconsin to host a meeting of all States. That meeting was held in the fall of 1967.

It should be noted here that building regulation in the United States is, in principle, a State prerogative. However, the actual regulation of buildings has been carried out for the most part by the towns and cities. This localism in regulation stems from two facts. One is that the building enterprise itself was once exclusively local, and the other is that building regulation is a civic matter drawing from the conflagrative and hygienic implications of human settlements, i.e., from the close proximity of one building with other buildings. In short, building was a local enterprise and its regulation a communal concern.



But as the enterprise began to take on a more intercity and even interstate character, the problem of local building codes, often in conflict with one another, required examination. The in-depth study of the Advisory Commission on Intergovernmental Relations produced 11 remedial recommendations,²⁴ seven of which required some concerted action by the States.

The 1967 Wisconsin meeting resulted in the formation of the National Conference of States on Building Codes and Standards (NCSBCS). The Conference is primarily composed of State officials who have been appointed by their governors as delegates to NCSBCS. Its purpose is to provide a forum to discuss mutual problems and to promote state-wide and national uniformity in building codes and enforcement practices. Two months later the BRD's Codes and Standards Section became the Secretariat to NCSBCS. At about the same time, Gene Rowland, having just completed the reorganization of the building codes section in Wisconsin's Industry, Labor, and Human Relations Department, left his State post to become Chief of the Codes and Standards Section at the Building Research Division. Rowland at the time was serving as NCSBCS' first chairman.

The first annual meeting of NCSBCS was held at NBS on May 6-7, 1968. This meeting was for the purpose of establishing objectives, approving the proposed organizational structure, electing officers and committee members, and outlining NCSBCS' initial programmatic directions.

In 1969 the organization's constitution and by-laws were approved by 36 States at NCSBCS' second annual meeting, in Hollywood Beach, Fla. The next year all 50 States, the District of Columbia, and two territories through their respective governors' offices endorsed the concept and scope of NCSBCS and named delegates to the body. While depicted as a forum for the discussion and resolution of problems, NCSBCS in the final analysis was designed to counter the proliferation of building code jurisdictions with their varying requirements. These jurisdictions numbered at least 12,000 with a potential of thousands more.

Not only do code requirements differ from one jurisdiction to another, but so do jurisdictional interpretations of common requirements. Additional differences are found in the administrative practices of regulatory agencies.

This situation was seen as an impediment to the realization of "the two economies"--an economy of scale and an economy of technology. So fragmented a regulatory overlay upon what otherwise might be a cohesive--and sizeable--market discouraged the development of innovative building products.

²⁴"Building Codes: A Program for Intergovernmental Reform," Advisory Commission on Intergovernmental Relations, Washington, D.C., January 1966.

tive technologies made little sense in the absence of an evaluation and acceptance system to guarantee markets of investment-worthy size.

NCSBCS established standing committees each of which was to meet at regular intervals and each of which was assigned an NBS staff member for support. Several joint NBS/NCSBCS projects were undertaken at first, followed by an ambitious, NBS-funded research program launched on NCSBCS' behalf.

NCSBCS influenced the passage of state-wide regulatory legislation as did the Operation Breakthrough program of the Department of Housing and Urban Development (HUD). Both HUD and NCSBCS had a telling influence on greater intrastate uniformity in the regulation of buildings, especially industrialized buildings.

Enhancing the climate for new technology has been the intent of the Bureau's service to NCSBCS. This service enables the States to describe more uniformly their regulatory requirements and to more accurately evaluate new construction materials and techniques, paving the way for the natural evolution of a market area sufficiently large and rewarding to stimulate industrial innovation. In turn, the consumer's choice range is widened. It is the consumer who is the ultimate beneficiary of an improved regulatory climate.

It was as the Bureau maintained this "relatively modest but high priority" program with the States that Secretary of Commerce Maurice Stans asked for a status report on the program and for suggestions on what might be done to "accelerate" it. The report, prepared by the Bureau, noted that NCSBCS had asked for support in the development of 1) laboratory accreditation procedures, 2) a coordinated system for evaluating and processing building innovations, and 3) model legislation on the regulation of buildings.

Funds were made available for all three. Thus were born the Laboratory Evaluation and Accreditation Program (LEAP), the Coordinated Evaluation System (CES), and the model legislation effort.

With the full support of the Bureau, NCSBCS grew in both status and financial resources, achieving a maturity which suggested that the NBS secretariat role need not be extended beyond 1976. A close association with NCSBCS was expected to continue. The Bureau will provide support as appropriate within the scope of the NBS mission. Meantime, a legacy of significant programs conducted by the Bureau for NCSBCS testifies to the close NCSBCS-NBS alliance. These programs included a Laboratory Evaluation and Accreditation Program (LEAP), a Coordinated Evaluation System (CES), model enabling legislation, and the development of criteria for energy conservation in new buildings (462).

LEAP

The Laboratory Evaluation and Accreditation Program had as its backdrop a trend toward greater industrialization through State-level certification of manufactured buildings and toward interstate reciprocity in the certification of buildings and components. The caliber of the laboratories and agencies performing the evaluating and compliance assurance functions for manufactured buildings was subject to some question, however. A way of assessing the capabilities of these organizations on a uniform, interstate basis was needed if evaluations made by one State were to be confidently accepted by another.

NCSBCS in 1970 asked the Bureau to develop a program to accredit laboratories. The need for such a program was recognized and NBS initiated LEAP in January, 1971.

LEAP under the leadership of James O. Bryson produced four research reports which NCSBCS and NBS turned over to ASTM for processing as national consensus standards. Two ASTM committees, E32 Criteria for Evaluating Agencies Concerned with Systems Analysis, Testing, and/or Compliance Assurance of Manufactured Buildings, and E36 Criteria for the Evaluation of Testing and/or Inspection Agencies, were established to process the documents. The E32 Committee produced a standard which in time (1975) was to win consensus agreement--ASTM E541 Criteria for Evaluating Agencies Engaged in Systems Analysis and Compliance Assurance for Manufactured Building. The E36 Committee, meanwhile, pressed ahead with the development of generic criteria for the evaluation of testing laboratories.

Using LEAP evaluation criteria and methodology, pilot efforts were undertaken by the States of Massachusetts and Maryland to demonstrate the benefits of a LEAP approach to building regulation. The results of these demonstrations, along with the on-going deliberations of the ASTM committees, were expected to advance the industrialization of the building process as was the Coordinated Evaluation System (CES) project.

CES

The CES project was directed toward the fostering of regional or national markets through consistency of procedures and documentation. Headed by Robert D. Dikkers, CES was undertaken in response to two requests, one from NCSBCS and another from the Executive Office of the President. Its purpose was to develop, in conjunction with the States, consistent informational documents as a means of facilitating the acceptance of new technology (327).

Among the project's products was a four-volume preliminary report entitled, Model Documents for the Evaluation, Approval and Inspection of Manufactured Building (172).

This and other output from the project were endorsed by NCSBCS and adopted for use by several States and a number of independent laboratories (342).

The National Conference of States on Building Codes and Standards and NBS agreed that model legislation in certain building-related areas was needed. NCSBCS and NBS began the development of the models out of an awareness of the multiplicity of proposals before State legislatures and of the need to upgrade building code programs.

NBS formed four balanced working groups to develop as many legislative models--a Manufactured Building Act, Mobile Home Act, State Building Code Act, and a Registration of Code Enforcement Officers Act. These groups were comprised of representatives of industry, States, local governments, model codes, the Federal Government and the general public. The models were endorsed by NCSBCS and all but the Registration of Code Enforcement Officers Act were included in the 1974 Suggested State Legislation package of the Council of State Governments, the Council believing that additional research was needed on the subject of registration. Several States have used the models in developing their own legislation.

NBS' work in support of NCSBCS has drawn it close to--but not into--the arena of building regulation. Building regulation is the function of the States and their political subdivisions.



CHAPTER 5

BUILDING RESEARCH ACCOMPLISHMENTS IN THE EARLY 1970's

Building research at NBS in the first years of the 1970s began to consciously address user needs and energy-related technologies, but the majority of investigations involved traditional mechanical, structural, and materials concerns.

Plumbing


Long-range plumbing studies contributed to the development of criteria and methods for the performance evaluation of innovative materials for fixtures and piping. These studies also contributed to the protocol for hydraulic performance evaluations of innovative systems (141). New laboratory capabilities made possible the measurement of typical dynamic transient processes, a significant advance in the measurement technology in this field. Plumbing research prior to the establishment of these new capabilities was conducted largely with instrumentation more suitable for non-typical static or continuous-flow conditions (209).

Development of a procedure for measuring and reporting the essential hydraulic characteristics of plumbing fixtures and appliances was undertaken. Also, studies were conducted to examine the conditions under which plastic pipe may be used in wall and chase constructions with fire requirements appropriate for the safety of occupants and the protection of property (167, 169).

Reduced-Size Venting

This project was directed toward the potential for using smaller--and thus less costly--vent pipes in drain-waste-vent systems. Potential savings are estimated at between \$46 and \$125 per dwelling depending on the configuration of the plumbing system and the plumbing code in the jurisdiction of its location. The laboratory research showed that traditional dry vent sizing procedures are unnecessarily restrictive for one- and two-story residential applications (149, 944, 945, 946).

The performance criteria adopted for this work and the sizing procedures derived from it provided adequate assurance against the emission of sewer gases or sewage into the building. This was accomplished through design procedures taking into account retention of adequate water seals in the plumbing fixture traps and limitation of pneumatic pressure fluctuations in the drains connecting to the traps.



ine economic benefits are derived from the use of pipes and fittings (for dry vent lines) that are usually two to four commercial pipe sizes smaller than those ordinarily used, i.e., those required by plumbing codes. Further economic benefits are gained through labor savings and reduced values in overhead and profit factoring by plumbing contractors. The design methods derived from this work were recommended for application in any one- or two-story residential drain-waste-vent system, the "wet" piping of which complies with at least one of the model plumbing codes.

Work in reduced-size venting was carried out in the mid-1960s under the sponsorship of the National Association of Home Builders. Criteria generated in these studies were improved and expanded in work undertaken for the military services in the early 1970s by Robert S. Wyly and colleagues. This work confirmed the potential for reduced-size venting and pointed the way to field trials. It also provided criteria to code groups considering changes in venting requirements.


Mobile Homes

Manufactured housing, including most notably the mobile home, became an NBS research subject of major importance in the 1970s. Millions of Americans were turning to this form of shelter. By 1971 mobile homes accounted for 70 percent of the under \$20,000 market in America. By 1974, with the average cost of a furnished unit still under \$10,000, mobile homes claimed 90 percent of this market sector. Indeed, by 1974 mobile homes were accounting for 20 percent of all new housing in the United States irrespective of cost.

The effectiveness of mobile homes in providing safe, adequate, and low-cost shelter was questioned, however, by consumer groups, members of Congress, and others. In a project sponsored by HUD, building researchers sought to identify the performance problems of mobile homes, and to link these with the provisions of the ANSI A119.1 Standard for Mobile Homes as well as the practices of regulatory and mortgage insurance institutions (486, 493, 494). More than 30,000 problems were identified in the 4105 mobile homes evaluated during the study. Most of these units were purchased by HUD for Wilkes-Barre, Pa., families made homeless by the 1972 Hurricane Agnes disaster.

Seven mobile home projects were in progress at one time, including a study of the States' regulatory programs on mobile homes (492). Many of these projects were in support of HUD's Congressional mandate to produce a Federal mobile home construction standard.

At the same time, NBS was studying fire safety in mobile homes. Full-scale tests were conducted to determine fire spread in mobile home kitchen areas and corridors. In addition, a project was started to determine where



smoke detectors should be placed to achieve the best performance. The results²⁵ were supplied to the mobile home industry and to HUD for use in its mobile home standard.

Floor Coverings

Technical investigations of flooring materials, conducted at NBS for more than 40 years, have been concentrated in the areas of wear and slip resistance. A major problem of resurfacing concrete floors has been the surface contamination of the concrete. When flooring materials were used to renovate the concrete surface, premature failures resulted (806). A study of this problem suggested remedial procedures and materials to prevent premature failure.

Studies were also conducted on the performance characteristics of monolithic flooring systems (338). Performance criteria were developed and applied in cooperative programs with the American National Standards Institute (ANSI) and the American Society for Testing and Materials (ASTM). Both organizations recognized the need for performance standards for floor coverings, particularly in terms of slip resistance and wear. Research findings also were applied through consultative and advisory services to other Federal agencies, manufacturers, and the public (329, 339, 808).

Additionally, floor coverings were examined from a fire standpoint. In full-scale fire tests in corridors, researchers observed that floor coverings, responding to heat radiated from the corridor ceiling, could cause flames to spread rapidly. A test method was developed for simulating the level of heat radiating from ceiling to floor. Called the flooring radiant panel test, it is used (at the Center for Fire Research and elsewhere in the Federal government) to predict the fire performance of flooring when exposed to varying intensities of radiant heat occurring in corridor fires. The test is going through the process of becoming an ASTM test method.

Joint Sealants

Many problems of leakage through building joints accompany present building design and practice. Such leakage causes damage and reduces the efficiency of heating and cooling systems. Some 40 test methods for evaluating improved sealants were developed in cooperation with ASTM and the American Concrete Institute. Performance criteria

²⁵NBSIR 75-788 Evaluation of the Fire Hazard in a Mobile Home Resulting from an Ignition on the Kitchen Range; NBSIR 76-1016 Mobile Home Smoke Detector Siting Study; and NBSIR 76-1021 Fire Spread Along a Mobile Home Corridor.



were developed and incorporated in widely-used Federal specifications²⁶ for sealants and caulking. Also, the recommendations of studies to improve joint design were incorporated in Joint Sealants in Aluminum Curtain Walls, a publication of the Architectural Aluminum Manufacturers' Association.

Several theories were proposed in an attempt to explain the phenomenon of adhesion and adhesive failure, and surface studies were conducted to elucidate the mechanism of sealant failure. Study methods included photon activation analysis, neutron activation analysis, and scanning electron microscopy.


Activation analysis indicated merit in the absorption theory of adhesion. It was found that what appeared to be adhesion failure may actually have been cohesion failure in the sealant (808). The results of this study have been applied in the formulation of performance criteria and in the solution of adhesive failures in sandwich panel construction (151, 409).

Reinforcing Bar Coatings

The premature deterioration of concrete bridge decks has been a major concern of highway authorities. Much of this deterioration has been attributed to the corrosion of steel reinforcing bars caused by chloride ions from de-icing salts. Spray-applied, powdered epoxy coatings were identified as being promising coating materials for corrosion protection of reinforcing steel. Test methods and performance criteria were developed to assess their performance. This work is expected to have direct application to concrete buildings subject to reinforcing bar corrosion--reinforced concrete parking garages which inherit de-icing salts from roadways, buildings in marine environments, and industrial buildings subject to reinforcing bar corrosion (164, 452).

Disaster Mitigation

Hurricanes, tornadoes, floods, and earthquakes each year inflict on the United States untold human suffering and



²⁶TT-S-00227E (COM-NBS), Sealing Compound: Elastomeric Type, Multi-Component (for Caulking, Sealing, and Glazing in Buildings and Other Structures); TT-S-001543A (COM-NBS), Sealing Compounds: Silicone Rubber Base (for Caulking, Sealing, and Glazing in Buildings and Other Structures); TT-S-00230C (COM-NBS), Sealing Compound: Elastomeric Type, Single Component (for Caulking, Sealing and Glazing in Buildings and Other Structures); TT-S001657 (COM-NBS), Sealing Compound--Single Component, Butyl Rubber Based, Solvent Release Type (for Buildings and Other Types of Construction); and TT-C-00598C (COM-NBS), Caulking Compound, Oil and Resin Base Type (for Building Construction).

property damages averaging billions of dollars (140, 308, 310). In Hurricane Agnes alone, property losses exceeded \$2 billion. These losses were multiplied many times over by disruptions of commerce.

The research program to mitigate life and property losses, headed by Dr. Charles Culver, included laboratory studies to improve building practices in disaster-prone areas, but much stress was placed on field investigations. The field efforts emphasized safety evaluations of surviving buildings, postdisaster emergency measures, evaluation of the performance of buildings--good as well as bad--under abnormal stress, and more reliable measurements of buildings' responses to extreme forces (161, 472, 505, 853, 857, 887). The combined field/laboratory approach was directed toward improved design.

Field work sometimes included on-the-spot advice such as that given in 1967 to some 5,000 Alaskan families whose homes were damaged by the flooding Chena River. Because they were advised to thoroughly dry out their homes before the imminent freeze of the long Alaskan winter, these families were able to resume normal home life and were spared an estimated \$5 million in frost damages (735).

Among other disasters investigated were Hurricane Camille in 1969 (310), the Lubbock, Tex., tornado of 1970 (308), the 1971 San Fernando earthquake (140), the Managua, Nicaragua, earthquake of 1972 (334), the Military Personnel Records Center Fire in St. Louis in 1973 (845), and the 1973 collapse of the Skyline Towers apartment building under construction at Bailey's Crossroads, Va. (439). The report on the San Fernando earthquake included 17 recommendations for improving the seismic resistance of buildings.

The National Science Foundation (NSF) under its Research Applied to National Needs program, the Department of Housing and Urban Development (HUD), the Office of Emergency Preparedness, and NBS in 1972 planned a cooperative Federal program on Building Practices for Disaster Mitigation. The NSF and NBS in the same year conducted a workshop to develop a national plan for disaster mitigation activities. A cross-sectional sample of highlevel experts of the building community participated in the workshop in synthesizing state-of-the-art building practices (146).

Seventy-one recommendations resulted from the workshop. They were grouped into two categories: policies and practices. The former were directed toward government and the financial and insurance communities. The latter were directed toward professional practitioners, standards writers, and researchers. The recommendations were published along with 15 technical papers presented by experts. Activities in implementing the recommendations have begun.

The Defense Civil Preparedness Agency (DCPA), requested the Center to develop a methodology for surveying and evaluating existing buildings to determine risks of damage under natural disaster conditions. The project devel-



oped procedures for evaluating the safety of existing buildings from wind and seismic forces. The DCPA is using the procedures, as are the General Services Administration and a number of design professionals (161).

Disastrous fires where structural damage was a significant loss, as in the Military Personnel Records Center, were also investigated. And in an attempt to prevent potential human disasters in high-rise buildings, researchers studied smoke control systems that could blunt the travel of deadly smoke and gases induced by thermal expansion, ventilation ducts, wind, and stack effect (441, 448).

Wind Studies



A continuing wind study, begun in 1968 and funded by NBS with assistance from the Tri-Services Committee, the National Aeronautics and Space Administration, and the Environmental Science Services Administration, sought more rational design provisions for wind loads (130, 309, 341).

An array of meteorological towers was set up alongside the building research laboratory in Gaithersburg. These towers gathered wind direction and wind speed data and also provided information on the turbulence characteristics of surface winds. By attaching pressure transducers to the laboratory building, it was possible to study the mechanism by which velocity fluctuations are converted to pressure fluctuations on buildings. As the project progressed it sought to provide estimates of building response characteristics and an evaluation of the instrumentation and techniques for the acquisition of data by fullscale measurements. Correlations also were sought with wind tunnel modeling which if reliable makes possible the inexpensive prediction of wind effects.

Results from these investigations indicated that localized pressure fluctuations exceed recommended design values, and that the scale of wind tunnel turbulence must be increased to better simulate atmospheric flows (156, 341).

The overall disaster mitigation program includes projects aimed at improving the resistance of low-rise buildings (principally low-cost housing) to wind and earthquake. Sponsored by the Department of State's Agency for International Development (AID), this work is directed toward developing countries but has application in many areas of the world, including the United States (148, 156, 505).

The AID effort includes technical support in improving the seismic resistance of low-cost housing using oil-stabilized and bamboo cane-reinforced adobe block construction. The research was performed in collaboration with the Peruvian government and the University of California. Testing specifications for adobe masonry were developed which considered the physical limitations of the testing equipment at the National University of Engineering in Lima (212).



The project produced tentative criteria for stabilized block masonry construction and draft calculations for a prototype housing unit. These guidelines were transferred to the Peru AID Mission and governmental authorities.

Another project assessed state-of-the-art housing technology in several developing countries (Peru, Turkey, and the Philippines) (148). Included was an evaluation of these countries' socio-economic and cultural constraints. Technical and socio-economic data gaps in building construction knowledge were addressed. In addition, alternative approaches were studied to improve building designs, material usage, and construction techniques to overcome socio-economic barriers hindering the advancement of technology and improvement of building regulations.



The Center in March of 1973 initiated a project to develop improved design criteria for low-rise, low-cost buildings in developing countries to better resist extreme winds. The project is aimed at learning more about the effects of extreme winds on low-rise buildings. It is intended to develop siting, design, and construction information which would improve the resistance of buildings to extreme winds and which would be culturally acceptable to the user, and to provide training to local professionals and technicians in performing wind measurement and analyses of full-scale and wind-tunnel testing. It is also intended to effect a large-scale transfer of technology to make use of these improvements in design and construction, as supported by new climatological, sociological and economic findings. This study is expected to improve structural design practices, the use of materials in resisting extreme winds, community planning, and wind risk mapping. This would be accomplished through building code adoption of project results.

Long-Range Research

Operation Breakthrough added to the ongoing research effort. In the course of preparing performance criteria and evaluating the 22 housing systems for Operation Breakthrough, researchers uncovered gaps in existing building knowledge (401, 404, 410, 417). These gaps were priority ranked by HUD and NBS, and a research program, formulated and funded by HUD, was set in motion to address the more serious deficiencies.

So-called "long-range" projects (projects requiring from two to four years to complete and therefore falling outside the Breakthrough immediacy) involved a number of technologies. These technologies are discussed below.

Progressive Collapse

Among the Breakthrough-inspired research projects was one addressed to progressive collapse--a structural failure which, while local in origin, travels through all or much

of the building (166). Such collapses can occur when a link is taken out of a support chain--for example, when an explosion destroys a load-bearing module in a nest of modules (189), or when an abnormal load produces advancing failure, e.g., an upper floor collapses, the debris destroys the floor below, the combined debris of the two floors destroys the next floor, and so on (438).

Such collapses represent a serious set-back to the concept of industrialized building which sometimes consists of loadbearing, stack modules. Numerous HUD-supported studies were undertaken under the leadership of Dr. Norman F. Sones, and were pointed toward the development of design criteria to increase resistance to progressive collapse.

Structural Testing

Research structural engineers tested new construction materials and design approaches, their efforts directed toward the generation of performance test methods (158).

Laboratory work aimed at improved in-plane compression testing was supplemented by computer-aided analytical studies. A first draft of a standard compression test method for wall panels was presented to a task group of ASTM which was concerned with the performance of vertical components (504).

A racking test method applicable to traditional as well as innovative wall constructions was developed (173). The principal new features of the test method are: 1) the application of distributed vertical loading, 2) the adaptability of the method of testing panels of various height-to-width ratios, and 3) the provision of top and bottom edge boundary conditions which do not induce unreal modes of failure.

Several racking test parameters in need of further study were identified (158) and information germane to the subject of pre-test environmental conditioning was gathered, studied, and summarized.



Structural Deflections

Another longrange project that was pointed toward the preparation of structural test methods included the development of a methodology for the evaluation of the effects of floor vibration (710, 720).

Studies correlated floor vibrations with available human discomfort data, and computer programs for the analysis of floor vibration data were devised and made operable (349, 350). The overall structural deflections study included a review and compilation of related research findings (147) ranging from deflections in floors to wind-induced drift deflections. This effort led to the development of an electro-optical instrument for the measurement of drift in tall buildings (345).


Performance Standards

As a result of Operation Breakthrough, HUD realized that the development of performance standards had to be expanded to accommodate the evaluation of special and innovative construction.

Building researchers generated performance standards that were the equivalent of HUD's Minimum Property Standards in their intent and requirements and provided a basis for the evaluation of innovative construction for home mortgage guarantee purposes. Drafts of these standards were iteratively reviewed by HUD and the National Conference of States on Building Codes and Standards (NCSBCS).

NCSBCS was enlisted in this effort on the theory that if the standards were adopted by the regulatory community, those standards bearing on health, safety, and welfare--the regulatory community's concern--could be dropped from the Minimum Property Standards. The Minimum Property Standards would retain the performance standards bearing on livability, durability, etc.--on issues outside the police-power concern for the public well-being but of direct pertinence to a mortgage guarantee program.

The performance standards were developed and delivered. They were not, however, made part of the Minimum Property Standards.



CHAPTER 6

REORGANIZATION AT NBS TO MEET THE NEEDS OF THE BUILDING COMMUNITY

As the Building Research Division broadened its disciplinary base, took on more varied projects, and assumed a more activist role in the transfer of technology, its organizational structure appeared less and less equal to the expanded task. A different kind of organizational unit--one more accommodating of a broad research approach--was sought for building technology at NBS, and much effort was exerted to bring this change about.


The Department of Commerce on June 12, 1972, issued Department Organization Order 30-2B creating a Center for Building Technology. Dr. Lawrence M. Kushner, Acting Director of NBS, pointed out that the new Center would provide the means for "cooperating with the States, local government, the building industry, and the consuming public in achieving greater benefit from the Bureau's long experience in building science and technology."

The Commerce Department's organization order called for strong real-world connections. "The Center shall consult," it said, "with industry, government agencies, professional associations, labor organizations, and such organizations as the National Conference of States on Building Codes and Standards...."

Moreover, while continuing a program with the National Academy of Sciences/National Academy of Engineering/National Research Council, a program providing for private sector technical advice through the instrument of a Technical Evaluation Panel, the organization order established a Policy Advisory Committee. The latter was set up to furnish policy advice to complement the technical consultation of the Panel.

Named to the Committee for two-year terms were 18 representatives of building design, construction, finance, labor, standards and codes, consumer interests, home-building, and building product manufacture.²⁷ Dr. F. Karl Willenbrock, at the time Director of the Center's parent organization at NBS, the Institute for Applied Technology, was named Committee chairman.

The creation of the Center provided an answer to what was regarded as an inefficient management system, one in which 10 or so Section Chiefs reported directly to the Division Chief. The new Center would be composed of Divisions and Offices. These Divisions and Office Chiefs would report



²⁷ Listings of committee members are presented in "Supplements" which follows the Bibliography.

directly to the Center Director. The Center Director now had more time for performing policy and planning activities.

Dr. Edward O. Pfrang, who had headed the NBS' Operation Breakthrough effort, became the Chief of the new Structures, Materials and Life Safety Division. Paul R. Achenbach was the new chief of the Building Environment Division. Porter Driscoll was hired from HUD to head the new Technical Evaluation and Application Division.

The former Operation Breakthrough group was carried over to the new Center organization, becoming its Office of Housing Technology. James Gross became the Chief of this Office.

Two other two Offices were created by upgrading the Codes and Standards Section to Office status (under Gene Rowland's direction) and by establishing an Office of Federal Building Technology for effective collaboration with the Federal agencies. During the Operation Breakthrough effort, the Building Research Division looked for stronger relationships with all Federal agencies concerned with building and the position of Federal building coordinator was created. The Office of Federal Building Technology was an outgrowth of this position. Samuel Kramer, who served the Division as its Federal Building Coordinator, became Chief of the Office of Federal Building Technology.


With its Center status, the new organizational structure meant an enhanced capacity to serve the building community. And it gave greater and more explicit status to two key building technology activities, elevating the subject of standards and codes to an importance commensurate with the expanded program to assist building regulation, and recognizing the growth in NBS' service to other Federal agencies having building responsibilities.

Two important research functions were transferred out of the Center in 1972-74. First, a research capability in building acoustics was located elsewhere in the Bureau, and then building fire safety, was joined with other fire programs in a newly created Center for Fire Research.

An NBS decision to form a unified program in acoustics was announced just five weeks before the Center was established. The applied acoustics work of the building research program was joined with sound-centered research in the Bureau's Institute for Basic Standards (IBS). Fifteen personnel were transferred from building research to a new Applied Acoustics Section in IBS with building research retaining a liaison in acoustics. These personnel continued to be available for building acoustics studies. Meantime, the Center developed a capability in applied psychoacoustics in addition to cooperating in the overall NBS acoustics program.

The Fire Research Center, charged with developing the technical base for improved fire safety standards and design concepts and with recommending fire safety procedures, was established by the Federal Fire Prevention and Control Act of 1974. At the same time, the Congress

1972-74



set up the National Fire Prevention and Control Administration, also within the Department of Commerce.

Ongoing fire research in the Center for Building Technology, including work on plastic pipe, smoke movement, fire endurance of materials, and mobile home fire safety, were transferred to the Center for Fire Research. All fire-related activities were organized as a single unit--learning from one another and working toward one goal--the reduction of fire losses by 50 percent within a single generation (210).

The Center for Building Technology continued providing behavioral science expertise in program development and coordination of related NBS programs concerned with occupant safety in building fires.

CHAPTER 7

RESEARCH FOR THE BUILDING OCCUPANT

By the early 1970s, building research at NBS embraced a wide spectrum of issues--issues of technological application, building economics, building systems, the performance approach, human accommodation, and human survival.

A 1971 management report dealing with building research trends offered the following profile of how the distribution of effort had changed over a six-year period:

Program Area	1964	1970
Performance Design and Evaluation	7%	30%
Sensory Environment	18	24
Materials and Composites	58	15
Building Fire Research	11	13
Building Research Information	6	18
	100%	100%

The paper addressed the reprogramming of research funds to such research issues as noise problems in and around buildings, the evaluation of industrialized housing, and building economics. Another of the issues was energy conservation--building research management taking a research initiative on energy well before the Middle East oil embargo. (This is a broad topic with varied yet inter-locking components; a separate chapter of this report--Chapter 9--is devoted to energy conservation.)


The emphasis on application and the widened research concerns yielded projects of direct significance to the well-being of building users. These projects were made possible by the addition of new disciplines to the engineering/physical sciences core of competence. Two such projects dealt with stair safety and security.

Stair Safety

Center work in the interests of safety included a stairway safety project that combined architectural psychology with the performance approach.

Researchers found that stair accidents (second only to bicycle accidents in inflicting death and injury), while caused in part by human error, are also attributable to deficiencies in either the staircase itself or its surroundings. Deceptive or distractive environmental factors all too often turn stair negotiation into a harming event.

Researchers held in view all factors operating within the behavioral-environmental system formed by the stairway and its setting. This was done with the aid of an "accident behavior model"--clusters of hypotheses formulated from a



survey of the behavioral and environmental literature, a review of stairway accident reports, and an examination of codes and standards. The model first reveals the human requirements for safe stair use, then identifies the environmental prerequisites necessary to support them.

The model provides a comprehensive and coherent framework for both the research process and the ensuing performance statements aimed at diminishing the likelihood and consequences of stairway accidents. Its corroboration was achieved through an analysis of 11,000 stair accident reports, and some 50 hours of videotaped stairway use in shopping centers, airports, and similar places where at least a dozen serious accidents and more than 100 noticeable missteps were videotaped.

The performance statements were prepared for issuance by the Consumer Product Safety Commission, sponsor of the research, to guide the safe design and construction of new stairways and stairway surroundings, and the remodeling of existing stairways. However applied, these statements will extend well beyond tread and riser dimensions and the handful of other considerations to which the subject of stair safety has been traditionally confined.

Security

Security was among other "people concerns" addressed by building researchers. The National Institute of Law Enforcement and Criminal Justice funded a Center project designed to develop performance standards and guidelines for door and window security.


Prompted by a 31 percent increase in residential burglaries over a few years with annual losses running to more than \$500 million, the Institute sponsored NBS investigations which led to the development of test methods for evaluating the security performance of door and window constructions. Recommended standard test methods were developed for measuring the resistance of doors and windows to forced entry (870, 871).

User Requirements

In recent years designers and builders have been actively attempting objective definition of the requirements of users in the home. Traditionally, the architect has employed his judgment in specifying the needs of users, but the users themselves have wanted a voice in the design process.

If we want to learn what the user needs in the home, why not ask him? Unfortunately, the process of asking has proved more of an art than a science. Simple questions have led to simple answers, and in fact have resulted in many more questions than answers. The design of standardized "test instruments" has proved to be an elusive goal.

The Center prepared a state-of-the-art review to 1) explore



questionnaire design, and 2) cover other methods that might be used in developing user information. The review is designed to provide a fairly thorough compilation of the "tools" available to collect data and gives a handbook approach on how to use such "tools." In addition, it introduces methods for collecting related information via other disciplines. Selected studies are illustrated in some detail.

Questionnaires and other techniques developed by architects, psychologists, and sociologists were used to measure occupant response to Operation Breakthrough housing. A principal finding was the occupants' emphatic acceptance of industrialized housing, clear indication that the "prefab" stigma which marked the post-World War II era had all but disappeared.

Another finding of the feedback study challenged the commonly held belief that old people prefer to live amid children. Survey findings suggested a marked annoyance on the part of oldsters with the noise, toy litter, and danger (e.g., colliding with a rollerskater) implicit in a child-rich neighborhood.

Perhaps a key gain in Project Feedback, however, was the development of a methodology for eliciting the response of people to their housing. Researchers began the preparation of a handbook containing the base survey methodology with sections to cover security, safety, and other topics. Although developed for housing, the methodology can be adapted for use with other building types such as office buildings and hospitals.

Psychophysical Approach

One approach used by the Center in man/environment relations is the psychophysical approach. This approach seeks a causal relationship between environmental conditions and human behavior. For example, does noise of 110 dBA awaken a sleeping person? Psychophysics links a behavioral parameter with a physical parameter which can be quantified (in the example, at 110 dBA). Thus it is possible to write design criteria with specific numerical values. Such criteria are meaningful for designer and procurer alike, and if the issue is part of the set of concerns of building regulation, for the regulatory official as well.

Acoustics

Acoustics research has a history at NBS that dates back to 1919. That NBS is regarded as a source of acoustic engineering data is evidenced by yearly sales to architects and acousticians of several thousand copies of publications on noise control. George E. Winzer gave the building acoustics program its early impetus, and Daniel R. Flynn led expanded studies of noise in and around buildings.

The handbook, A Guide to Airborne, Impact, and Structure-borne Noise Control in Multi-family Dwellings, which NBS

prepared for HUD, provides an extensive compilation of data on the sound insulation of wall and floor/ceiling assemblies (942). In addition, this publication provides a discussion of airborne and impact noise criteria for buildings and an extensive collection of detailed architectural drawings which illustrate acoustically important building construction and installation techniques.

Other NBS activities in building acoustics included examination of simplified procedures for measuring the airborne noise isolation between rooms (939), a review of procedures for measuring impact noise generation and transmission in buildings (751), and development of an apparatus for measuring the forces applied to floors by human footfalls (938). The NBS reverberation room was instrumented to enable computer-controlled, rapid determination of the acoustical absorption of architectural materials such as acoustical tile and carpet (943). NBS also sponsored an extensive investigation at the Owens-Corning Fiberglas Research Center of the sound insulation of residential exterior walls, doors, and windows (170).

The Environmental Protection Agency, with NBS' cooperation, prepared a report for the President and the Congress on the problem of noise. NBS produced several extensive reports containing backup material for the report (752, 753, 754, 810).

The Congressional and Executive Branch activity reflected the fact that noise had become a matter of national concern. Environmental noise was increasing in pace with the nation's technological and economic growth. Other activities developed improved procedures for measuring noise emission from stationary and moving sources (332, 460, 471, 482, 487, 488, 935, 936, 937), evaluation and development of noise-measuring instrumentation (941), and examination of sampling procedures for community noise measurements (495).

Illumination

The visual environment is another research concern of Long standing at NBS. One investigation was based on the premise that a high-quality lighting system at lower luminance levels can be more effective than a system of high luminance levels but poor distribution, producing veiling reflectance which partially obscures details of the viewed piece. This thesis was preliminarily validated and additional measurements were undertaken.

Another study questioned the validity of the existing method for measuring the relationship of luminance to visibility. In testing human subjects, the research approach used situations that are more "real world," e.g., presenting the customary black type on white paper, than traditional experimental methods. Early findings raised doubts about the validity of traditional methods and suggested that currently specified levels of illumination, based upon these methods, are too high.

Indications are that different levels of illumination are




required for different activities. Studies were conducted to determine visibility or legibility of lined gratings and of alpha-numeric charts at different luminance and contrast levels for equal clarity. This work dealt with four levels of visibility--1) detection, e.g., seeing an object; 2) recognition, seeing that the object is a ball; 3) identification, seeing that the ball is a baseball; and 4) degree of identification, seeing that the baseball is an official American League baseball. The promise of these investigations is greater visibility and reduced use of energy for illumination.

Color

The NBS history in colorimetry goes back to the Bureau's earliest days and has yielded, among other contributions, the Inter-Society Color Council NBS color designation system. The colorimetry program was placed in the Institute for Applied Technology in 1969, and the following year much of this program was located in the Applied Acoustics and Illumination Section of the Building Research Division. Later the program was made part of the Sensory Environment Section in the Center's Building Environment Division.

The color scientists' work included color coding for safety, the objective being the development of precisely defined colors with explicit safety meanings. This work was carried on by Kenneth L. Kelly and Gerald L. Howett, both of whom had had a long association with the NBS colorimetry program and the late Dr. Deane B. Judd, the Bureau's world-renowned color authority. Another color scientist, Gary Yonemura, turned his attention to light and more accurate simulations of illumination requirements for image clarity.



Lead Paint

It is estimated that as many as a half million American children could have excessive lead levels traceable to lead in air, water, food, and dust (318). A major source of lead poisoning may be painted surfaces. In addition to the natural tendencies of small children to chew and teethe on nonfood items, some children attempt to seek out and ingest lead paint (729). Dried, peeling paint on walls, woodwork, and other accessible surfaces represents a health hazard to these children (730), especially when the paint contains lead compounds. High body burdens of lead result in severe neurological damage, including mental retardation, and, in some cases, death.

HUD was directed by the Lead-Based Paint Poisoning Prevention Act of 1972 to conduct a research and demonstration program that would determine the nature and extent of lead paint poisoning, and to evaluate methods for the detection of this hazard and its elimination from housing. HUD requested NBS' scientific and technical support. In response, NBS organized a multidisciplinary lead paint team headed by Harvey Berger and composed of chemists, engineers, mathematicians, systems analysts, housing technologists, and others (323).



To determine the magnitude of the lead paint problem, NBS developed a mathematical model for estimating the incidence of lead poisoning in 241 metropolitan areas (733). Following a pre-test in Washington, D.C., a procedure including survey plans, techniques, and analytical methodologies was developed for carrying out a major-city statistical survey of housing for lead paint hazards (456).

Chemical methods used in laboratory and field to detect lead in paint were evaluated (742). Portable x-ray fluorescence lead detectors were exhaustively evaluated and characterized (442), and new guidelines for their use by housing authorities were prepared. A Lead-Based Paint Standard Reference Material was developed for use by laboratory chemists in calibrating and standardizing lead paint analysis procedures (200).

A testing and evaluation program was conducted to determine potential usefulness of hazard elimination methods which were identified as a result of a comprehensive survey of industry (325, 335). Pilot demonstrations of hazard abatement techniques were carried out in Washington, D.C.'s housing in anticipation of a large-scale hazard abatement demonstration program (443, 458).

As HUD's research needs and objectives became more clearly defined, the responsibilities of the Lead Paint Project, under the leadership of Harvey W. Berger, expanded into several areas. These included a technical evaluation of HUD's development contracts for improved lead detection devices and innovative abatement methods, technical evaluation of HUD's Experimental Hazard Abatement Program involving 250 dwellings distributed among a number of major cities, and analysis of housing and lead poisoning incidence data derived from a major-city survey. The Lead Paint Project team also was asked to participate in further efforts to identify and evaluate innovative abatement methods and to develop an information dissemination program on lead poisoning.



CHAPTER 8

REACHING THE APPLICATION POINTS

The mission of the Center for Building Technology includes the diffusion as well as the generation of technology. One of the Center's more significant diffusion activities is its traditional participation in the formulation of voluntary standards.

Standards Participation

The contributions to the committees, A40 Plumbing Code and A112 Standardization of Plumbing Materials and Equipment, operating under American National Standards Institute (ANSI) procedures, are typical of how technical information is carried to points of application through standards participation. These contributions have included recommended technical bases and updated design criteria for establishing storm loads or flow capacities, for limiting the lengths and sizes of piping system components, and for the design of reduced-size venting.

Building research personnel hold approximately 300 memberships on standards-generating bodies, occupying chairmanships or other offices on many of these. Taking note of this extensive and critical role in standards work, building research management in 1973 established a Standards Management Council to effect a coordinated program in standards generation.

A standard is usually prepared under a consensus procedure that accommodates the investment and trade interests affected by it. Participating Bureau personnel, on the other hand, have no vested interest and are thus free to represent the general or public interest. Their work in upgrading standards ultimately upgrades the system of building regulation since codes are essentially reference documents based on citations of existing standards and materials specifications.

Working with Other Agencies

Federal builders and building operators have all the headaches of their counterparts in the private sector. Theirs are real, on-line problems. Accordingly, research addressed to the solution of these problems produces results that tend to win ready acceptance at the Federal level and rapid diffusion in the building community through demonstrated performance.

Frequently NBS and collaborating agencies explicitly set out to effect a "demonstration"--as in the case of the pre-

viously-discussed performance specification for office buildings for the Public Buildings Service (PBS). Another PBS demonstration was planned for a Federal office building, the design of which would incorporate a host of energy-saving techniques and devices with the object of reducing the building's energy consumption by one-third of what was considered normal for an office building of its size.

Assistance in developing Federal procurement specification procedures benefits the agency in question and the Federal government generally through the family of federal specifications produced by the General Services Administration. Further benefits accrue to the public through adoption of improved practices in voluntary standards and from producers making improved products available to the general public.

Information Dissemination

Publications are a key part of the technology transfer program. More than 100 publications are prepared each year by the research staff.

While most of these publications are addressed to technical and professional audiences, consumer brochures also are produced. Two brochures, "7 Ways to Reduce Fuel Consumption in Household Heating...through Energy Conservation," and "11 Ways to Reduce Energy Consumption and Increase Comfort in Household Cooling," had a distribution of more than one million.

The brochures have been the basis of television "spot" messages and have been cited by a number of popular publications. These booklets were prepared in 1971-72 under the leadership of James L. Haecker, Chief of the Scientific and Professional Liaison Section, in collaboration with the Sensory Environment Branch. They were developed from historical knowledge at NBS and were in wide circulation by the time the Middle East oil embargo struck the nation in 1973.

Interaction with the Building Community

Both formal and informal relations were maintained with the building community. The formal research associate program carried out in cooperation with industry brings about a cross-fertilization between NBS building research laboratories and those of the private sector. Guest worker arrangements were maintained with a number of building product manufacturers, universities, and professional and trade organizations. The findings resulting from such joint programs are disseminated to the building community.

Building research personnel hold memberships in over 70 professional organizations, and research alumni have carried measurement techniques and knowledge acquired at NBS to industry, the professions, and the academic community. George Washington University offered a course in the performance approach to building that was taught by a team of three former building researchers at NBS.



NBS in 1973 established an architect-in-residence program with the American Institute of Architects. The program each year brings to the Bureau a practicing architect for the purposes of sharing building knowledge, strengthening the architectural community's relationship with NBS building research, and sharpening the direction of research to better serve design practitioners.

Guest workers are brought to the NBS building research activity under various arrangements, including the Intergovernmental Personnel Act, and under such titles as Senior Research Fellow, Post Doctoral Research Associate, Presidential Intern, and United Nations Guest Worker. With such programs as these the Structures Section, for example, is rarely without one or two guest workers.

Foreign Activities

While acknowledging the regional or national uniqueness of building problems found around the world, building research management noted the presence of "large areas of common interest." Management felt that these areas "should be discovered, discussed, and divided among interested nations in such a way that solutions can be found efficiently and without duplication of effort." William R. Herron was named to head a program in international coordination.

A report summarizing the 1972 international activities of the Center listed four cooperative programs, 10 exchange (of professional visits and literature) programs, and three special projects (457).

The cooperative programs included that conducted with the Centre Scientifique et Technique du Batiment (CSTB). This program embraced projects in environmental engineering, materials durability, wind loads on structures, fire research, building acoustics, building evaluation mechanisms, plumbing, and building economics.

The complementary program established with the United Kingdom's Building Research Establishment in 1971 set as its initial goal an exchange of documents and visits and made provision for extension of the program to include long term exchanges of professionals and joint research projects. And the US/Japan Panel on Wind and Seismic Effects, a cooperative program conducted with the Japanese Public Works Research Institute, Ministry of Construction, exchanges information, specialists, technical data, and research equipment.

Other exchanges of building information and professional visits were conducted with building research units in Australia, Canada, Denmark, Ghana, India, Japan, New Zealand, Norway, South Africa and Sweden.

NBS Special Foreign Currency Program projects were conducted with India, Israel, Pakistan, Poland, the United Arab Republic and in 1972 numbered 10. These projects were made possible by an excess of foreign currencies which accumulated as a result of the conduct of U.S. government business abroad. Project criteria under this program include

requirements that projects "benefit both the U.S. and the participating countries" and that they be "within the main stream of NBS interests."

Additionally, as previously indicated, the Center supported the U.S. Agency for International Development efforts to make low-cost housing in developing countries more resistant to windstorms and earthquakes. As a special project the Center furnished assistance to Nicaraguan authorities following the December 23, 1972, Managua earthquake.

The 1972 report also noted Center membership and participation in such international organizations as the Reunion Internationale des Laboratoires d'Essais et de Reserches sur les Materiaux et les Materiaux (RILEM) and the Conseil International du Batiment pour la Recherche l'Etude et la Documentation (CIB). The efforts of the Center in its foreign/international activities dealt with the transfer as well as the generation of technology and resulted in a number of translations of French reports for the American building community.

A major publication was Industrialized Building in the Soviet Union (202), the result of a visitation conducted under the US/USSR Exchanges Agreement which in 1969 brought a Soviet delegation to the United States and sent a team of U.S. building community leaders to the USSR. David Watstein, former Chief of the Structures Section and at the time Structural Research Manager of the Structural Clay Products Institute, was instrumental in making arrangements for the visit and served as interpreter for the American team which was especially interested in Soviet inovations in building products and processes.



CHAPTER 9

CONSERVATION OF ENERGY

By the mid-1970s the word energy held profound lifestyle and pocketbook implications. Energy conservation was becoming a pervasive concern. Buildings, responsible for a third of the nation's energy consumption, figured prominently in conservation efforts, and conservation became a principal concern of building research at NBS.

The research interest in energy at NBS rested on a tradition of energy-related measurements and investigation. This longstanding interest provided a foundation for anticipation of the domestic energy shortage by the Building Research Division as early as 1970. The research program in energy conservation was initiated by Paul R. Achenbach and was augmented by the timely arrival of Dr. Charles Berg, who came to the Bureau from the Massachusetts Institute of Technology in 1971. As the program grew in size and involved additional NBS organizational units, it was placed under the leadership of Dr. Jack E. Snell.

Energy developments unfolded at NBS from laboratory, field, and analytical studies. Among them were the following:

Thermal Load Determination

Dr. Tamami Kusuda in the late 1960s began to develop, under the sponsorship of the Department of Housing and Urban Development, a computer program to help architects and engineers predict the thermal performance of a building. Important enough at the time, this work was to balloon in significance in the context of energy shortages and rapidly escalating energy prices.

The program was named the National Bureau of Standards Load Determination (NBSLD) program (477). In the use of NBSLD, it is necessary to input outdoor weather conditions, design details of the building, and the planned schedule for operating the building. Algorithms of NBSLD operate on these data and predict the heating and cooling load.

Loads are predicted on a dynamic or time-varying basis, taking into consideration, for example, lag induced by the thermal storage and transmission characteristics of the building's mass. Attention to dynamics contributes to the proper sizing of heating and cooling equipment; steady-state calculation techniques can lead to oversizing and thus to operating inefficiencies that waste energy.

NBSLD's distinctiveness among thermal load calculation programs lies in its philosophical approach. Instead of taking the building envisaged as an unalterable given upon which to simply determine the kinds and quantity of heating/cooling equipment, NBSLD invites manipulation of the



building design scheme toward the goal of greater energy efficiency. It can be taken so far as to profile the hour-to-hour indoor temperatures that would prevail without mechanical heating or cooling.

Such profiles can point to energy-saving opportunities. Where summer weather is moderate, for example, they may suggest the possibility of avoiding mechanical cooling by adjusting one or several variables in the design. Long, moderate spring and fall seasons also may offer natural ventilation opportunities even where winters are cold and summers are hot.

The ability of NBSLD to predict the thermal performance of two full-scale buildings was determined experimentally in the Center's threestory environmental laboratory (145). The first building, of heavy masonry materials, was designed for very little air leakage. The heat transfer characteristics of the building were studied under cyclic "outdoor" air temperature conditions in the laboratory. This was done first without any room heat being added, and later with the indoor air heated and the temperature under thermostatic control.

Several tests were made for each type of operating condition, but with different insulating conditions of the exterior walls and with varying fenestration arrangements. The difference between the predicted and observed values of indoor temperature did not exceed one half of one degree Celsius in all the tests performed. The difference between the measured and predicted maximum heating load was less than 8 percent.

The masonry building was intentionally designed for experimental simplicity. A second, lightweight building was considerably more complex to model and was used to extend the NBSLD validation exercise (157). This was a full-scale house composed of three "box" modules of insulated frame construction. The modules were joined inside the environmental laboratory forming the house. The four-bedroom house had a floor area of about 112 m² (approximately 1200 ft²) and was factory-equipped with a warm-air furnace and air-conditioner. It was fully furnished for the tests, and all heat release functions for a family of six were simulated.

A summation of curves plotted for predicted and observed energy consumption indicated a disparity of only 5 to 10 percent for a 24-hour test. NBSLD predicted peak heating and cooling energy requirements within 8 percent.

The laboratory studies of the two buildings revealed the ability of the NBSLD computer program to accurately determine varying heat transmission rates in buildings of different heat capacity under changing outdoor conditions and with typical patterns of indoor heat release.

NBSLD is being continually updated and improved with respect to its basic heat transfer data, mathematical procedures, and input/output handling. The precision of the program is approximately 5 percent.



Some of the unique applications of NBSLD are to:

- o Determine the effect of interior partition walls or floor-ceiling sandwich structures on the heat storage characteristics of a room
- o Evaluate intentionally undersized heating and cooling equipment, permitting room temperature and humidity deviations from a design set-point in order to determine whether indoor conditions remained within acceptable limits
- o Evaluate an indoor thermal environment of various zones during the intermediate season, such as spring and autumn, when the heating or cooling requirements for some zones may not be in phase with that of the building as a whole
- o Calculate solar energy for heating and cooling buildings
- o Design heating and cooling systems and equipment on the basis of intermittent operation, such as shutdown of air-conditioning facilities when the building is not in use
- o Effectively plan a ventilation schedule to minimize the heating load during the winter season.

Because of its unique features and reliability, NBSLD has been gaining gradual acceptance by many who are actually pursuing an energy conservation objective through building design. Moreover, the algorithms employed in NBSLD have been adopted by the American Society of Heating, Refrigerating and Air-Conditioning Engineers as a recommended procedure for computerized energy calculations.²⁸

Indoor Air Quality

The high cost of energy raised questions which suddenly acquired new pertinence. What is a reasonable contaminant burden for a building environment? What, if any, health hazards should be risked? And what, if any, comfort sacrifice should be accepted? These questions were prompted by the energy predicament, energy conservation suggesting the use of greater amounts of recirculated air and less fresh air.

Center researchers in their investigations of this subject measured the airborne particulates contributed by cigarette smoking, cooking, cleaning, and aerosol spraying. These measurements contributed to the hard data necessary for ventilation practices appropriate for a time of uncertain energy supplies and escalated energy costs.

²⁸ ASHRAE Special Publication, "Procedures for Determining Heating and Cooling Loads for Computerized Energy Calculation," 1975.

Air Infiltration

Air infiltration may be the prime factor behind 10 to 50 percent of the heating and cooling load. Infiltration is determined experimentally by measuring the decay of a tracer gas distributed through the building. The decay rate makes possible a calculation of the infiltration rate.

Dr. Charles Hunt developed a procedure which uses sulfur hexafluoride (SF_6) as the tracer gas and adopts a commercially available leak detector which can measure minute amounts of the gas (157, 842, 843). So sensitive is the detector that a volume of SF_6 no greater than that of ping-pong ball is enough to measure the rate of infiltration in a 500 m^3 ($18,000 \text{ ft}^3$) house.

The correlation of the infiltration rate with weather conditions, e.g., temperature and wind, requires repetitive measurements over as wide a range of conditions as possible. Thus a semi-automated version of the procedure has been developed. From a number of locations within a building an apparatus collects the necessary concentration-versus-time data for infiltration measurements.

As with the work in air quality, the infiltration investigations are aimed at producing a quantified understanding of a wide range of infiltration combinations. One general observation made in the course of early measurements, however, is that cracks around windows represent only a small part of the total leakage path in a house.

Office Building Demonstration

In May of 1972, the General Services Administration (GSA) joined with NBS in sponsoring an Energy Conservation Roundtable for the purpose of gathering from participants--30 designers, engineers, executives, and government officials--techniques for conserving energy in buildings.

While the conference only scratched the surface of conservation possibilities, it produced agreement that much could be done to reduce energy consumption in buildings. GSA announced to the conference its intention to test that premise by having an energy-conserving building designed and constructed.

GSA said it would construct the building in Manchester, N.H., and that it would demonstrate to the building community various conservation strategies. The building's size, shape, climate orientation, thermal transmission characteristics, the performance of the mechanical and electrical systems, and the use of supplementary solar apparatus were factors considered in the design.

The Center used the NBSLD program to calculate the annual energy requirements (171). Design options for energy conservation were introduced sequentially into the program to reach a recommended design. This design, predicted a



53 percent energy saving over a conventional office building.

The building, completed late in 1976, will be the subject of field measurements pertaining to the use of a gas engine to drive an air-conditioning compressor and a generator for emergency power in case of power failure, and the integration of a solar collector into the mechanical system to further reduce fuel and electricity consumption for domestic water heating and absorption air-conditioning. The Center designed and prepared the purchase specifications for the instrumentation and data acquisition system. Among the concerns of the demonstration at Manchester are occupant thermal comfort and illumination requirements.

Total Energy

Another full-scale field study, this one carried out under HUD's sponsorship, was undertaken at an Operation Break-through complex in Jersey City, N.J. The complex consists of four buildings containing 485 apartments for 1250 residents, a 4,650 m² (50,000 ft²) office building, an elementary school, a swimming pool--and a total energy system. The on-site total energy utility furnishes all electricity, hot water for space heating and domestic use, and chilled water for air-conditioning. It also collects solid waste by a pneumatic system and compacts it for removal from the site.

Essentially, total energy takes the combustion energy normally lost to the environment in electrical generation, putting this energy to work in space heating and cooling. The Center prepared the performance specification for the total energy system's design, operation, and maintenance. In work sponsored by HUD, the Center designed and installed a system of 300 digital channels and six analog channels to collect performance information on the total energy plant (497). The system records information on the electricity generated, fuel burned, heating and air-conditioning performance, costs, and system maintainability and reliability. The system also records voltage and frequency transients whenever an electrical malfunction occurs in the plant. An NBS minicomputer facilitates analysis of the data.



Early Solar Work

Solar energy work conducted in 1970 was connected with the NBSLD prediction program. From incident solar radiation data gathered over the cloudy/clear day spectrum, comprehensive solar radiation routines were developed for NBSLD.

About the same time, total hemispherical radiation, diffuse sky radiation, and ultraviolet data were collected in a study of the effect of various types of ground cover on earth temperatures to depths of 9 meters (30 feet). This

work showed that ground temperatures in summer can be as much as 15°C (27°F) higher under an unpainted paved surface than under a grass-covered surface.

Begun in the late 1950s, the underground studies were undertaken in connection with fall-out shelter environments and heat distribution systems. The findings of this work are of obvious importance to campuses, shopping centers, and to any building complex, city, or even region where thermal energy is produced in a central plant (directly or as a byproduct of power generation) and delivered through a distribution network.

Insulation

The early energy work in building technology at NBS dealt largely with thermal insulation. A 1971 projection by the Bureau showed important savings potential in the use of insulation. Based on a projected increase in the nation's housing stock from 60 million units to 100 million units over a 25-year period, and assuming modest thermal performance improvements over present construction, the projection showed potential cost savings of from \$100 billion to \$500 billion, depending on the annual rate of energy price increases. (Increases of 2, 4, 6, 8, and 10 percent were calculated in the projections.)

Symposia

The Thermal Engineering Section of the Building Environment Division, in addition to developing computer programs for its own research purposes, e.g., NBSLD, through symposia helped to advance the use of computers in environmental analysis, the start of which was sluggish compared with the rate of use in structural engineering, for example: The "First Symposium on the Use of Computers for Environmental Engineering Related to Buildings," jointly sponsored with the American Society of Heating, Refrigerating, and Air-Conditioning Engineers (ASHRAE) and Automated Procedures for Engineering Consultants, Inc., drew 500 architects and engineers to Gaithersburg, November 30-December 2, 1971. The published proceedings of this symposium, which included 59 papers from 12 countries, became a landmark in the use of computers in environmental engineering (139).

The second symposium on the same subject was held in Paris in June, 1974. The proceedings were accepted for publication by the Comité Scientifique et Technique de L'industrie du Chauffage, de la Ventilation et du Conditionnement D'Air.

Mean Radiant Temperature


The telling measurements for comfort are those which center on the occupant of the building. It is generally accepted that the primary variables governing comfort are tempera-



ture, relative humidity, air velocity, mean radiant temperature, the metabolic rate of the occupant, and the clothing worn.

The mean radiant temperature (MRT) is defined by ASHRAE as the temperature of a uniform black enclosure in which a solid body or occupant would exchange the same amount of radiant heat as in the existing non-uniform environment. A globe thermometer is commonly used to measure MRT because it integrates the effects from all directions into a single reading. But it does not evaluate the asymmetrical aspects of the environment.


NBS designed a scanning radiometer which measures the surface temperature in any direction or measures and records a 360 profile by automatically rotating the instrument a full turn. The radiometer is being used to study the pattern of mean radiant temperature before and after thermal improvements. Such studies provide greater insight into the intricacies of thermal comfort (831).



Modular Boilers

The potential for increased efficiency in substituting several small boilers for one large boiler was investigated in the laboratory under a range of heating loads. Large boilers make the match with fractional loads by intermittent operation or cycling. Experience indicates that any central heating device suffers a decrease in operating efficiency as the percentage of running time decreases.

In the modular arrangement, the small boilers or modules are sequentially fired to match the heat output in the load. The efficiencies of various combinations of the boilers, with several variations in the control systems, were measured and the results plotted to give efficiency versus load curves. While four of the five combinations set up for the measurements showed no greater efficiency with the modular configuration, one combination did produce higher efficiencies for all loads below about 70 percent of the maximum heating load.



The improved efficiency amounted to 7 to 8 percent at 25 percent of full heating load. This combination consisted of four small boilers with primary pumping in which water was circulated through all four boilers, with pilot lights turned off in modules not in use at a given load, and with secondary valving allowing water to flow through only the boilers that were operating.

Solar Test Methods

In late 1973 Dr. James Hill undertook the development of standard test methods for solar collectors and thermal storage systems. The National Science Foundation (NSF), which had a research program addressed to solar collectors and heat storage systems, engaged the Center to help fill a need revealed by this program-the standardization of test

procedure as a basis of comparison for both prototype and commercial hardware in the solar field. Draft standards were transmitted to NSF and ASHRAE (484).

During the course of developing test procedures, the Center was asked to perform an evaluation of the instrumentation and planned use of a transportable solar heating and cooling research laboratory built for NSF by the Honeywell Corporation. The laboratory consists of an equipment van and mobile home linked together and heated and cooled by a solar system. Transducers measuring the critical parameters of insulation, temperature, and fluid flow rate were calibrated and specific recommendations were made to ensure that significant data would be taken by the portable laboratory.

Solar Retrofit

The factory-built house used in the experimental validation of the NBSLD in 1972 and 1973 was exploited further in a solar retrofit project. The procedure followed in the validation exercise exposed the house to various environmental influences while maintaining an interior temperature of 24°C (75°F). The hourly heating and cooling input energies were measured and compared with predicted values.

Thus actual in-use data were assembled; these data, as it turned out, formed a conventional energy base against which to evaluate the performance of the house when solar equipped.

The house was retrofitted with 45 m² (485 ft²) of flat-plate collectors having water/ethylene glycol as the transfer fluid, fluid storage facilities, and an absorption air-conditioning unit integrated into the house's existing forced air system. The performance of this system during typical summer and winter operation was to be compared with that of the gas-fired furnace and electric air-conditioner as recorded in the earlier measurements. Some 15 different solar energy systems can be simulated as a basis for developing methods of measurement and criteria for solar energy system performance.



Utility Integration

The Center under the leadership of Clinton W. Phillips furnished both technical and programmatic support to HUD's Modular Integrated Utility System (MIUS) program, a program with implications not only for energy but for the environment and human settlement patterns as well.

MIUS, like total energy, generates electric power at the site of its consumption and captures much of the heat energy this process normally loses to the environment (about 65 percent) for use in heating or cooling buildings and in providing domestic hot water. But MIUS goes further, encompassing potable water services, the treatment of liquid waste and the use of the resultant effluent as a

cooling agent in utility or industrial processes. MIUS also reduces and exploits solid wastes by extracting their energy content through burning.

Insulating Glass

Factory-sealed, double-glazed insulating window units are intended to provide a permanently sealed air space between two or more panes. The air must be held at a moisture content or frost point so low that no moisture will condense between the panes. This is essential because condensation over a long period may leave a cloudy film on inaccessible glass surfaces.

Double-glazed insulating glass units have relatively high thermal resistance which reduce heat loss in winter and heat gain in summer. But because of their high first cost, there is great need for standard test methods to evaluate the quality, service life, and durability of sealed insulating glass units.

A "Seminar on the Durability of Insulating Glass," held at the Bureau in 1968 under the sponsorship of NBS and the American Society for Testing and Materials (ASTM), produced the idea for a project to develop an insulating glass test method (120). ASTM sponsored a Research Associate at NBS and Dr. Mahn Hee Hahn, the Research Associate, developed a dew-frost-point measuring apparatus that controls the temperature within a half-degree Celsius and can measure the repeatable dew-frost-point within a half-degree Celsius.



Heat Pump Evaluation

A project to evaluate the performance of heat pumps was initiated in 1973. This project was aimed at determining the potential energy savings that might result from the employment of more innovative heat pump systems. Basically the heat pump works like a refrigerator or air-conditioner, transferring the heat from one space to another, except that in the heating cycle, the heat is transferred to the interior of the building, and in the cooling cycle, the heat is expelled from the building.

Usually operated by electricity, the heat pump can deliver two or more times the heat energy produced by resistance heating, the most common form of electric heating. A heat pump may reduce electric heating bills by 30 to 50 percent or more, depending on the climate.

Center engineers set out to develop a laboratory test procedure that would simulate field conditions and thus yield realistic the actual efficiency values. By studying heat pumps under both laboratory and field conditions, the Center documented the actual part-load performance of the present-day electric heat pump. This information facilitates estimates of expected seasonal performance of heat pumps in various climates, and it provides a basis for decisionmaking in energy conservation.

Besides laboratory, analytical, and field studies, the energy research program at NBS dealt with the economics of energy conservation and with the implementation of energy conserving technology.

The long era of relatively cheap energy produced buildings, heating and cooling equipment, and control systems that emphasized low first costs. When energy prices rose sharply, builders, financiers, and government policy makers were not prepared to identify the cost-effective levels for many of the known techniques for improving the energy efficiency of buildings, mechanical and electrical equipment, and industrial processes. This area of the Center research program was directed toward better economic guidance in improving the energy performance of buildings and equipment. It was also intended to assure lending institutions and owners alike that energy conservation makes financial sense.

In one project, for example, an economist reasoned that the huge increase in energy prices and the unevenness in prices between electricity, fuel oil, and natural gas were bound to impact the question of what constitutes adequate insulation. He found the situation so drastically altered that a Washington, D.C., homeowner's heating bill suddenly read as if his house had been whisked to Minnesota. To be sure, he needed more insulation. The question was--under radically changed prices--how much more?

In cooperation with the Federal Energy Administration, CBT economist, Stephen R. Petersen conducted a study which showed homeowners just how much insulation to install in order to get the maximum return on their investment. The study dealt with such variables as climate, energy prices, and the cost of the thermal improvements, and came up with answers sensitive to these variables. While 230-300 mm (9-12 in) of insulation for attics in oil-burning houses generated the greatest savings in heating and cooling in all but the mildest climates, the study found that 150-230 mm (6-9 in) of attic insulation was economical for gas heated houses in most climates, and that 300 mm (12 in) or more was recommended for houses which are both heated and cooled electrically (163, 601).

In short, thermal improvements that reflect the variation in fuel prices, and the cost of the improvements themselves, yield greater benefits than recommendations taking into account climate alone.

CHAPTER 10

A MATURING CENTER FOR BUILDING TECHNOLOGY

Increasingly, buildings were being perceived less as structures and more as conditioned spaces for people and their activities--a shift in perspective due in part to the energy problem, and due in part to the increased concern bestowed upon the building user. The energy efficiency of buildings was becoming as common a notion as the gasoline efficiency of automobiles.


All building issues, whether energy-connected or not, were enlivened by this fresh perception. Furthermore, virtually all issues ran the risk of being overridden in the name of energy efficiency--all were subject to trade-off in the interest of energy.

Rational trading off cannot be done, however, without a sense, if not a measurement, of the value of that which is being sacrificed. Reducing a house's volume may be an excellent way to reduce its energy needs, but at the same time, it is a step that compels examination of the value of the spatial sacrifice--functionally, psychologically, esthetically, etc.

Energy was just one of the concerns to catch the attention of the nation and to find expression in national legislation. Other issues spawned legislation, too, and many of the measures that were adopted held express or implied meaning for building researchers at the Bureau who conduct their activities, basically, in the context of two laws. One, Public Law 177, established the Bureau in 1901, and the other, Public Law 619, was enacted in 1950, elaborates upon Bureau functions. These functions included testing materials and structures; cooperating with others in establishing standard practices, specifications, and codes; and determining the properties of building materials and structural elements.

While responsibilities stemming from founding legislation remained central, additional demands--legislated and otherwise--were placed on the Bureau and its building researchers. An ability to identify what needed to be measured and to make the measurements, the Bureau's close connection with the standards world, and its third-party objectivity were among the factors that made NBS an attractive resource. Additionally, the Bureau was credited with having the requisite competence to address some of the acute technical problems facing the nation. By 1974 the Bureau's focus had shifted, announced NBS Director Richard Roberts, from measurement standards to "new national concerns," e.g., pollution, safety, personal security, energy, and consumer protection.

A dozen or so separate pieces of legislation adopted from 1965 to 1974 gave Congressional assignments to NBS. Some



of the measures placed explicit responsibilities on NBS building researchers while others appeared to be likely generators of Bureau research.

The research implications of the Housing Act of 1968 were discussed earlier. The Occupational Safety and Health Act of 1970 was to result in Center involvement in research aimed at understanding and reducing or ameliorating accidents at places of employment including building construction sites. The Consumer Product Safety Act of 1972 directed the Consumer Product Safety Commission to use the Bureau to "perform research, develop test methods, and provide technical assistance." The language of the Noise Control Act of 1972 also specifically called for the use of NBS services.

Legislation called on HUD to consult with NBS in prescribing energy conservation and solar energy standards (Housing and Community Development Act of 1974) and set forth numerous responsibilities for the Bureau in solar energy development (Solar Heating and Cooling Demonstration Act of 1974). Other mandates included the Fire Prevention and Control Act of 1974, the Federal Non-Nuclear Energy Research and Development Act of 1974, and later the Energy Policy and Conservation Act and the Metric Conversion Act.

Not all of the research impetus came from legislation. Forces were also afoot outside the legislative chambers. For example, the concern over energy in 1972 moved the National Conference of States on Building Codes and Standards (NCSBCS) to request a report on the Bureau's energy-related activities. This was furnished and the following year a joint NBS-NCSBCS workshop was held. Two significant developments resulted from the workshop.

One was a publication, Technical Options for Energy Conservation in Buildings, which contains the workshop papers of Center staff and which was to become a much-sought-after guide to energy conservation techniques (330). The other was NCSBCS' request that NBS develop an energy conservation standard for new buildings. Work on the conservation standard was begun immediately. On November 11-12, 1973, a workshop was held to assess the approach being taken with the standard, receive technical comment, and identify areas requiring further work. Attending were some 250 persons from 31 States, several foreign countries, and all sectors of the building community. This was but one of several steps taken to obtain feedback from the building community.

On February 27, 1974, the draft document, NBSIR-74-452 Design Evaluation Criteria for Energy Conservation in New Buildings (462), was presented to NCSBCS. The document was transmitted to the American Society of Heating, Refrigerating, and Air-Conditioning Engineers (ASHRAE) which had offered to process it as an ASHRAE standard and as a consensus standard under procedures of the American National Standards Institute (ANSI).

The consensus process brought into play a mix of special

and general interests. While some of the requirements²⁹ of the NBS document were omitted or relaxed, the standard to emerge did retain the format and philosophy of the NBS document.

Both the ASHRAE and NBS documents can be characterized as "component performance standards" in that their requirements are cast in performance language and promote the aggregation of energy-efficient components or subsystems in the design of a building. Both documents provide alternatives for innovative design and for trade-offs between different energy conservation options.

By the mid-1970s the Center was confronted by emphatic research challenges, particularly over the need for resource conservation in building technology. Heading the management team charged with shaping a response to these challenges was Dr. Richard N. Wright, successor to Dr. James R. Wright who in early 1974 left the Center to become Deputy Director of the Institute for Applied Technology.

Key team members were Harry Thompson, Center Deputy Director, and the Chiefs of the Center's principal organizational units: Gene Rowland, Building Standards and Codes Services; James Gross, Housing Technology; Samuel Kramer, Federal Building Technology; Dr. Edward O. Pfrang, Structures, Materials, and Safety; Paul R. Achenbach, Building Environment; and Porter Driscoll, Technical Evaluation and Application.

Heading the Sections were Dr. Robert A. Crist, Structures; Dr. Geoffrey J.C. Frohnsdorff, Materials and Composites; James O. Bryson, Building Safety; Frank J. Powell, Thermal Engineering Systems; Dr. Arthur I. Rubin, Sensory Environment; Dr. Lawrence S. Galwin, Building Service Systems; Dr. Robert Wehrli, Architectural Research; Dr. Harold E. Marshall, Building Economics; and Roger A. Rensberger, Scientific and Professional Liaison.

The research facilities within the Center, or available to the Center, were impressive. Structural research apparatus included testing machines with capacities of up to 2,700,000 N (600,000 pounds) in compression and 900,000 N (200,000 pounds) in tension, a three-story bay laboratory with a tie-down floor capable of testing full-size building systems, and systems providing as many as 200 channels for collecting data suitable for automated processing. Facilities available for environmental engineering include seven environmental chambers in a range of features and sizes, the largest capable of subjecting a full-size, two-story house to a temperature range of -45° to 66°C (-50 to 150°F) and a relative humidity range of 15 to 85 percent.

²⁹ASHRAE Standard 90-75, Energy Conservation in New Building Design, the American Society of Heating, Refrigerating, and Air-Conditioning Engineers, Inc. (1975).

The early 1970s witnessed the construction of a new fire research facility to replace the large-scale testing laboratory at the Bureau's former site in Washington, D.C. The new laboratory, a facility of the Center for Fire Research, permits a wide range of full-scale testing. It is considered one of the most sophisticated facilities of its kind.

The fire laboratory contains a multi-purpose fire endurance furnace which measures the fire endurance of floors, walls and columns. It also includes a full-scale corridor where researchers can simulate a fire in a room adjoining the corridor and determine the contribution of the corridor walls, floor, and ceiling to fire and smoke spread in a building. Fire growth in fully-furnished rooms as well as the fire behavior of individual pieces of furniture can also be observed and quantified. In all, the information gained through the tests provides the technical base for better fire standards and fire-safe design.

A plumbing laboratory features a five-story test tower where plumbing configurations ranging from those of ranch houses to apartment complexes are simulated. It also includes two tools that have boosted capabilities in plumbing research--electronic instrumentation and a high-speed minicomputer.



With plumbing research tools such as these it is possible to pre-program the control of experiments and to visually display significant action at critical points in systems under test. An instantaneous picture of the dynamics of a plumbing process is offered. Computer print-outs, e.g., graphs or tabulations, can be obtained as a test is being run.

For the first time, key dynamic performance parameters could be measured for correlation with traditional static or steady-state design criteria. This capability provides the basis for greater precision in the design of traditional plumbing systems and for an acceptable evaluation methodology for innovative systems. Among the many dynamics that can now be measured are pressures, velocities, and massflow or volume-discharge rates of air and water, water levels, temperatures, strains and stresses, accumulated weights, and linear or rotational movements.

Finally, in tandem with the network of outdoor exposure sites, building researchers' efforts in materials technology benefit from accelerated weathering laboratories.

The Center also draws support from others. It has linkages with a host of agencies and organizations with which it collaborates in the development of standards and in the general advancement of building technology. As part of the Bureau, the Center is a laboratory within a laboratory. In the larger laboratory--the Bureau--are units with which the Center has particular opportunities for technical cooperation. These units (pre 1978 NBS reorganization) include:

--The Analytical Chemistry Division and the Metallurgy Division in NBS' Institute for Materials Research, and



in the Institute for Basic Standards, the Applied Mathematics Division, the Mechanics Division, and the Applied Acoustics Section. Acoustic facilities at NBS include an anechoic (echo-free) chamber for use in the calibration of microphones and acoustical instruments and in experimentation requiring a noise-free environment, and a reverberation chamber used in measuring the sound absorption of architectural materials and the sound power output of machinery and equipment.

--The Center for Consumer Product Technology in the Institute for Applied Technology. The Institute for Applied Technology is also home for the Center for Fire Research.

--And the Institute for Computer Sciences and Technology with its Computer Services, Information Technology, Systems and Software, and Computer Systems Engineering Divisions.

The richness of the Center for Building Technology's own technical program, its research facilities, its collaborative relationships with other organizations, and its location within the National Bureau of Standards, all heighten the prospects of successfully meeting the challenges of building research in the final quarter of the 20th century. What may have equipped the Center more than anything else, though, was its philosophic and programmatic approach to building research. This approach had grown more responsive to the full range of building community needs.

John Eberhard laid the foundation for the widened approach, and on this foundation James Wright and colleagues erected a new research structure. Lending guidance and counsel along the way was William Allen, formerly of the Building Research Station, British Research Establishment, and at present chairman of the London architectural firm of Bickerdike Allen Bramble.

The research unit in building technology had grown; in terms of one index, the number of research personnel, it was two and one-half times the building research force of the mid 1960s. More importantly, it had registered a notable gain in breadth.

The emphasis Center management placed on the performance approach to building mandated the inclusion of new research disciplines and directions. This emphasis had more than theoretical roots. Indeed the late 1960s and early 1970s were distinguished for having challenged NBS building researchers to test performance theories in the real world of building. The challenges were met in the development of the PBS performance specification for office buildings and the criteria for HUD's Operation Breakthrough, both major ventures in the application of the performance concept.

The new structure of building research sought greater involvement with other Federal agencies having responsibilities in building technology. It also pursued greater cooperation with the building community and a stronger program for disseminating research findings.

In short, the building research activity at NBS had undergone significant growth. Moreover, it had grown up in the sense of having acquired the attributes necessary for mature, responsible service to the complex building enterprise, and to the complex interrelationship between building users and the built environment as well.

Dr. Richard N. Wright, who left the University of Illinois where he was a professor in the Department of Civil Engineering, to be at the helm of the Bureau's program in building technology, was no stranger to the Center. He had served as Chief of the Building Research Division's Structures Section (1971-72) and as Center Deputy Director--Technical (1972-73).

Richard Wright called on the broadened Center staff to renew its commitment to excellence, demonstrating "expertise in all sciences, esthetic sensibilities, political awareness, common sense--and a dedication to the public benefit."

So changed, NBS building research professionals looked to a future certain to present new research challenges. They faced what lay ahead with the reinforcing legacy of a research program that, in its recent years, dared to grapple with the broad issues of the built environment.

BIBLIOGRAPHY

This listing includes all published output related to the work of the period covered. Not all of the publications and papers are referenced in the text. NBS Special Publications 457, Supplements 1 and 2, Building Technology Publication 1965-75, 76, and 77 respectively provides a keyword listing of the Center's publications during the past 13 years.

NBS
Building
Science
Series
(100-199)

- (100) Achenbach, P.R., Building Research at the National Bureau of Standards, BSS 0 (Washington, D.C.: National Bureau of Standards, October 1970), 59 pages.
- (101) Walton, W.W., and Cadoff, B.C., editors, Performance of Buildings Concept and Measurement, BSS 1 (Proceedings of a conference on Man and His Shelter, held at the National Bureau of Standards, Gaithersburg, Md., September 23-25, 1968) (Washington, D.C.: National Bureau of Standards, January 1970), 132 pages.
- (102) Blaine, R.L., Arni, H.T., Foster, B.E., Clevenger, R.A., Bean, L., and Hubbard, E.K., Interrelations Between Cement and Concrete Properties, Part 1: Materials and Techniques, Water Requirements and Trace Elements, BSS 2 (Washington, D.C.: National Bureau of Standards, August 1965), 36 pages.
- (103) Shoub, H., and Gross, D., Doors as Barriers to Fire and Smoke, BSS 3 (Washington, D.C.: National Bureau of Standards, March 1966), 10 pages.
- (104) Rushmer, M.A., and Burdick, M.D., Weather Resistance of Porcelain Enamels; Effect of Exposure Site and Other Variables After Seven Years, BSS 4 (Washington, D.C.: National Bureau of Standards, May 1966), 16 pages.
- (105) Blaine, R.L., Arni, H.T., and Evans, D.A., Interrelations Between Cement and Concrete Properties, Part 2: Sulfate Expansion, Heat of Hydration, and Autoclave Expansion, BSS 5 (Washington, D.C.: National Bureau of Standards, July 1966), 44 pages.
- (106) Carlson, E.T., Some Properties of the Calcium Aluminoferrite Hydrates, BSS 6 (Washington, D.C.: National Bureau of Standards, June 1966), 11 pages.
- (107) Roberts, A.G., Organic Coatings; Properties, Selection, and Use, BSS 7 (Washington, D.C.: National Bureau of Standards, February 1968), 202 pages.
- (108) Blaine, R.L., Arni, H.T., and DeFore, M.R., Interrelations Between Cement and Concrete Properties, Part 3: Compressive Strengths of Portland Cement Test Mortars and Steam-cured Mortars, BSS 8 (Contains section 7 and section 8) (Washington, D.C.: National Bureau of Standards, April 1968), 101 pages.

- (109) Cullen, W.C., and Boone, T.H., Thermal-Shock Resistance for Built-Up Membranes, BSS 9 (Washington, D.C.: National Bureau of Standards, August 1967), 25 pages.
- (110) Gross, D., Field Burnout Tests of Apartment Dwelling Units, BSS 10 (Washington, D.C.: National Bureau of Standards, September 1967), 23 pages.
- (111) Shoub, H., and Ingberg, S.H., Fire Resistance of Steel Deck Floor Assemblies, BSS 11 (Washington, D.C.: National Bureau of Standards, December 1967), 22 pages.
- (112) Faison, T.K., Jr., Davis, J.C., and Achenbach, P.R., Performance of Square-Edged Orifices and Orifice-Target Combinations as Air Mixers, BSS 12 (Washington, D.C.: National Bureau of Standards, November 1967), 11 pages.
- (113) Petersen, P.H., and Watstein, D., Shrinkage and Creep in Prestressed Concrete, BSS 13 (Washington, D.C.: National Bureau of Standards, March 1968), 12 pages.
- (114) Watstein, D., and Johnson, P.V., Experimental Determination of Eccentricity of Floor Loads Applied to a Bearing Wall, BSS 14 (Washington, D.C.: National Bureau of Standards, June 1968), 6 pages.
- (115) Blaine, R.L., Arni, H.T., and Evans, D.N., Interrelations Between Cement and Concrete Properties, Part 4: Shrinkage of Neat Portland Cement Pastes and Concretes, BSS 15 (Contains section 9 and section 10) (Washington, D.C.: National Bureau of Standards, March 1969), 79 pages.
- (116) Bryson, J.O., and Gross, D., Techniques for the Survey and Evaluation of Live Floor Loads and Fire Loads in Modern Office Buildings, BSS 16 (Washington, D.C.: National Bureau of Standards, December 1968), 32 pages.
- (117) Bean, B.L., and Dise, J.R., Causes of Variation in Chemical Analyses and Physical Tests of Portland Cement, BSS 17 (Washington, D.C.: National Bureau of Standards, March 1969), 34 pages.
- (118) Gross, D., Loftus, J.J., Lee, T.G., and Gray, V.E., Smoke and Gases Produced by Burning Aircraft Interior Materials, BSS 18 (Washington, D.C.: National Bureau of Standards, February 1969),
- (119) Greenfeld, S.H., A Study of the Variables Involved in the Saturating of Roofing Felts, BSS 19 (Washington, D.C.: National Bureau of Standards, June 1969), 18 pages.
- (120) Robinson, H.E., Durability of Insulating Glass, BSS 20 (Proceedings of a seminar held at the National Bureau of Standards, Gaithersburg, MD., November 14-15, 1968) (Washington, D.C.: National Bureau of Standards, February 1970), 84 pages.

- (121) Kusuda, T., Algorithms for Psychometric Calculations, BSS 21 (Skeleton Tables for the Thermodynamic Properties of Moist Air) (Washington, D.C.: National Bureau of Standards, January 1970), 53 pages.
- (122) Achenbach, P.R., project director/coordinator, Investigation of Performance Characteristics for Sanitary Plumbing Fixtures, BSS 22 (Washington, D.C.: National Bureau of Standards, January 1970), 72 pages.
- (123) Greenfeld, S.H., Hail Resistance of Roofing Products, BSS 23 (Washington, D.C.: National Bureau of Standards, August 1969), 11 pages.
- (124) Greenfeld, S.H., Natural Weathering of Mineral Stabilized Asphalt Coatings on Organic Felt, BSS 24 (Washington, D.C.: National Bureau of Standards, October 1969), 17 pages.
- (125) Pfrang, E.O., and Yokel, F.Y., Structural Performance Evaluation of a Building System, BSS 25 (Washington, D.C.: National Bureau of Standards, November 1969), 127 pages.
- (126) Davis, J.C., Radiation Errors in Air Ducts Under Nonisothermal Conditions Using Thermocouples, Thermistors, and a Resistance Thermometer, BSS 26 (Washington, D.C.: National Bureau of Standards, November 1969), 14 pages.
- (127) Faison, T.K., Jr., Davis, J.C., and Achenbach, P.R., Performance of Louvered Devices as Air Mixers, BSS 27 (Washington, D.C.: National Bureau of Standards, March 1970), 22 pages.
- (128) Blaine, R.L., and Tomes, L.A., Exploratory Studies of Early Strength Development in Portland Cement Pastes and Mortars, BSS 28 (Washington, D.C.: National Bureau of Standards, July 1970), 14 pages.
- (129) Baker, M.A., 1964 Exposure Test of Porcelain Enamels on Aluminum--Three Year Inspection, BSS 29 (Washington, D.C.: National Bureau of Standards, April 1970), 13 pages.
- (130) Marshall, R.D., editor, Wind Loads on Buildings and Structures, BSS 30 (Proceedings of a Technical Meeting held at the National Bureau of Standards, Gaithersburg, MD., January 27-28, 1969) (Washington, D.C.: National Bureau of Standards, November 1970), 169 pages.
- (131) Bryson, J.O., and Carpenter, E.F., Flexural Behavior of Prestressed Concrete Composite Teebeams, BSS 31 (Washington, D.C.: National Bureau of Standards, July 1970), 14 pages.
- (132) Smith, R.W., Jr., editor, Precoordination--Basis for Industrialized Building, BSS 32 (Proceedings of a conference held at Gaithersburg, MD., September 24-26) (Washington, D.C.: National Bureau of Standards, January 1971), 136 pages.

- (133) Yokel, F.Y., Mathey, R.G., and Dikkers, R.D., Compressive Strength Of Slender Concrete Masonry Walls, BSS 33 (Washington, D.C.: National Bureau of Standards, March 1971), 74 pages.
- (134) Yokel, F.Y., Mathey, R.G., and Dikkers, R.D., Strength of Masonry Walls under Compressive and Transverse Loads, BSS 34 (Washington, D.C.: National Bureau of Standards, March 1971), 74 pages.
- (135) Blaine, R.L., and Arni, H.T., Interrelation Between Cement and Concrete Properties, Part 5: Freezing- and Thawing Durability, Saturation, Water Loss and Absorption, Dynamic Modulus, BSS 35 (Washington, D.C.: National Bureau of Standards, November 1971), 129 pages.
- (136) Clifton, J.R., and Mathey, R.G., Interrelations Between Cement and Concrete Properties, Part 6: Compilation of Data From Laboratory Studies, BSS 36 (Washington, D.C.: National Bureau of Standards, August 1971), 118 pages.
- (137) Powell, F.J., and Robinson, H.E., The Effect of Moisture on the Heat Transfer Performance of Insulated Flat-roof Constructions, BSS 37 (Washington, D.C.: National Bureau of Standards, October 1971), 81 pages.
- (138) Baker, M.A., 1939 Exposure Test of Porcelain Enamels on Steel, 30-year Inspection BSS 38 (Washington, D.C.: National Bureau of Standards, August 1971), 9 pages.
- (139) Kusuda, T., editor, Use of Computers for Environmental Engineering Related to Buildings, BSS 39 (Proceedings of a Symposium sponsored by the National Bureau of Standards, the American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc., and the Automated Procedures for Engineering Consultants, Inc., held at the National Bureau of Standards, Gaithersburg, MD., November 30-December 2, 1970) (Washington, D.C.: National Bureau of Standards, September 1971), 826 pages.
- (140) Lew, H.S., Leyendecker, E.V., and Dikkers, R.D., Engineering Aspects of the 1971 San Fernando Earthquake, BSS 40 (Washington, D.C.: National Bureau of Standards, December 1971), 419 pages.
- (141) Wyly, R.S., and Sherlin, G.C., Performance of a Single-Stack DWV System Utilizing Low-angle Stack-branch Confluence and Bottom Shunt Venting, BSS 41 (Washington, D.C.: National Bureau of Standards, April 1972), 24 pages.
- (142) Reichard, T.W., Carpenter, E.F., and Leyendecker, E.V., Design Loads for Inserts Embedded in Concrete, BSS 42 (Washington, D.C.: National Bureau of Standards, May 1972), 28 pages.

- (143) Reichard, T.W., Paper Honeycomb Sandwich Panels as Lightweight Structural Components, BSS 43 (Washington, D.C.: National Bureau of Standards, April 1972), 7 pages.
- (144) Yokel, F.Y., Hsi, G., and Somes, N.F., Full Scale Test on a Two-story House Subjected to Lateral Load, BSS 44 (Washington, D.C.: National Bureau of Standards, November 1972), 26 pages.
- (145) Peavy, B.A., Powell, F.J., and Burch, D.M., Dynamic Thermal Performance of an Experimental Masonry Building, BSS 45 (Washington, D.C.: National Bureau of Standards, July 1973), 103 pages.
- (146) Wright, R.N., Kramer, S., and Culver, C., editors, Building Practices for Disaster Mitigation, BSS 46 (Proceedings of a workshop sponsored by the National Science Foundation, Research Applied to National Needs Program, and the National Bureau of Standards, held at the National Bureau of Standards, Boulder, CO., August 28-September 1, 1972) (Washington, D.C.: National Bureau of Standards, February 1973), 483 pages.
- (147) Galambos, T.V., Gould, P.L., Ravindra, M.K., Suryoutomo, H., and Crist, R.A., Structural Deflections. A Literature and State-of-the art Survey, BSS 47 (Washington, D.C.: National Bureau of Standards, October 1973), 104 pages.
- (148) Reps, W.F., and Simiu, E., editors, Design, Siting, and Construction of Low-cost Housing and Community Buildings to Better Withstand Earthquakes and Windstorms, BSS 48 (Washington, D.C.: National Bureau of Standards, January 1974), 152 pages.
- (149) Wyly, R.S., Sherlin, G.C., and Beausoliel, R.W., Laboratory Studies of the Hydraulic Performance of One-story and Split-level Residential Plumbing Systems with Reduced-size Vents, BSS 49 (Washington, D.C.: National Bureau of Standards, March 1974), 53 pages.
- (150) Baker, M.A., Weather Resistance of Porcelain Enamels--15-year Inspection of the 1956 Exposure Test, BSS 50 (Washington, D.C.: National Bureau of Standards, July 1974), 15 pages.
- (151) Pielert, J.H., Reichard, T.W., and Masters, L.W., Structural Evaluation of Steel Faced Sandwich Panels, BSS 51 (Washington, D.C.: National Bureau of Standards, April 1974), 43 pages.

- (152) Lew, H.S., The Effect of Impact Loadings on the Performance of Wood Joist Subflooring Systems, BSS 52 (Washington, D.C.: National Bureau of Standards, May 1974), 35 pages.
- (153) Yokel, F.Y., Study of the Local Resistance of Conventional Plywood Subflooring to Concentrated Load, BSS 53 (Washington, D.C.: National Bureau of Standards, May 1974), 43 pages.
- (154) Kapsch, R.J., editor, Health and Medical Facilities Design, BSS 54 (Proceedings of the First Federal Agency Workshop, held at the National Bureau of Standards, Gaithersburg, MD., December 5, 1972) (Washington, D.C.: National Bureau of Standards, July 1974), 87 pages.
- (155) Mathey, R.G., and Cullen, W.C., Preliminary Performance Criteria for Bituminous Membrane Roofing, BSS 55 (Washington, D.C.: National Bureau of Standards, November 1974), 16 pages.
- (156) Raufaste, N.J., Jr., and Marshall, R.D., editors, Development of Improved Design Criteria for Low-rise Buildings in Developing Countries to Better Resist the Effects of Extreme Winds, BSS 56 (Proceedings of a Workshop held in the Philippines, November 14-17, 1973) (Washington, D.C.: National Bureau of Standards, October 1974), 171 pages.
- (157) Peavy, B.A., Burch, D.M., Powell, F.J., and Hunt, C.M., Comparison of Measured and Computer-predicted Thermal Performance of a Four Bedroom Wood-frame Townhouse, BSS 57 (Washington, D.C.: National Bureau of Standards, April 1975), 62 pages.
- (158) Yancey, C.W.C., and Cattaneo, L.E., State-of-the-art of Structural Test Methods for Walls, Floors, Roofs and Complete Buildings, BSS 58 (Washington, D.C.: National Bureau of Standards, November 1974), 136 pages.
- (159) Baker, M.A., The Adherence of Porcelain Enamel to Aluminum, BSS 59 (Washington, D.C.: National Bureau of Standards, November 1974), 39 pages.
- (160) Orloski, M.J., and Wyly, R.S., Hydraulic Performance of a Fullscale Townhouse Drain-Waste-Vent System with Reduced-size Vents, BSS 60 (Washington, D.C.: National Bureau of Standards, August 1975), 43 pages.
- (161) Culver, C.G., Lew, H.S., Hart, G.C., and Pinkham, C.W., Natural Hazards Evaluation of Existing Buildings, BSS 61 (Washington, D.C.: National Bureau of Standards, January 1975), 958 pages.
- (162) Meese, W.J., and Cilimberg, R.L., Analysis of Current Technology on Electrical Connections in Residential Branch Circuit Wiring, BSS 63 (Washington, D.C.: National Bureau of Standards, March 1975), 23 pages.

- (163) Petersen, S.R., Retrofitting Existing Housing for Energy Conservation: An Economic Analysis, BSS 64 (Washington, D.C.: National Bureau of Standards, December 1974), 76 pages.
- (164) Clifton, J.R., Beeghly, H.F., and Mathey, R.G., Non-metallic Coatings for Concrete Reinforcing Bars, BSS 65 (Washington, D.C.: National Bureau of Standards, August 1975), 42 pages.
- (165) Kusuda, T., editor, Underground Heat and Chilled Water Distribution Systems, BSS 66 (Washington, D.C.: National Bureau of Standards, May 1975), 146 pages.
- (166) Leyendecker, E.V., Breen, J.E., Somes, N.F., and Swatta, M., Abnormal Loading on Buildings and Progressive Collapse, BSS 67 (An Annotated Bibliography) (Washington, D.C.: National Bureau of Standards, January 1976), 60 pages.
- (167) Wyly, R.S., Parker, W.J., Rorrer, D.E., Shaver, J.R., Sherlin, G.C., and Tryon, M., Review of Standards and Other Information on Thermoplastic Piping in Residential Plumbing, BSS 68 (Washington, D.C.: National Bureau of Standards, May 1975), 65 pages.
- (168) Collins, B.L., Windows and People: A Literature Survey, Psychological Reaction to Environments With and Without Windows, BSS 70 (Washington, D.C.: National Bureau of Standards, June 1975), 93 pages.
- (169) Parker, W.J., Paabo, M., Scott, J.B., Gross, D., and Benjamin, I.A., Fire Endurance of Gypsum Board Walls and Chases Containing Plastic and Metallic Drain, Waste and Vent Plumbing Systems, BSS 72 (Washington, D.C.: National Bureau of Standards, September 1975), 114 pages.
- (170) Sabine, H.J., Lacher, M.B., Flynn, D.R., and Quindry, T.L., Sound Transmission Loss, Thermal Transmittance and Air Leakage of Exterior Walls, Doors, and Windows, BSS 77 (Washington, D.C.: National Bureau of Standards, November 1975), 170 pages.
- (171) Kusuda, T., Hill, J.E., Liu, S.T., Barnett, J.P., and Bean, J.W., Predesign Analysis of Energy Conservation Options for a Multistory Demonstration Office Building, BSS 78 (Washington, D.C.: National Bureau of Standards, November 1975), 59 pages.
- (172) Cooke, P.W., Dikkers, R.D., Trechsel, H.R., Tejuja, H.K., and Zelenka, L.P., Model Documents for the Evaluation, Approval, and Inspection of Manufactured Buildings, BSS 87 (Washington, D.C.: National Bureau of Standards, July 1976), 308 pages.
- (173) Yancey, W.C., The Development of An Improved Test for Evaluating the Racking Resistance of Wall Panels, BSS 91 (Washington, D.C.: National Bureau of Standards, November 1976), 67 pages.

- (200) Greifer, B., Maienthal, E.J., Rains, T.C., and Raspberry, S.D., Standard Reference Materials: Development of NBS Standard Reference Material No. 1579 Powdered Lead-Based Paint, SP 260-45 (Washington, D.C.: National Bureau of Standards, March 1973), 31 pages.
- (201) Flynn, D.R., and Peavy, B.A., Jr., editors, Thermal Conductivity, SP 302 (Proceedings of the Seventh Conference held at the National Bureau of Standards, Gaithersburg, MD., November 13-16, 1967) (Washington, D.C.: National Bureau of Standards, September 1968), 820 pages.
- (202) Wright, J.R., editor, Industrialized Building in the Soviet Union, SP 334 (A report of the U.S. Delegation to the U.S.S.R.) (Washington, D.C.: National Bureau of Standards, December 1970), 81 pages.
- (203) Menis, O. editor, Status of Thermal Analysis, SP 338 (Proceedings of a Symposium on the Current Status of Thermal Analysis held at Gaithersburg, MD., April 21-22, 1970) (Washington, D.C.: National Bureau of Standards, October 1970), 189 pages.
- (204) Foster, B.E., editor, Volume 1, Performance Concept in Buildings, SP 361 (Invited papers--proceedings of a symposium jointly sponsored by the International Union of Testing and Research Laboratories for Materials and Structures (RILEM), the American Society for Testing and Materials (ASTM), and the International Council for Building Research Studies and Documentation (CIB), Philadelphia, PA., May 2-5, 1972) (Washington, D.C.: National Bureau of Standards, February 1972), 819 pages.
- (205) Foster, B.E., editor, Volume 2, Performance Concept in Buildings, SP 361 (Opening addresses, rapporteur reviews, and discussions--proceedings of a symposium jointly sponsored by the International Union of Testing and Research Laboratories for Materials and Structures (RILEM), the American Society for Testing and Materials (ASTM), and the International Council for Building Research Studies and Documentation (CIB), Philadelphia, PA., May 2-5, 1972) (Washington, D.C.: National Bureau of Standards, September 1972), 169 pages.
- (206) Fath, J.M., Standards on Noise Measurements, Rating Schemes, and Definitions: A Compilation, Washington, D.C., SP 386 (Washington, D.C.: National Bureau of Standards, November 1973).
- (207) Kelly, K.L., Colorimetry and Spectrophotometry: A Bibliography of NBS Publications January 1906 through January 1973, SP 393 (Washington, D.C.: National Bureau of Standards, April 1974), 54 pages.
- (208) Butler, M.J., and Slater, J.A., editors, Fire Safety Research, SP 411 (Proceedings of a symposium held at the National Bureau of Standards, Gaithersburg, MD., August 22, 1973) (Washington, D.C.: National Bureau of Standards, November 1974), 251 pages.

- (209) Plumbing Research Laboratory. Special Technical Facilities at the National Bureau of Standards, SP 413 (Washington, D.C.: National Bureau of Standards, January 1975), page 7.
- (210) Giles, K., and Powell, P., editors, Attacking the Fire Problem: A Plan for Action, SP 416 (Washington, D.C.: National Bureau of Standards, May 1975), 37 pages.
- (211) Berry, S.A., editor, Proceedings of the 7th Annual Conference of the National Conference of States on Building Codes and Standards, SP 429 (Washington, D.C.: National Bureau of Standards, September 1975), 129 pages.
- (212) Lew, H.S., editor, Wind and Seismic Effects, SP 444 (Proceedings of the Sixth Joint Panel Conference of the U.S.-Japan Cooperative Program in Natural Resources held at the National Bureau of Standards, Gaithersburg, MD., May 15-17, 1974) (Washington, D.C.: National Bureau of Standards, April 1976), 462 pages.

NBS
Technical
Notes
(300-399)

- (300) Cullen, W.C., Solar Heating, Radiative Cooling, and Thermal Movement, TN 231 (Their Effects on Built-up Roofing) (Washington, D.C.: National Bureau of Standards, December 1963), 33 pages.
- (301) Robbins, D., editor, Disclosures on a Plumbing Vent Manifold, a Micro-adjuster, a Glass Joint or Stopcock, and a Miniature Puller, TN 253 (Washington, D.C.: National Bureau of Standards, November 1964), 9 pages.
- (302) Boone, T.H., Skoda, L.F., and Cullen, W.C., Laboratory-field Comparison of Built-up Roofing Membranes, TN 473 (Washington, D.C.: National Bureau of Standards, December 1968), 15 pages.
- (303) Greenfeld, S.H., The Performance of Roofing Made with Asplund Felts, TN 477 (Washington, D.C.: National Bureau of Standards, March 1969), 27 pages.
- (304) Greenfeld, S.H., Warner, E.R., and Reinhart, H.W., Bibliographies on Fabric Flammability, Part 1, Wearing Apparel; Part 2, Fabrics Used on Beds; Part 3, Carpets and Rugs, TN 498 (Washington, D.C.: National Bureau of Standards, February 1970), 36 pages.
- (305) Greenfeld, S.H., Warner, E.R., and Reinhart, H.W., Bibliographies on Fabric Flammability, Part 4, Interior Furnishings, TN 498-1 (Washington, D.C.: National Bureau of Standards, June 1970), 24 pages.
- (306) Greenfeld, S.H., Warner, E.R., and Reinhart, H.W., Bibliographies on Fabric Flammability, Part 5, Testing and Test Methods, TN 498-2 (Washington, D.C.: National Bureau of Standards, September 1970), 39 pages.
- (307) The Flammable Fabrics Program 1968-1969, National Bureau of Standards, TN 525 (Washington, D.C.: National Bureau of Standards, April 1970), 84 pages.

- (308) Somes, N.F., Dikkers, R.D., and Boone, T.H., Lubbock Tornado: A Survey of Building Damage in an Urban Area, TN 558 (Washington, D.C.: National Bureau of Standards, March 1971), 38 pages.
- (309) Marshall, R.D., Surface Pressure Fluctuations Near an Axisymmetric Stagnation Point, TN 563 (Washington, D.C.: National Bureau of Standards, August 1971), 67 pages.
- (310) Dikkers, R.D., Marshall, R.D., and Thom, H.C.S., Hurricane Camille-August 1969: A Survey of Structural Damage Along the Mississippi Gulf Coast, TN 569 (Washington, D.C.: National Bureau of Standards March 1971), 71 pages.
- (311) The Flammable Fabrics Program 1970, National Bureau of Standards, TN 596, (Washington, D.C.: National Bureau of Standards, September 1971).
- (312) Yokel, F.Y., and Somes, N.F., Structural Performance Evaluation of Innovative Building Systems, TN 706 (Washington, D.C.: National Bureau of Standards, August 1972), 16 pages.
- (313) Baker, M.A., Three-year Inspection of Nature-tone Porcelain Enamels on Steel, TN 707 (Washington, D.C.: National Bureau of Standards, December 1971), 16 pages.
- (314) Lee, T.G., Interlaboratory Evaluation of Smoke Density Chamber, TN 708 (Washington, D.C.: National Bureau of Standards, December 1971), 80 pages.
- (315) Blachere, G., Building Research Translation: Account of the Principles of Modular Coordination: Industrialization in Building, TN 710-1 (Washington, D.C.: National Bureau of Standards, March 1972), 15 pages.
- (316) Gilbert, P., Building Research Translation: An Investigation of the Protection of Dwellings from External Noise Through Facade Walls, TN 710-2 (Washington, D.C.: National Bureau of Standards, March 1972), 26 pages.
- (317) Katz, R.G., United States and Canadian Fabric Flammability Standards, TN 742 (Washington, D.C.: National Bureau of Standards, October 1972), 59 pages.
- (318) Gilsinn, J.F., Estimates of the Nature and Extent of Lead Paint Poisoning in the United States, TN 746 (Washington, D.C.: National Bureau of Standards, December 1972), 151 pages.
- (319) The Flammable Fabrics Program 1971, National Bureau of Standards, TN 749 (Washington, D.C.: National Bureau of Standards, December 1972), 92 pages.
- (320) Slater, J.A., Buchbinder, B., and Tovey, H., Matches and Lighters in Flammable Fabric Incidents: The Magnitude of the Problem, TN 750 (Washington, D.C.: National Bureau of Standards, December 1972), 27 pages.

- (321) Clifton, J.R., Some Aspects of the Setting and Hardening of Gypsum Plaster, TN 755 (Washington, D.C.: National Bureau of Standards, January 1973), 33 pages.
- (322) Lee, T.G., The Smoke Density Chamber Method for Evaluating the Potential Smoke Generation of Building Materials, TN 757 (Washington, D.C.: National Bureau of Standards, January 1973), 20 pages.
- (323) Berger, H.W., The NBS Lead Paint Poisoning Project: Housing and Other Aspects, TN 759 (Washington, D.C.: National Bureau of Standards, February 1973), 25 pages.
- (324) Clifton, J.R., Beeghly, H.F., and Mathey, R.G., Non-metallic Coatings for Concrete Reinforcing Bars: Coating Materials, TN 768 (Washington, D.C.: National Bureau of Standards, April 1973), 40 pages.
- (325) Waksman, D., Skoda, L.F., and Clark, E.J., Hazard Elimination Procedures for Leaded Paints in Housing, TN 770 (Washington, D.C.: National Bureau of Standards, May 1973), 99 pages.
- (326) Colner, D., and Gilsinn, D., Fire Service Location-Allocation Models, TN 774 (Washington, D.C.: National Bureau of Standards, June 1973), 46 pages.
- (327) Dikkers, R.D., Coordinated Evaluation System (CES) Project, Model Documentation for Building Regulation, TN 775 (Washington, D.C.: National Bureau of Standards, May 1975), 16 pages.
- (328) Cullen, W.C., and Rossiter, W.J., Jr., Guidelines for Selection of and Use of Foam Polyurethane Roofing Systems, TN 778 (Washington, D.C.: National Bureau of Standards, May 1973), 46 pages.
- (329) Wolfe, W.C., Roberts, R.F., and Russell, M., Durability and Maintenance as Related to the Selection of Flooring, TN 783 (Washington, D.C.: National Bureau of Standards, August 1973), 68 pages.
- (330) Technical Options for Energy Conservation in Buildings, TN 789 (National Conference of States on Building Codes and Standards and National Bureau of Standards Joint Emergency Workshop on Energy Conservation in Buildings held at the U.S. Department of Commerce, Washington, D.C., June 19, 1973) (Washington, D.C.: National Bureau of Standards, July 1973), 184 pages.
- (331) Berry, S.A., Emergency Workshop on Energy Conservation in Buildings, TN 789-1 (Washington, D.C.: National Bureau of Standards, July 1975), 31 pages.
- (332) Cadoff, M.A., Mathews, D.E., and Blomquist, D.S., Development of a Procedure for Measuring the Noise of Paper Caps, TN 793 (Washington, D.C.: National Bureau of Standards, October 1973), 23 pages.

- (333) Fung, F.C.W., Suchomel, R., and Oglesby, P.L., NBS Corridor Fire Tests: Energy and Radiation Models, TN 794 (Washington, D.C.: National Bureau of Standards, October 1973), 127 pages.
- (334) Wright, R.N., and Kramer, S., Building Performance in the 1972 Managua Earthquake, TN 807 (Washington, D.C.: National Bureau of Standards, November 1973), 155 pages.
- (335) Waksman, D., Ferguson, J.B., Godette, M., and Reichard, T., Potential Systems for Lead Hazard Elimination: Evaluations and Recommendations for Use, TN 808 (Washington, D.C.: National Bureau of Standards, December 1973), 192 pages.
- (336) Yokel, F.Y., and Reichard, T.W., Evaluation of the Column Connections Used in a Precast Concrete Modular Housing System, TN 811 (Washington, D.C.: National Bureau of Standards, March 1974), 63 pages.
- (337) Rubin, A.I., and Cohen, A., Occupant Behavior in Building Fires, TN 818 (Washington, D.C.: National Bureau of Standards, February 1974), 28 pages.
- (338) Wolfe, W.C., A Review of Federal and Military Specifications for Floor Coverings, TN 822 (Washington, D.C.: National Bureau of Standards, April 1974), 99 pages.
- (339) Masters, L.W., and Wolfe, W.C., The Use of Weather and Climatological Data in Evaluating the Durability of Building Components and Materials, TN 838 (Washington, D.C.: National Bureau of Standards, August 1974), 101 pages.
- (340) Lubman, D., Review of Reverberant Sound Power Measurement Standard and Recommendations for Further Research, TN 841 (Washington, D.C.: National Bureau of Standards, August 1974), 24 pages.
- (341) Marshall, R.D., A Study of Wind Pressures on a Single-family Dwelling in Model and Full Scale, TN 852 (Washington, D.C.: National Bureau of Standards, October 1974), 40 pages.
- (342) Cooke, P.W., Tejuja, H.K., Dikkers, R.D., and Zelenka, I.P., State Building Regulatory Programs for Mobile Homes and Manufactured Buildings--A Summary, TN 853 (Washington, D.C.: National Bureau of Standards, September 1974), 35 pages.
- (343) Culver, C., and Kushner, J., A Program for Survey of Fire Loads and Live Loads in Office Buildings, TN 858 (Washington, D.C.: National Bureau of Standards, May 1975), 229 pages.
- (344) Sushinsky, G.F., and Mathey, R.G., Fatigue Tests of Bituminous Membrane Roofing Specimens, TN 863 (Washington, D.C.: National Bureau of Standards, April 1975), 32 pages.

- (345) Crist, R., Marshall, R., and Laursen, H., Electro-optical Deflection Measuring Device, TN 873 (Washington, D.C.: National Bureau of Standards, December 1975), 24 pages.
- (346) Clark, E.J., Campbell, P.G., and Frohnsdorff, G., Waterproofing Materials for Masonry, TN 883 (Washington, D.C.: National Bureau of Standards, October 1975), 86 pages.
- (347) Hill, J., and Richtmyer, T., Retrofitting a Residence for Solar Heating and Cooling: The Design and Construction of the System, TN 892 (Washington, D.C.: National Bureau of Standards, November 1975), 99 pages.
- (348) Hunt, C.M., Treado, S.J., A Prototype SemiAutomated System for Measuring Air Infiltration Using Sulfur Hexafluoride as a Tracer Gas, TN 898 (Washington, D.C.: National Bureau of Standards, March 1976), 24 pages.
- (349) Crist, R.A., and Shaver, J.R., Deflection Performance Criteria for Floors, TN 900 (Washington, D.C.: National Bureau of Standards, April 1976), 23 pages.
- (350) Shaver, J., Correlation of Floor Vibration to Human Response, TN 904 (Washington, D.C.: National Bureau of Standards, May 1976), 29 pages.

NBS
Interagency
Reports
(400-599)

- (400) Berg, C.A., Energy Conservation Through Effective Utilization, NBSIR 73-102 (Washington, D.C.: National Bureau of Standards, February 1973), 53 pages.
- (401) Shaver, J.R., Masters, L.W., Reichard, T.W., and Pielert, J.H., Environmental Evaluation of Polyurethane Foam Core Sandwich Panel Construction, NBSIR 73-105 (Washington, D.C.: National Bureau of Standards, December 1972), 47 pages.
- (402) Fang, J.B., Analysis of the Behavior of a Freely Burning Fire in a Quiescent Atmosphere, NBSIR 73-115 (Washington, D.C.: National Bureau of Standards, February 1973), 60 pages.
- (403) Yokel, F.Y., Study of the Local Resistance of Conventional Plywood Subflooring to Concentrated Load, NBSIR 73-116 (Washington, D.C.: National Bureau of Standards, March 1973), 64 pages.
- (404) Yancey, C.W., and Sones, N.F., Structural Tests of Wood Framed Housing Module, NBSIR 73-121 (Washington, D.C.: National Bureau of Standards, March 1973), 111 pages.
- (405) Lee, T.G., and Huggett, C., Interlaboratory Evaluation of the Tunnel Test (ASTM E84) Applied to Floor Coverings, NBSIR 73-125 (Washington, D.C.: National Bureau of Standards, March 1973), 56 pages.

- (406) Cattaneo, L.E., and Yokel, F.Y., Structural Tests of Mechanical Connections for Concrete Panels, NBSIR 73-126 (Washington, D.C.: National Bureau of Standards, November 1972), 118 pages.
- (407) Waksman, D., Skoda, L.F., Clark, E.J., and Godette, M., Evaluation of Lead Paint Hazard Elimination Methods Part II, NBSIR 73-127 (Washington, D.C.: National Bureau of Standards, March 1973), 77 pages.
- (408) Masters, L.W., Wolfe, W.C., Rossiter, W.J., Jr., and Shaver, J.R., State-of-the-Art on Durability Testing of Building Components and Materials, NBSIR 73-132 (Washington, D.C.: National Bureau of Standards, March 1973), 128 pages.
- (409) Sleater, G., Performance of Industrial Type Cladding Materials, NBSIR 73-134 (Washington, D.C.: National Bureau of Standards, March 1973), 30 pages.
- (410) Son, B.C., Fire Endurance Tests of Steel Sandwich Panel Exterior Wall and Roof/ Ceiling Constructions, NBSIR 73-135 (Washington, D.C.: National Bureau of Standards, December 1972), 38 pages.
- (411) Parker, W.J., Brackett, D.C., Willard, R.E., and Zile, R.H., A Preliminary Investigation on the Effect of Humidity on the Ignition, Heat Release, and Smoke Density Tests for Typical Room Finishing Materials, NBSIR 73-139 (Interim report) (Washington, D.C.: National Bureau of Standards, March 1973).
- (412) Son, B.C., Fire Endurance Test of Plywood-Faced Exterior Walls for Single Family Housing, NBSIR 73-140 (Washington, D.C.: National Bureau of Standards, March 1973), 24 pages.
- (413) Shoub, H., and Son, B.C., Fire Endurance Tests of Plywood on Steel Joist Floor Assemblies, With and Without Ceiling, NBSIR 73-141 (Washington, D.C.: National Bureau of Standards, March 1973), 35 pages.
- (414) Kusuda, T., Climatological Data at the Proposed Prototype Sites in the United States for the Evaluation of HUD Operation BREAKTHROUGH Housing Systems, NBSIR 73-144 (Washington, D.C.: National Bureau of Standards, April 1973), 136 pages.
- (415) Buchbinder, L.B., Study of Relationships Between Activity, Reaction, Garment Parameter Patterns and Injury Severity for Fire Incidents Involving Apparel, NBSIR 73-145 (Interim report for period September 1972-February 1973) (Washington, D.C.: National Bureau of Standards, April 1973), 33 pages.
- (416) Rossiter, W.J., Jr., Outdoor Performance of Plastics X Final Update of Weathering Data, NBSIR 73-146 (Washington, D.C.: National Bureau of Standards, March 1973), 113 pages.
- (417) Yokel, F.Y., and Reichard, T.W., Evaluation of the Column Connections Used in a Precast Concrete Modular Housing System, NBSIR 73-148 (Washington, D.C.: National Bureau of Standards, March 1973), 90 pages.

- (418) Wyly, R.S., and Rorrer, D.E., Field Test of Hydraulic Performance of a Single-Stack Drainage System at the Operation Prototype Site in King County, Washington, NBSIR 73-161 (Washington, D.C.: National Bureau of Standards, May 1973), 66 pages.
- (419) Son, B.C., Fire Endurance Test of a Steel Sandwich Panel Floor Construction, NBSIR 73-164 (Washington, D.C.: National Bureau of Standards, April 1973), 25 pages.
- (420) Son, B.C., Fire Endurance Test on a Steel Tubular Column Protected with Gypsum Board, NBSIR 73-165 (Washington, D.C.: National Bureau of Standards, April 1973), 23 pages.
- (421) Son, B.C., Fire Endurance Test of an Interdwelling Double Wall Construction of Paper Honeycomb and Gypsum Board, NBSIR 73-166 (Washington, D.C.: National Bureau of Standards, April 1973), 24 pages.
- (422) Son, B.C., Fire Endurance Test of a Roof/Ceiling Construction of Paper Honeycomb and Gypsum Board, NBSIR 73-167 (Washington, D.C.: National Bureau of Standards, January 1973), 20 pages.
- (423) Son, B.C., Fire Endurance Test of a Fiber Glass Reinforced Polyester Double Wall Assembly, NBSIR 73-168 (Washington, D.C.: National Bureau of Standards, April 1973), 26 pages.
- (424) Son, B.C., Fire Endurance Test of a Wood Stud Interdwelling Double Wall Construction, NBSIR 73-169 (Washington, D.C.: National Bureau of Standards, April 1973), 21 pages.
- (425) Son, B.C., Fire Endurance Test of an Interdwelling Double Wall Constructed of Polyurethane Foam-Filled Sandwich Panels, NBSIR 73-170 (Washington, D.C.: National Bureau of Standards, April 1973), 27 pages.
- (426) Son, B.C., and Shoub, H., Fire Endurance Tests of Double Module Walls of Gypsum Board and Steel Studs, NBSIR 73-173 (Washington, D.C.: National Bureau of Standards, April 1973), 32 pages.
- (427) Parker, W.J., Comparison of the Fire Performance of Neoprene and Flame Retardant Polyurethane Mattresses, NBSIR 73-177 (Washington, D.C.: National Bureau of Standards, April 1973), 46 pages.
- (428) Craw, A.R., Analyses for Decision in the Office of Flammable Fabrics: The Level of the Standard, NBSIR 73-182 (Status report) (Washington, D.C.: National Bureau of Standards, April 1973), 80 pages.
- (429) Lew, H.S., The Effect of Impact Loadings on the Performance of Wood Joist Subflooring Systems, NBSIR 73-187 (Washington, D.C.: National Bureau of Standards, May 1973), 49 pages.
- (430) Reichard, T.W., Greene, W.E., Jr., Cattaneo, L.E., and Masters, L.W., Structural Tests on Housing Com-

ponents of Glass Fiber Reinforced Polyester Laminate, NBSIR 73-188 (Washington, D.C.: National Bureau of Standards, April 1973), 98 pages.

- (431) Quindry, T.L., Acoustical Evaluation of a Single Family Attached Steel Frame Modular Housing System Constructed on an Operation Breakthrough Prototype Site, NBSIR 73-190 (Washington, D.C.: National Bureau of Standards, April 1973), 21 pages.
- (432) Quindry, T.L., Acoustical Evaluation of a Single Family Attached Wood-Frame Modular Housing System Constructed on an Operation Breakthrough Prototype Site, NBSIR 73-191 (Washington, D.C.: National Bureau of Standards, April 1973), 21 pages.
- (433) Quindry, T.L., Acoustical Evaluation of a Single Family Detached Honeycomb Panel Housing System Constructed on an Operation Breakthrough Prototype Site, NBSIR 73-192 (Washington, D.C.: National Bureau of Standards, April 1973), 19 pages.
- (434) Denyes, W., and Quintiere, J., Experimental and Analytical Studies of Floor Covering Flammability with a Model Corridor, (Final report) NBSIR 73-199 (Washington, D.C.: National Bureau of Standards, May 1973), 115 pages.
- (435) Denyes, W., and Raines, J.W., A Model Corridor for the Study of the Flammability of Floor Coverings, NBSIR 73-200 (Final report) (Washington, D.C.: National Bureau of Standards, May 1973), 40 pages.
- (436) Burnett, E.F.P., Somes, N.F., and Leyendecker, E.V., Residential Buildings and Gas-Related Explosions, NBSIR 73-208 (Washington, D.C.: National Bureau of Standards, June 1973), 32 pages.
- (437) Siu, C.I., Ellis, W.M., and Kusuda, T., Test of a Polyester Composite Wall Panel for Moisture Accumulation and Potential Removal of Moisture Through Venting, NBSIR 73-220 (Washington, D.C.: National Bureau of Standards, May 1973), 18 pages.
- (438) Somes, N.F., Abnormal Loading on Buildings and Progressive Collapse, NBSIR 73-221 (Washington, D.C.: National Bureau of Standards, May 1973), 76 pages.
- (439) Leyendecker, E.V., and Fattal, G., Skyline Plaza Collapse in Fairfax County, VA., NBSIR 73-222 (Washington, D.C.: National Bureau of Standards, June 1973), 136 pages.
- (440) Bryson, J.O., Methodology for Examining Testing Laboratories for Manufactured Buildings, NBSIR 73-225 (Washington, D.C.: National Bureau of Standards, January 1973), 110 pages.
- (441) Ferguson, J.B., Summary of Flame Spread and Smoke Generation Tests Conducted for Operation Breakthrough, NBSIR 73-228 (Washington, D.C.: National Bureau of Standards, July 1973), 27 pages.

- (442) Spurgeon, J.C., Response Characteristics of a Portable X-ray Fluorescence Lead Detector: Detection of Lead in Paint, NBSIR 73-231 (Washington, D.C.: National Bureau of Standards, June 1973), 31 pages.
- (443) Boone, T.H., Ray, T.R., and Street, W.G., Pilot Demonstration of Lead Based Paint Hazard Elimination Method, NBSIR-242 (Washington, D.C.: National Bureau of Standards, June 1973), 38 pages.
- (444) Paabo, M., Analytical Methods for the Detection of Toxic Elements in Dry Paint Matrices--A Literature Survey, NBSIR 73-251 (Washington, D.C.: National Bureau of Standards, July 1973), 42 pages.
- (445) Son, B.C., Fire Endurance Tests of Unprotected Wood-Floor Constructions for Single Family Residences, NBSIR 73-263 (Washington, D.C.: National Bureau of Standards, July 1973), 65 pages.
- (446) Son, B.C., and Fang, J.B., Fire Spread on Exterior Walls Due to Flames Emerging from a Window in Close Proximity to a Reentrant Wall Corner, NBSIR 73-266 (Washington, D.C.: National Bureau of Standards, April 1973), 35 pages.
- (447) Issen, L.A., Report of Fire Tests on Flexible Connectors in HVAC Systems, NBSIR 73-267 (Washington, D.C.: National Bureau of Standards, July 1973), 67 pages.
- (448) Fung, F.C.W., Evaluation of a Pressurized Stairwell Smoke Control System for a 12 Story Apartment Building, NBSIR 73-277 (Washington, D.C.: National Bureau of Standards, June 1973), 53 pages.
- (449) Dikkers, R.D., Trechsel, H.R., Cooke, P.W., Tejuja, H.K., and Zelenka, L.P., Model Documents for the Evaluation, Approval, and Inspection of Manufactured Buildings, NBSIR 73-278 (Washington, D.C.: National Bureau of Standards, September 1973).
- (450) Trechsel, H.R., Swiss Building and Housing Research Activities, NBSIR 73-288 (Washington, D.C.: National Bureau of Standards, August 1973), 63 pages.
- (451) Marshall, H.E., Cost Sharing as an Incentive to Attain the Objectives of Shoreline Protection, NBSIR 73-294 (Washington, D.C.: National Bureau of Standards, December 1973), 70 pages.
- (452) Clifton, J.R., Beeghley, H.F., and Mathey, R.G., Interim Report No. 7: Chemical Resistance and Physical Durability Testing of Coating Materials, NBSIR 73-295 (Washington, D.C.: National Bureau of Standards, August 1973), 22 pages.
- (453) Joel, L.S., and Berger, H.W., Report on a Pre-test of a Survey Plan for Estimating Incidence of Lead Based Paint, NBSIR 73-407 (Washington, D.C.: National Bureau of Standards, December 1973), 86 pages.

- (454) Leasure, W.A., Jr., Fisher, R.L., and Cadoff, M.A., Evaluation of Commercial Integrating-Type Noise Exposure Meters, NBSIR 73-417 (Contracted by EPA EPA-550/9-73-007) (Washington, D.C.: National Bureau of Standards, December 1973), 33 pages.
- (455) Hendrickson, R.G., and Corrigan, D.W., An Overview of the Factors Impacting Metrication of the U.S. Housing Industry, NBSIR 73-421 (Washington, D.C.: National Bureau of Standards, December 1973), 35 pages.
- (456) Hall, W., Ayers, T., and Doxey, D., Survey Plans and Data Collection and Analysis Methodologies: Results of a Pre-survey for the Magnitude and Extent of the Lead Based Paint Hazard in Housing, NBSIR 74-426 (Washington, D.C.: National Bureau of Standards, January 1974), 108 pages.
- (457) Raley, C.C., 1972 International Activities Center for Building Technology, NBSIR 74-432 (Washington, D.C.: National Bureau of Standards, August 1973), 68 pages.
- (458) Boone, T.H., Ray, T.R., and Street, W.G., Pilot Demonstration of Lead Based Paint Hazard Elimination Methods, NBSIR 74-438 (Washington, D.C.: National Bureau of Standards, December 1973), 26 pages.
- (459) Sleater, G.A., A Review of Natural Stone Preservation, NBSIR 74-444 (Washington, D.C.: National Bureau of Standards, December 1973), 40 pages.
- (460) Leasure, W.A., Jr., and Mathews, D.E., Pecos Truck Tire Noise Study: A Summary of Results, NBSIR 74-446 (Washington, D.C.: National Bureau of Standards, January 1974).
- (461) Parker, W.J., Fire Endurance Tests on Walls and Plumbing Chases Containing Drain Waste and Vent Systems, NBSIR 74-449 (Washington, D.C.: National Bureau of Standards, February 1974), 100 pages.
- (462) Heldenbrand, J., editor, Design and Evaluation Criteria for Energy Conservation in New Buildings, NBSIR 74-452 (Washington, D.C.: National Bureau of Standards, February 1974), 99 pages.
- (463) Lee, T.G., Parker, W.J., and Tryon, M., Evaluation of the Fire Performance of a Dibromotetrafluoroethane--Blown Rigid Polyurethane Foam, NBSIR 74-456 (Washington, D.C.: National Bureau of Standards, April 1974), 17 pages.
- (464) Masters, L.W., Grimes, J.W., and Crist, R.A., Simulated Solar Heat Tests on M.U.S.T. Air-inflatable, Double-wall Hospital Ward Shelters, NBSIR 74-467 (Washington, D.C.: National Bureau of Standards, May 1974), 64 pages.
- (465) Sav, G.T., Natural Disasters: Some Empirical and Economic Considerations, NBSIR 74-473 (Washington, D.C.: National Bureau of Standards, February 1974), 72 pages.

- (466) Marshall, H.E., and Ruegg, R.T., Analysis of Cost-sharing Programs for Pollution Abatement of Municipal Wastewater, NBSIR 74-479 (Washington, D.C.: National Bureau of Standards, September 1974), 145 pages.
- (467) Fath, J.M., Blomquist, D.S., Heinen, J.M., and Tarica, M., Measurements of Railroad Noise--Line Operations, Yard Boundaries, and Retarders, NBSIR 74-488 (Contracted by EPA-550/9-74-007) (Washington, D.C.: National Bureau of Standards, December 1974), 108 pages.
- (468) Hartzell, L.G., Development of a Radiant Panel Test for Flooring Materials, NBSIR 74-495 (Washington, D.C.: National Bureau of Standards, May 1974), 79 pages.
- (469) Raley, C.C., Benjamin, I.A., Marshall, R.D., and Snell, J.E., US/UK Joint Complementary Research Program in Building, NBSIR 74-497 (Wind loads, water supply, fire detection, July 1972-June 1973) (Washington, D.C.: National Bureau of Standards, October 1973), 24 pages.
- (470) Raley, C.C., 1973 International Activities, Center for Building Technology, NBSIR 74-514 (Washington, D.C.: National Bureau of Standards, July 1974), 54 pages.
- (471) Leasure, W.A., Jr., and Quindry, T.L., Methodology and Supporting Documentation for the Measurement of Noise from Medium and Heavy Trucks, NBSIR 74-517 (Washington, D.C.: National Bureau of Standards, June 1974).
- (472) Fattal, S.G., and Cattaneo, L.E., Evaluation of Structural Properties of Masonry in Existing Buildings, NBSIR 74-520 (Washington, D.C.: National Bureau of Standards, July 1974), 127 pages.
- (473) McGuire, W., and Leyendecker, E.V., Analysis of Non-reinforced Masonry Building Response to Abnormal Loading and Resistance to Progressive Collapse, NBSIR 74-526 (Washington, D.C.: National Bureau of Standards, November 1974), 67 pages.
- (474) Wyly, R.S., Parker, W.J., Rorrer, D.E., Shaver, J.R., Sherlin, G.C., and Tryon, J., Review of Performance Characteristics, Standards and Regulatory Restrictions Relating to the Use of Thermoplastic Piping in Residential Plumbing, NBSIR 74-531 (Washington, D.C.: National Bureau of Standards, March 1975), 68 pages.
- (475) Chapman, R.E., and Colwell, P.F., Economics of Protection Against Progressive Collapse, NBSIR 74-542 (Washington, D.C.: National Bureau of Standards, September 1974), 34 pages.
- (476) Raufaste, N.J., Jr., and Marshall, R.D., FY 74 Progress Report on Design Criteria and Methodology for Construction of Low-rise Buildings to Resist Typhoons and Hurricanes, NBSIR 74-567 (Washington, D.C.: National Bureau of Standards, July 1974), 276 pages.

- (477) Kusuda, T., NBSLD, Computer Program for Heating and Cooling Loads in Buildings, NBSIR 74-574 (Washington, D.C.: National Bureau of Standards, November 1974), 414 pages.
- (478) Raufaste, N.J., and Marshall, R.D., FY 1973 Progress Report on Design Criteria and Methodology for Construction of Lowrise Buildings to Better Resist Typhoons and Hurricanes, NBSIR 74-582 (Washington, D.C.: National Bureau of Standards, July 1973), 31 pages.
- (479) Tryon, M., Investigation of Procedures for Determination of Thermal Performance Characteristics of Plastic Piping Used in Housing, NBSIR 74-610 (Washington, D.C.: National Bureau of Standards, November 1974), 36 pages.
- (480) Cramp, A.P., and Masters, L.W., Preliminary Study of the Slipperiness of Flooring, NBSIR 74-613 (Washington, D.C.: National Bureau of Standards, July 1974), 42 pages.
- (481) Raley, C.C., Benjamin, I.A., Galowin, L.S., and Marshall, R.D., US/UK Joint Complementary Research Program in Building, NBSIR 74-618 (Wind loads, water supply, fire detection, July 1973-June 1974) (Washington, D.C.: National Bureau of Standards, October 1974), 23 pages.
- (482) Cadoff, M.A., and Blomquist, D.S., Measurement Methodology for Determining the Sound Output of Toy Guns, NBSIR 74-619 (Washington, D.C.: National Bureau of Standards, August 1974), 17 pages.
- (483) Tryon, M., Thermal Properties of Selected Plastic Piping Used in Housing, NBSIR 74-629 (Washington, D.C.: National Bureau of Standards, April 1975), 28 pages.
- (484) Kelly, G.E., and Hill, J.E., Method of Testing for Rating Thermal Storage Devices Based on Thermal Performance, NBSIR 74-634 (Washington, D.C.: National Bureau of Standards, May 1975), 45 pages.
- (485) Hill, J.E., Kusuda, T., Method of Testing for Rating Solar Collectors Based on Thermal Performance, NBSIR 74-635 (Washington, D.C.: National Bureau of Standards, December 1974), 63 pages.
- (486) Pielert, J.H., Greene, W.E., Skoda, L.F., and Street, W.G., Performance of Mobile Homes Data Acquisition and Analysis Methodology, NBSIR 75-641 (Washington, D.C.: National Bureau of Standards, February 1975), 75 pages.
- (487) Holmer, C.I., Procedures for Estimating Sound Power From Measurements of Sound Pressure, NBSIR 75-652 (Washington, D.C.: National Bureau of Standards, July 1975), 78 pages.
- (488) Holmer, C.I., Measurement Methodology and Supporting Documentation for Portable Air Compressor Noise,

NBSIR 75-653 (Washington, D.C.: National Bureau of Standards, January 1975), 48 pages.

- (489) Berendt, R.D., Corliss, E.L.R., and Ojalvo, M.S., Quieting: A Home Owner's Practical Guide to Noise Control, NBSIR 75-668 (Washington, D.C.: National Bureau of Standards, March 1975).
- (490) Meese, W.J., Cilimberg, R.L., and Camacho, A.A., A Preliminary Approach to Performance Requirements and Criteria for Electrical Connections in Residential Branch Circuit Wiring, NBSIR 75-672 (Washington, D.C.: National Bureau of Standards, March 1975), 37 pages.
- (491) Liu, S.T., Analysis of Construction Systems for the Thermal Classification of Residential Buildings, NBSIR 75-678 (Washington, D.C.: National Bureau of Standards, November 1975), 58 pages.
- (492) Cooke, P.W., Zelenka, L.P., and Tejuja, H.K., Mobile Home Construction Standards Adopted by State Regulatory Programs--An Analysis, NBSIR 75-680 (Washington, D.C.: National Bureau of Standards, March 1975), 107 pages.
- (493) Skoda, L.F., Pielert, J.H., Greene, W.E., and Street, W.G., Performance of Mobile Homes--A Field Inspection Study, NBSIR 75-688 (Washington, D.C.: National Bureau of Standards, June 1975), 119 pages.
- (494) Street, W.G., Greene, W.E., Pielert, J.H., and Skoda, L.F., A Compilation of Problems Related to the Performance of Mobile Homes, NBSIR 75-690 (Washington, D.C.: National Bureau of Standards, April 1975), 86 pages.
- (495) Fisher, R.L., Blomquist, D.S., Forrer, J.S., and Corley, D.M., A Minicomputer - Based System for the Measurement and Analysis of Community Noise, NBSIR 75-692 (Washington, D.C.: National Bureau of Standards, May 1975).
- (496) Yokel, F.Y., and Fattal, S.G., A Failure Hypothesis for Masonry Shearwalls, NBSIR 75-703 (Washington, D.C.: National Bureau of Standards, May 1975), 38 pages.
- (497) Coble, J.B., and Achenbach, P.R., Site Analysis and Field Instrumentation for an Apartment Application of a Total Energy Plant, NBSIR 75-711 (Washington, D.C.: National Bureau of Standards, May 1975), 65 pages.
- (498) Ruegg, R.T., Solar Heating and Cooling in Buildings: Methods and Economic Evaluation, NBSIR 75-712 (Washington, D.C.: National Bureau of Standards, July 1975), 47 pages.
- (499) Yokel, F., Pielert, J., and Schwab, A., The Implementation of a Provision Against Progressive Collapse, NBSIR 75-715 (Washington, D.C.: National Bureau of Standards, August 1975), 23 pages.

- (500) Bartter, B., Economic Objectives of Utility Companies and Developers in Evaluating a MIUS, NBSIR 75-721 (Washington, D.C.: National Bureau of Standards, November 1975), 35 pages.
- (501) Eisenhard, R.M., Building Energy Authority and Regulations Survey: State Activity, NBSIR 75-747 (Washington, D.C.: National Bureau of Standards, June 1975), 25 pages.
- (502) Boone, T.H., Berger, H.W., Cramp, A.P., and Jackson, H.A., The Demonstration of Experimental Lead Paint Hazard Abatement Methods in Washington, D.C., NBSIR 75-761 (Washington, D.C.: National Bureau of Standards, June 1975), 102 pages.
- (503) Masters, L.W., and Tryon, M., A Methodology for Establishing Conditioning Requirements for Building Materials and Composites, NBSIR 75-767 (Washington, D.C.: National Bureau of Standards, October 1975), 30 pages.
- (504) Yancey, C., and Cattaneo, L., The Development of an Improved Compression Test Method for Wall Panels, NBSIR 75-779 (Washington, D.C.: National Bureau of Standards, December 1975), 107 pages.
- (505) Marshall, R.D., and Raufaste, N.J., FY75 Progress Report on Design Criteria and Methodology for Construction of Low-Rise Buildings to Better Resist Typhoons and Hurricanes, NBSIR 75-790 (Washington, D.C.: National Bureau of Standards, November 1975), 358 pages.
- (506) McCabe, R.M., Culver, C., Lee, L.T., and Hirschberg, J.G., Data Processing and Data Analysis Procedures for Fire Load and Live Load Survey Program, NBSIR 76-982 (Washington, D.C.: National Bureau of Standards, December 1975), 336 pages.
- (507) Sherlin, G., Beausoliel, and Galowin, L., Guide Criteria for Laboratory Evaluation of Backflow Prevention Devices for Protection of Potable Water Supplies, NBSIR 76-1020 (Washington, D.C.: National Bureau of Standards, March 1976), 40 pages.
- (508) Pielert, J.H., Skoda, L.F., and Finnan, J.T., Selected Problems Related to the Storage of Mobile Homes for Use as Disaster Housing, NBSIR 76-1044 (Washington, D.C.: National Bureau of Standards, April 1976).
- (509) Pielert, J.H., Greene, W.E., Jr., Skoda, L.F., and Street, W.G., Performance of Mobile Homes, NBSIR 76-1058 (Summary report) (Washington, D.C.: National Bureau of Standards, April 1976).
- (510) Eisenhard, R.M., A Survey of State Legislation Relating to Solar Energy, NBSIR 76-1082 (Washington, D.C.: National Bureau of Standards, April 1976).

- NBS
Consumer
Information
Series
(600-699)
- (600) Judd, D.B., Color in Our Daily Lives, CIS 6 (Washington, D.C.: National Bureau of Standards, March 1975), 32 pages.
- (601) Jacobs, M., and Petersen, S., Making the Most of Your Energy Dollars in Home Heating and Cooling, CIS 8 (Washington, D.C.: National Bureau of Standards, June 1975), 20 pages.
- Other
Report
Series
(700-799)
- (700) Blake, R.W., and Brill, M., Public Building Systems Project Status Report, NBS 9668 (Washington, D.C.: National Bureau of Standards, December 1967).
- (701) Eberhard, J.P., editor, The Performance Concept: A Study of Its Application to Housing. Volume one, Performance Standards for Housing, NBS 9849 (Washington, D.C.: National Bureau of Standards, June 1968).
- (702) Eberhard, J.P., editor, The Performance Concept: A Study of Its Application to Housing. Volume two, Appendices, NBS 9850 (Washington, D.C.: National Bureau of Standards, June 1968).
- (703) Eberhard, J.P. editor, The Performance Concept: A Study of Its Application to Housing. Volume three, Supplementary Documents, NBS 9851 (Washington, D.C.: National Bureau of Standards, June 1968).
- (704) Pfrang, E.O., editor, Guide Criteria for the Design and Evaluation of: Operation Breakthrough Housing Systems, NBS 10200 (In five volume set) (Washington, D.C.: National Bureau of Standards, December 1970).
- | | |
|----------|---|
| Vol. I | Multifamily high rise |
| Vol. II | Multifamily low rise |
| Vol. III | Single family attached |
| Vol. IV | Single family detached |
| Vol. V | Quality assurance program provisions PB 212-538
PB 212-055 |
- (705) Pfrang, E.O., editor, Guide and Format for the Preparation of a Housing System Testing and Analysis Program for: Operation Breakthrough Housing Systems, NBS 10213 (A preliminary report, in four-volume set) (Washington, D.C.: National Bureau of Standards, June 1970).
- | | |
|----------|------------------------|
| Vol. I | Multifamily high rise |
| Vol. II | Multifamily low rise |
| Vol. III | Single family attached |
| Vol. IV | Single family detached |
- (706) Pfrang, E.O., References From the Guide Criteria for Operation Breakthrough Housing Systems, NBS 10214 (Washington, D.C.: National Bureau of Standards, August 1972 Rev.).
- (707) Haecker, J.L., Cross-index: Operation Breakthrough Matrix, NBS 10215 (Washington, D.C.: National Bureau of Standards, August 1972 Rev.).

- (708) Pfrang, E.O., Health and Safety Guide Criteria, NBS 10216 (Washington, D.C.: National Bureau of Standards, August 1972 Rev.).
- (709) Chen, P.T., Coulter, C., and Morlan, T.H., Final Report on Building Economics Study Program Phase I - Analysis and Summary, NBS 10245 (Washington, D.C.: National Bureau of Standards, May 1970).
- (710) Lew, H.S., Transient Vibration Tests on Wood-joist Floors, NBS 10248 (Washington, D.C.: National Bureau of Standards, August 1972).
- (711) Achenbach, P.R., and Coble, J.B., A Performance Specification for a Total-Energy Plant at the Jersey City Breakthrough I Site, NBS 10313 (Washington, D.C.: National Bureau of Standards, December 1970).
- (712) Lew, H.S., Impact Tests on Gypsum Wallboard, NBS 10314 (Washington, D.C.: National Bureau of Standards, August 1972 Rev.).
- (713) Discussion of Acoustic Environment Guide Criteria for the Design and Evaluation of Operation Breakthrough Housing Systems, NBS 10316 (Washington, D.C.: National Bureau of Standards, January 1971).
- (714) Yokel, F.Y., Report on Study of Evaluation Criteria for Floors Under Concentrated Load, NBS 10317 (Washington, D.C.: National Bureau of Standards, August 1972 Rev.).
- (715) Pfrang, E.O., An Overview of Operation Breakthrough Guide Criteria, NBS 10319 (Washington, D.C.: National Bureau of Standards, August 1967 Rev.).
- (716) Achenbach, P.R., Coble, J., Cadoff, B.C., and Kusuda, T., A Feasibility Study of Total-Energy Systems for Breakthrough Housing Sites, NBS 10402 (Washington, D.C.: National Bureau of Standards, August 1971).
- (717) Son, B.C., Fire Endurance Test of a Conventional Plywood Faced, Wood Exterior Wall Containing Fiberglass Insulation Batts, NBS 10407 (Washington, D.C.: National Bureau of Standards, October 1972 Rev.).
- (718) Son, B.C., Fire Endurance Tests of a Fiberglass Wall Assembly for Single Family Housing, NBS 10408 (Washington, D.C.: National Bureau of Standards, October 1972 Rev.).
- (719) Pielert, J.H., Structural Evaluation of Steel Faced Sandwich Panels, NBS 10409 (Washington, D.C.: National Bureau of Standards, September 1972 Rev.).
- (720) Crist, R.A., Floor Vibration Tests Kalamazoo, Michigan, Breakthrough Site, NBS 10410 (Washington, D.C.: National Bureau of Standards, February 1972).
- (721) Quindry, T.L., Acoustical Evaluation of a Multifamily Low Rise Woodframe Modular Construction System on an Operation Breakthrough Prototype Site, NBS 10411

(Washington, D.C.: National Bureau of Standards, June 1972).

- (722) Issen, L.A., Tests of the Fire Resistance of Intumescent-painted Structural Elements, NBS 10412 (Washington, D.C.: National Bureau of Standards, April 1973).
- (723) Yokel, F.Y., Full Scale Test on a Two-story House Subjected to Lateral Load, NBS 10413 (Washington, D.C.: National Bureau of Standards, November 1972).
- (724) Greene, W.E., Structural Test for a Housing System Using Sandwich Panels with Gypsum Board Surfacing, NBS 10414 (Washington, D.C.: National Bureau of Standards, November 1972).
- (725) Son, B.C., Fire Endurance Test of a Mechanical/Electrical Core Assembly for Use in Multifamily Housing, NBS 10415 (Washington, D.C.: National Bureau of Standards, December 1972).
- (726) Son, B.C., Fire Endurance Test of an Exterior Sandwich Panel Wall Assembly, NBS 10416 (Washington, D.C.: National Bureau of Standards, October 1972).
- (727) Son, B.C., Fire Endurance Test of an Interdwelling Double Wall Assembly for Single Family Housing, NBS 10417 (Washington, D.C.: National Bureau of Standards, December 1972).
- (728) Son, B.C., Fire Endurance Test of a Corrugated Aluminum Sheet and Gypsum Board Exterior Wall Assembly, NBS 10418 (Washington, D.C.: National Bureau of Standards, December 1972).
- (729) Gilsinn, J., Nocks, B., Reismen, B., and Clark, E., The Nature of the Lead Paint Poisoning Hazard, NBS 10499 (Washington, D.C.: National Bureau of Standards, November 1971).
- (730) Clark, E.J., Identification of Potential Building Material Sources of Lead Poisoning, NBS 10632 (Washington, D.C.: National Bureau of Standards, November 1971).
- (731) Greifer, B., Report on Literature Review, Survey, and Conferences Lead Paint Poisoning Hazard Detection Methods, NBS 10649 (Washington, D.C.: National Bureau of Standards, December 1971).
- (732) Gilsinn, J., National Estimates of Lead Based Poisoning of Children (Estimated by Standard Metropolitan Statistical Area), NBS 10651 (Washington, D.C.: National Bureau of Standards, December 1971).
- (733) A Model to Estimate the Incidence of Lead Paint Poisoning, NBS 10654 (Washington, D.C.: National Bureau of Standards, December 1971).
- (734) Hatis, D.B., Procedures for Lead Paint Removal and Detoxification: Guidelines and Attributes, NBS 10658 (Washington, D.C.: National Bureau of Standards, December 1971).

- (735) Cullen, W.C., The Effects of the Fairbanks, Alaska, Flood on Residential Construction, NBS 10676 (Washington, D.C.: National Bureau of Standards, January 1972).
- (736) Greifer, B., Report on Lead Based Paint Detection Methods Chosen for Evaluation (milestone 1C), NBS 10667 (Washington, D.C.: National Bureau of Standards, December 1971).
- (737) Chen, P.T., and Schulman, R.B., Interim Report on Cost Analyses of Lead Paint Hazard Elimination Methods, NBS 10679 (Washington, D.C.: National Bureau of Standards, January 1972).
- (738) Schulman, R.B., and Chen, P.T., Interim Report: Lead Paint Detection in Residential Dwellings; A Cost Analysis, NBS 10680 (Washington, D.C.: National Bureau of Standards, January 1972).
- (739) Pierce, E.T., Edelman, S., and Ballard, L.D., Low Amplitude Vibration Measurement System, NBS 10836 (Washington, D.C.: National Bureau of Standards, May 1972).
- (740) Gilsinn, J., Testing the Validity of Models to Predict the Incidence of Lead Paint Poisoning, NBS 10917 (Washington, D.C.: National Bureau of Standards, September 1972).
- (741) Beausoliel, R.W., Field Investigation of the Natural Gas Pipeline Accident at Canterbury Woods, Annandale, Virginia, NBS 10961 (Washington, D.C.: National Bureau of Standards, December 1972).
- (742) Greifer, B., Comparison of Laboratory Methods for Determining Lead in Dried Paint Films, NBS 10966 (Washington, D.C.: National Bureau of Standards, December 1972).
- (743) Wehrli, R., Hospital Bedrooms and Nursing Units, a Systems Approach, NBS 10972 (Washington, D.C.: National Bureau of Standards, September 1972).
- (744) Eberhard, J.P., project director, The Performance Concept: A Study of Its Application to Housing, Vol. I, (Washington, D.C.: National Bureau of Standards, 1968). Available from NTIS PB 184-458.
- (745) Pfrang, E.O., Guide Criteria for the Evaluation of Operation Breakthrough Housing Systems, (chapter H-plumbing, 5 volume set) (Washington, D.C.: National Bureau of Standards, 1970). Available from NTIS PB 212-055 and PB 212-058.

(NBS GOVERNMENT CONTRACT REPORTS)

- (746) Regulation and Evaluation of Industrialized Building: A Literature Review with Annotated Bibliography, NBSGCR 73-19.
- (747) Buchill, R.F., Mechanical and Acoustical Signature Analysis of Engine-Generator Units to be Used at the Department of HUD Total Energy Plant, Jersey City, New Jersey, NBSGCR 74-22 (May 1973).
- (748) Survey of Lube Oil Analysis Techniques to be Used at the Department of Housing and Urban Development Total Energy Plant, Jersey City, New Jersey, NBSGCR 74-23.
- (749) Planning Computer Compatability for Uniform Building Regulation of Manufactured Building, NBSGCR 74-26.
- (750) State-Local Interface Relationship in the Regulation of Manufactured Buildings, NBSGCR 74-27 (October 1974).
- (751) Schultz, T.J., Impact Noise Testing and Rating, NBSGCR 75-33 (January 1974).

(ENVIRONMENTAL PROTECTION AGENCY DOCUMENTS).

- (752) The Social Impact of Noise, NTID 300.11 (December 1971).
- (753) The Effects of Sonic Boom and Similar Impulsive Noise on Structures, NTID 300.12 (December 1971).
- (754) Fundamental of Noise: Measurement Rating Schemes, and Standards, NTID 300.15 (December 1971).

Articles
and
Papers
in
Non-NBS
Media
(800-999)

- (800) Post, M.A., "Determination of StyreneButadiene and Styrene-Acrylate Resins in Solvent Type Paint," J. PAINT TECHN. (1969).
- (801) Post, M.A., "Copolymer Determination in Surface Fillers," PAINT AND VARNISH PRODUCTION (September 1971).
- (802) Post, M.A., "Liquid Latex Paint Analysis," PAINT AND VARNISH PRODUCTION (September-October 1973).
- (803) "Paints and Protective Coatings" (Army TM 5-618, NAVFAC MO-110, Air Force AFM 85-3) (January 1969). Available from U.S. Government Printing Office, Washington, D.C.
- (804) Clifton, J.R., "Infrared Spectra of Supposed D and B Forms of Calcium Sulfate Hemihydrate," NATURE PHYSICAL SCIENCE (1971).
- (805) Clifton, J.R., "Thermal Analysis of Calcium Sulfate Dihydrate and Supposed D and B Forms of Calcium Sulfate Hemihydrate From 25 to 500° C," J. RESEARCH NBS (1972).
- (806) Wolfe, W.C., "Field Study of Floor Coverings," FLOORING (November 1968).

- (807) Wolfe, W.C., "Performance Tests for Floor Coverings," MATERIALS RESEARCH AND STANDARDS (July 1970).
- (808) Masters, L.W., "Application of Photon Activation Analysis to Studies of Adhesion" (162nd ACS Meeting Washington, D.C.) (September 1971).
- (809) Reichard, T., Masters, L.W., and Pielert, J.H., "Evaluation of Structural Adhesives for Use in Housing Systems" (Performance Concept in Buildings, proceedings of Joint RILEM-ASTM-CIB Symposium, May 1972).
- (810) "The Economic Impact of Noise," U.S. EPA, Office of Noise Abatement and Control, No. NTID 300.14 (December 1971).
- (811) "Life Cycle Costs of HVAC Using Computerized Energy Studies," -Discussion of Paper by Eppelheimer, D., Levy, J., Proc. conference on Improving Efficiency in HVAC Equipment and Components for Residential and Small Commercial Buildings (October 1974).
- (812) Ruegg, R.T., "Evaluation of Small/Medium HVAC Systems to Promote Energy Conservation: A Critique," Proc. Purdue University conference on Efficiency in HVAC Systems (March 1975).
- (813) Ruegg, R.T., "First Cost-Operating Cost Tradeoffs for Air-Conditioning Equipment: A Commentary on the Cost Analysis," Proc. Purdue University conference on Efficiency in HVAC Systems (March 1975).
- (814) Marshall, H.E., "Cost Sharing and Efficiency in Salinity Control," Chapter 8, Salinity in Water Resources, (Boulder, CO: Merriman, 1974), pp. 139-152.
- (815) "Abatement of Water Pollutions," NBS Dimensions (December 1974).
- (816) "Economics of Energy Conservation in Buildings," NBS Dimensions (February 1975).
- (817) "Applying a Human Approach to Housing," Commerce Today, pp. 4-7 (March 8, 1972).
- (818) Hahn, M.H., Robinson, H.E., and Flynn, D.R., "Robinson Line-Heat Source Guarded Hot Plate. pp 167-192 Special Technical Publication 544, American Society for Testing and Materials, 1974.
- (819) Holmer, C.I., "Measurement Methodology and Supporting Documentation for Portable Air Compressors."
- (820) Holmer, C.I., "Procedures for Sound Power Level Measurement: An Experimental and Theoretical Investigation with Application to Noise from portable Air Compressors."
- (821) Achenbach, P.R., and Coble, J.B., "The Application of Total-Energy Systems to Housing Developments," Proceedings of the Joint RILEM-ASTM-CIB Symposium, May 2-5, 1972, Philadelphia, Pennsylvania, March 1972.

- (822) Coble, J., Bulik, C., and Kuklewicz, M., "Modern Instrumentation for the Evaluation of a Total Energy Plant." presented at the 10th IECEC Conference at the University of Delaware (August 18-21, 1975).
- (823) Kusuda, T., "Effectiveness Method for Predicting the Performance of Finned Tube Coils." ASHRAE Bulletin for Heat and Mass Transfer to Extended Surfaces (1970).
- (824) Kusuda, T., "Thermal Response Factors for Multi-Layer Structures of Various Heat Conduction Systems." ASHRAE Transactions Vol. 75, Part 1, pp. 246-271 (1969).
- (825) Hahn, M.H., "The Line-Heat-Source Guarded-Hot-Plate for Measuring the Thermal Conductivity of Building and Insulating Materials." Doctoral dissertation, Catholic University of America (1971).
- (826) Kusuda, T., "Procedures for Determining Heating and Cooling Loads for Computerized Energy Calculations." Task Group on Energy Requirements for Heating and Cooling, ASHRAE, New York, New York (1971).
- (827) Burch, D.M., Peavy, B.A., and Powell, F.J., "Experimental Validation of the NBS Load and Indoor Temperature Prediction Model." ASHRAE Transactions, Vol. 80, Part 2 (1974).
- (828) Burch, D.M., Peavy, B.A., and Powell, F.J., "Comparison Between Measured Computed-Predicted Hourly Heating and Cooling Energy Requirements for an Instrumented Wood Framed Townhouse," ASHRAE Transaction Vol. 81, Part II (1975).
- (829) Hill, J.E., and Furlong, R., "ASHRAE Cooling Load Calculation." ASHRAE Journal, pp. 61-66 (May 1973).
- (830) Hill, J.E., "Calculation of Building Thermal Response." (same as listing above), Proceeding Solar Heating and Cooling for Buildings Workshop, Part I: Technical Sessions held in Washington, D.C. 2/21-23/73 NSF Report NSF/RA/N-73-004 (July 19, 1973). (831) The Design,
- (831) Benzinger, T.H., Mangum, B.W., and Hill, J.E., Design, Construction and Calibration of a Scanning Radiometer, The ASHRAE Transactions, Vol. 8, Part II (1976).
- (832) Hill, H.E., and Kusuda, T., ASHRAE "Manchester's New Federal Building: An Energy Conservation Project." Journal (August 1975).
- (833) Kusuda, T., and Achenbach, P.R., "Earth Temperature and Thermal Diffusivity at Selected Stations in the United States." ASHRAE Transactions, Vol. 71 (1971).
- (834) Kusuda, T., "Least Squares Technique for the Analysis of Periodic Temperatures of the Earth's Surface Region." NBS Journal of Research 71C1-442, pp. 47-54.

- (835) "Interim Performance Criteria for Solar Heating and Combined Heating/Cooling Systems and Dwellings," prepared by NBS for HUD, Available from Superintendent of Documents, U.S. Government Printing Office, No. 0235-01043 (January 1975).
- (836) Hill, J.E., "Laboratory-Based Activities in Solar Energy at the National Bureau of Standards." ASTM Standardization NEWS, Vol. 3, No. 8, pp. 20-28 (1975).
- (837) Berg, C., "A Discussion of a Research Program for the Application of Solar Energy to Space Heating, Air-Conditioning, and Water Heating in Buildings." Solar Energy Research a staff report of the Committee on Science and Astronautics, U.S. House of Representatives. 92 Congress (Available from GPO, No. 86-764 0 December 1972).
- (838) Kusuda, T., "Solar Heating in Japan Proceedings of the Solar Heating and Cooling for Buildings Workshop." Part I: Technical Sessions, held in Washington, D.C. 3/21-23/73 NSF Report NSF/RA/N-73-004 (July 1973).
- (839) Hill, J.E., Proposed Method of Testing for Rating Solar Collectors for Heating and Cooling of Buildings. Held in New York, November 20-23, 1974, NSF Report NSF/RA/N-75-019 (May 1975).
- (840) Streed, E., A Brief Review of Material Property Measurements for Solar Collectors for Heat and Cooling of Buildings, New York, November 20-23, 1974, NSF Report NSF/RA/N-75-019 (May 1975).
- (841) Hill, J.E., and Richtmyer, T.E., Preliminary Critique and Evaluation of the NSF/Honeywell Transportable Solar Energy Research Laboratory. A report to the National Science Foundation (July 17, 1974).
- (842) Hunt, C.M., Simple Observations of Some Common Indoor Activities as Producers of North Airborne Particulates, ASHRAE Symposium Cleaner Indoor Air- Progress and Problems, Cincinnati, Ohio, pp. 81-14 (October 1972).
- (843) Hunt, C.M., and Burch, D.M., "Air Infiltration Measurements in an Four-Bedroom Townhouse Using Sulfur Hexafluoride as a Tracer Gas," ASHRAE Transactions 81, Part I, pp. 186-201 (1975).
- (844) Crist, R.A., (major contributor), "The Shear Strength of Reinforced Concrete Members," ASCE-ACI Task Committee on Shear and Diagonal Tension, ASCE Journal Structural Division, Vol. 99, No. ST 6, (June 1973.)
- (845) Culver, C., and Crist, R., "Structural Performance of Military Personnel Records Center, St. Louis, Missouri, Fire of July 12, 1973." Journal of the American Concrete Institute (April 1973).

- (846) Grenley, D.G., Cattaneo, J.E., and Pfrang, E.O., "Effect of Edge Load on Flexural Strength of Clay Masonry Systems Utilizing Improved Mortars, Included in Designing, Engineering and Constructing with Masonry Products." Gulf Publishing Company, Proceedings of the International Conference on Masonry Structural Systems, University of Texas at Austin (May 1969).
- (847) Grenley, D.G., and Cattaneo, L.E., "The Effect of Edge Load on the Racking Strength of Clay Masonry Systems Utilizing a High-Strength Mortar." Proceedings of Second International Brick Masonry Conference, Stateon-Trent, England (April 1970).
- (848) Ang, A.H.-S., Ellingwood, B.R., "Critical Appraisal of Reliability Principles Relative to Design." Conference on Applications of Probability to Soil and Structural Engineering, Hong Kong (September 1971).
- (849) Ellingwood, B.R., and Ang, A.H.-S., "Probabilistic Evaluation of Design Criteria." Presented at ASCE National Structural Engineering meeting at San Francisco, April 1973; also published in Journal of the Structural Division, ASCE, September 1974, as part of the report of the ASCE Task Committee on Structural Safety.
- (850) Ellingwood, B.R., and Ang, A.H.-S., "Probabilistic Study of Safety Criteria for Design." Department of Civil Engineering Research Report SRS 387, University of Illinois (June 1972).
- (851) "Probabilistic Assessment of Low Cycle Fatigue Behavior of Structural Welds," presented at 2nd National Congress on Pressure Vessels and Piping, ASME, San Francisco, June, 1975; also Journal of Pressure Vessel Tech., ASME Paper 75-PVP-29.
- (852) Yokel, F.Y., Dikkers, R.D., and Fattal, G., "Strength of Load-Bearing Masonry, Walls, Closure." Journal of Structural Division, ASCE (May 1973).
- (853) Yokel, F.Y., and Fattal, G., "A Failure Hypothesis for Masonry Shear Walls." ASCE Journal of the Structural Division (March 1976).
- (854) Greene, W.E., Jr., "Stochastic Models and Live Loads Surveys." Conference Proceedings, International Conference on Planning and Design of Tall Buildings at Lehigh University, Bethlehem, Pennsylvania (August 1972).
- (855) Wright, J.R., and Leyendecker, E.V., "Measuring the Performance of Industrialized Housing under OPERATION BREAKTHROUGH." Proceedings, Fifth CIB Congress, Versailles, France (June 1971).
- (856) Marshall, R.D., and Hsi, G., "Techniques for Measuring Wind Loads on Full-Scale Buildings." Proceedings, US-Japan Research Seminar on Wind Loads on Structures, University of Hawaii, Honolulu, Hawaii, pp. 133-148 (October 1970).

- (857) Marshall, R.D., and Kennedy, J.F., "Wind Tunnel and Full Scale Investigations." Summary Report, Conference on Wind Loads on Structures, California Institute of Technology, Pasadena, California, pp. 29-34, (December 1970).
- (858) Marshall, R.D., "Surface Pressure Fluctuations Near an Axisymmetric Stagnation Point." Fluid Dynamics Transactions, Polish Academy of Sciences, Vol. 5, Part II, Warsaw, pp. 135-163 (1971).
- (859) Thom, H.C.S., and Marshall, R.D., "Wind and Surge Damage Due to Hurricane Camille." Journal of the Waterways, Harbors and Coastal Engineering Division, ASCE, Vol. 97, No. WW2, Proc. Paper 8144, pp. 355-363 (May 1971).
- (860) Marshall, R.D., "Book Review--Proceedings of WMO Symposium on Urban Climates and Building Climatology, WMO Technical Note No. 109." Bulletin of the American Meteorological Society (July 1971).
- (861) "Building Code Requirements for Minimum Design Loads in Buildings and Other Structures," American National Standard A58.1-1972. American National Standards Institute, New York, New York (1972) (major contribution).
- (862) Dalglish, W.A., and Marshall, R.D., "Wind Effects on Tall Buildings -State-of-the-Art Report No. 3." Proceedings, International Conference on Planning and Design of Tall Buildings, Lehigh University, Vol. 1b, pp. 382-398 (August 1972).
- (863) Thom, H.C.S., and Marshall, R.D., "Wind and Surge Damage Due to Hurricane Camille -Closure." Journal of the Waterways, Harbors and Coastal Engineering Division, ASCE, Vol. 98, No. WW4, Proc. Paper 9310, pp. 583-584 (November 1972).
- (864) Simiu, E., Marshall, R.D., and Haber, S., "Wind Loading and Modern Building Codes." Journal of the Structural Division, ASCE (Submitted for publication, No. 1, 1974).
- (865) Marshall, R.D., "A Study of Wind Pressures on a Single-Family Dwelling in Model and Full Scale." Journal of Industrial Aerodynamics, Vol. 1, No. 2, pp. 177-199 (October 1975). (Also published as NBS Technical Note 852, October 1974).
- (866) Walker, G.R., Minor, J.E., and Marshall, R.D., "The Darwin Cyclone-Valuable Lesson in Structural Design." "Engineering Aspects of the Darwin Cyclone of December 25, 1974." CIVIL ENGINEERING Magazine, pp. 82-86 (December 1975).
- (867) Minor, J.E., and Marshall, R.D., "Cyclone Tracy: Implications for Residential Construction?" Wind Engineering Research Council Newsletter, Vol. 1, No. 2, pp. 6-14 (August 1975).

- (868) Reichard, T.W., Masters, L.W., and Pielert, J.H., "Evaluation of Structural Adhesives." ASTM-RILEM-CIB Symposium.
- (869) Reichard, T.W., and Masters, L.W., "Evaluation of Adhesive-Bonded Joints in Housing Components of Glass Fiber-Reinforced Polyester Laminate," ASTM Special Publication 580, ASTM, Philadelphia (1975).
- (870) Reichard, T.W., and Stroik, J.S., "Physical Security of Door Assemblies and Components." NILECJ-STD-306.00, LEAA, U.S. Department of Justice, Washington, D.C. (1975).
- (871) Reichard, T.W., Stroik, J.S., and Washington, J., "Physical Security of Window Assemblies." NILECJ-STD-316.00, LEAA, U.S. Department of Justice, Washington, D.C. (1976).
- (872) Simiu, E., "Gust Factors and Alongwind Pressure Correlations." Journal of Structural Division, ASCE, Vol. 99 (April 1973).
- (873) Simiu, E., "Logarithmic Profiles and Design Wind Speeds." Journal of Engineering Mechanics Division, ASCE, Vol. 99, No. EM5 (October 1973).
- (874) Simiu, E., "Improved Methods for Determining Wind Profiles and Dynamic Structural Response to Wind." Proceedings, ASCEIABSE Regional Conference on Tall Buildings, Bangkok (January 1975).
- (875) Simiu, E., "Wind Spectra and Alongwind Structural Response." Journal of the Structural Division, ASCE (September 1974).
- (876) Simiu, E., "Variation of Mean Winds with Height in Hurricanes." Technical Note, Journal of Engineering Mechanics Division, ASCE (August 1974).
- (877) Simiu, E., and Filliben, J.J., "Probabilistic Models of Extreme Wind Speeds: Uncertainties and Limitations." Proceedings of World Conference on Wind Effects, London 1975, Cambridge University Press.
- (878) Simiu, E., "Recent Developments in Wind Engineering and Their Proposed Use in Codes and Standards." Proceedings, 2nd U.S. Conference on Wind Effects on Buildings and Structures, Fort Collins, Colorado (June 1975).
- (879) Yokel, F.Y., and Somes, N.F., "Proposed Revision of ACI 318-63 Building Code, Discussion of Requirements for Reinforced Concrete Reported by ACI Committee 318." Journal of the American Concrete Institute (September 1970).
- (880) Yokel, F.Y., and Somes, N.F., "Performance Criteria for Innovative Housing Systems." Journal of the American Society for Engineering Education (November 1970).

- (881) Yokel, F.Y., and Dikkers, R.D., "Strength of Load Bearing Masonry Walls." Journal of the Structural Division, American Society of Civil Engineers (May 1971).
- (882) Yokel, F.Y., "Stability and Load Capacity of Members Made of Materials with no Tensile Strength." Journal of the Structural Division Proceedings of the American Society of Civil Engineers (July 1971).
- (883) Yokel, F.Y., and Somes, N.F., "Can Performance Criteria be Evolved for New Buildings Systems?" Building Research and Practice, London (May/June 1973).
- (884) "Unreinforced Masonry Bearing Walls," Yokel, F.Y. Solicited Answer to Question No. 3 in "Engineer's Inquiry Box," Civil Engineering, Volume 43, No. 11, New York, New York (November 1973).
- (885) Yokel, F.Y., "Anchorage Between Concrete Floor Panels and Masonry Bearing Walls." Solicited Answer to Question No. 13 in "Engineer's Inquiry Box," Civil Engineering, Volume 44, No. 12, New York, New York (December 1974).
- (886) "The Operation Breakthrough Evaluation, an Experience in the Application of Performance Criteria," Industrialization Forum, Volume 6, No. 1, Montreal,
- (887) Yokel, F.Y., and Fattal, S.G., "Failure Hypothesis for Masonry Shearwalls." Journal of the Structural Division Proceedings, American Society of Civil Engineers, Volume 102, No. ST3, Paper 11, 992 (March 1976).
- (888) Dikkers, R.D., and Yokel, F.Y., "Strength of Brick Walls Subject to Axial Compression and Bending." Proceedings, 2nd International Brick Masonry Conference, British Ceramic Research Association (1971).
- (889) Yokel, F.Y., and Somes, N.R., "Performance Criteria for Tall Buildings." Fifth International Congress - CIB, Paris (June 1971).
- (890) Yokel, F.Y., and Somes, N.F., "Trends Affecting Industrialized Housing of Lightweight Construction in the U.S.A.." CIB - International Symposium of Low-Rise Lightweight Construction, Budapest (April 1971).
- (891) Pfrang, E.O., and Yokel, F.Y., "Evaluation of Innovative Structural Systems with Respect to Creep Buckling." Submitted to RILEM Symposium on the Experimental Analysis of Stability Problems on Reduced and Full-Scale Models, Buenos Aires (November 1971).
- (892) Yokel, F.Y., and Somes, N.F., "Structural Performance Evaluation of Innovative Building Systems." CIB Symposium on Tall Buildings, Moscow (October 1971).

- (893) Birky, M.M., and Yeh, Kwan-nan, "Calorimetric Study of Flammable Fabrics." Part 1. Instrumentation and Measurements. J. Appl. Polymer Sci., Vol. 17, pp. 239-253 (January 1973).
- (894) Birky, M.M., Kwan-nan, and Huggett, C., "Calorimetric Study of Flammable Fabrics." Part 2. Analysis of Flame Retardant Treated Cotton. J. Appl. Polymer Sci., Vol. 17, 255-268 (January 1973).
- (895) Huggett, C., "Carpet Flammability and the NBS Corridor Fire Program." ASTM Standardization News, Vol. 1, No. 5, 16-20 (May 1973).
- (896) McCarter, R.J., "The Cause of Anomalous Behavior in the Vertical Flammability Test." Textile Chemist and Colorist, Vol. 4, No. 4, 21-23 (April 1972).
- (897) Creitz, E.C., "Construction Details and Measurements of Response of a Gas Density Balance." J. of Chrom. Sci., 7, 137-144 (March 1969).
- (898) Parker, W.J., and Long, M.E., "Development of a Heat Release Rate Colorimeter at NBS." ASTM STP 502, 135-151 (1972).
- (899) Hartzell, L.G., "Development of a Radiant Panel Test for Flooring Materials." Journal of Fire and Flammability/Consumer Product Flammability, Vol. 1, 305-353 (December 1974).
- (900) Robertson, A.F., "Effluent Fire Product - A Crude Approach to Fire Gas Hazard Assessment." Fire Technology, Vol. 10, No. 2, 115-127 (May 1974).
- (901) Denyes, W., and Quintiere, J., "Experimental and Analytical Studies of Floor-Covering Flammability with a Model Corridor." Journal of Fire and Flammability/Consumer Products Flammability, Vol. 1, 32-109 (March 1974).
- (902) Kashiwagi, T., "Experimental Observation of Flame Spread Characteristics Over Selected Carpets." Journal of Fire and Flammability/Consumer Product Flammability, Vol. 1, 367-389 (December 1974).
- (903) Torrance, K.E., Orloff, L., and Rockett, J.A., "Experiments on Natural Convection in Enclosures with Localized Heating from Below." Journal of Fluid Mechanics, Vol. 36, Part 1, 21-31 (1969).
- (904) Clark, J.E., "The Federal Role in Fabric Flammability Research and Standards." Textile Information Sources and Resources, Vol. 4, No. 4, 7-9 (April 1971).
- (905) Tovey, H., "Fibers in Flammable Fabrics Case Histories." Textile Information Sources and Resources, Vol. 4, No. 7, 11-13, 1971. 162nd National Meeting, ACS, Washington, D.C. (September 1971).

- (906) Robertson, A.F., and Gross, D., "Fire Load, Fire Severity, and Fire Endurance. ASTM Special Publication 464, 3-29 (1970).
- (907) Fung, F.C.W., Suchomel, M.R., and Oglesby, P.L., "The NBS Program on Corridor Fire." Fire Journal, Vol. 67, No. 3, 41-48, (May 1973).
- (908) Ryan, J.V., "Nonwovens and Flammability Standards." Textile Information Sources and Resources, Vol. 4, No. 8, 29 (1971).
- (909) Torrance, K.E., Orloff, L., and Rockett, J.A., "Numerical Study of Natural Convection in an Enclosure with Localized Heating from Below--Creeping Flow to the Onset of Laminar Instability." Journal of Fluid Mechanics, Vol. 36, Part 1, 33-54 (1969).
- (910) Rockett, J.A., "Objectives and Pitfalls in the Simulation of Building Fires with a Computer." Fire Technology, Vol. 5, No. 4, 311-322 (November 1969).
- (911) Rockett, J.A., "On the Fire Frontier." Fire Journal, Vol. 66, No. 1, 44-45, 56 (January 1972).
- (912) Rockett, J.A., "Planned Operation of National Bureau of Standards Fire Research and Safety Office." Fire Journal, Vol. 63, No. 6, 41-43 (November 1969).
- (913) McCarter, R.J., "The Pyrolysis of Cellulose at Rates Approaching Those in Burning." Textile Research Journal, Vol. 42, No. 12, 709-719 (December 1972).
- (914) Bright, R.G., "Recent Advances in Residential Smoke Detection." Fire Journal, Vol. 68, No. 6, 69-77 (November 1974).
- (915) Clark, J.E., "Research Requirements in Fabric Flammability." Textile Information Sources and Resources, Vol. 4, No. 9, 10-11 (1971).
- (916) Comeford, J.J., "The Spectral Distribution of Radiant Energy of a Gas-Fire Radiant Panel and Some Diffusion Flames." Combustion and Flame, Vol. 18, 125-132 (1972).
- (917) Lee, T.G., "A System for Continuously Monitoring Hydrogen Chloride Concentrations in Gaseous Mixtures Using a Chloride Ion-Selective Electrode," Analytical Chemistry, Vol. 41, 391 (February 1969).
- (918) Robertson, A.F., "Two Smoke Test Methods - A Comparison of Data," Fire Technology, Vol. 10, No. 4, 282-286 (November 1974).
- (919) Robertson, A.F., "Tests Indicate Venting Increases Smoke from Some Polymeric." Fire Engineering, Vol. 126, No. 9, 97-98 (September 1973).
- (920) Tovey, H., "What's Next in Textile Flammability Standards." Textile Information Sources and Resources, Vol. 5, No. 1, 15-16 (1971).


- (921) Issen, L.A., Gustaferro, A.H., and Carlson, C.C., "Fire Tests of Concrete Members: An Improved Method for Estimating Thermal Restraint Forces." ASTM Special Publication 464, 153-185 (1970).
- (922) Rockett, J.A., "The Fire Research and Safety Center and the Fire Marshall." Fire Journal, Vol. 64, No. 6, 50-53 (November 1970).
- (923) Mills, R.M., "Flame Inhibition with Electron Attachment as the First Step." Combustion and Flame, 12, No. 2, 513-520 (December 1968).
- (924) Plitt, K.F., and Utech, H., "Flammability of Turnout Coats Tested." Fire Engineering (November 1971).
- (925) Creitz, E.C., "Gas Chromatographic Determination of Composition Profiles of Stable Species Around a Propane Diffusion Flame." Journal of Chromatographic Science, Vol. 10, 168-173 (March 1972).
- (926) Huggett, C., "Habitable Atmospheres Which Do Not Support Combustion." Combustion and Flame, Vol. 20, No. 1, 140-142 (February 1973).
- (927) Harrison, G.A., "The High-Rise Fire Problem." CRC Critical Reviews in Environmental Control, Vol. 4, No. 4, 483-505, (October 1974).
- (928) Utech, H.P., "Injuries Show What Protection Improved Clothing Should Offer." Fire Engineering (April 1972).
- (929) Gross, D., and Natrella, M.G., "Interlaboratory Comparison of the Potential Heat Test Method." ASTM Special Publication 464, 127-152 (1970).
- (930) Creitz, E., "A Literature Survey of the Chemistry of Flame Inhibition." Journal of Research of the National Bureau of Standards, Vol. 7A, No. 4, 521-530 (July-August 1970).
- (931) Comeford, J.J., and Birky, M., "A Method for the Measurement of Smoke and HCl Evolution from Poly(vinyl chloride)." Fire Technology, Vol. 8, No. 2, 85-90 (May 1972).
- (932) Hastie, J.W., "Molecular Basis of Flame Inhibitions." Journal of Research of the National Bureau of Standards, Vol. 77A, No. 6, 733-754 (November-December 1973).
- (933) Chien, W.P., Seader, J.D., and Birky, M.M., "Monitoring Weight Loss in an NBS Smoke Density Chamber." Fire Technology, Vol. 9, No. 4, 285-298 (November 1973).
- (934) Mandel, J., Steel, M.N., and Sharmen, L.J., "National Bureau of Standards Analysis of the ASTM Inter-laboratory Study of DOC/FF 3-71 Flammability of Children's Sleepwear." ASTM Standardization News, Vol. 1, No. 5, 9-12 (May 1973).

- (935) Leasure, W.A., Jr., Mathews, D.E., and Rinkinen, W.J., "Truck Noise 1-A: Noise Evaluation of Military Truck Tires." Report DOT-TST-74-21, National Bureau of Standards, Washington, D.C. (February 1974).
- (936) Corley, D.M., "Test of a Proposed Method for Vehicle Noise Measurement." Proceedings of Noise-Con 73, Washington, D.C., pp. 230-235 (October 15-17, 1973).
- (937) Leasure, W.A., Jr., "Automobile Tire Noise: A Review of the Open Literature." Proceedings of Noise-Con 73, Washington, D.C., pp. 187-195 (October 15-17, 1973).
- (938) Pallett, D.S., "A Force Platform Instrumentation System for the Study of Impact Forces." Proceedings of Inter-Noise 74, Washington, D.C., pp. 89-92 (September 30/October 2).
- (939) Quindry, T.L., and Flynn, D.R., "On a Simplified Field Measurement of Noise Reduction Between Spaces." Proceedings of Inter-Noise 73, Copenhagen, Denmark, pp. 199-207 (August 22-24).
- (940) Leasure, W.A., Jr., "Personal Noise Exposure Meters--An Evaluation of Performance." Sound and Vibration 8 (3), 36-41 (March 1974).
- (941) Blomquist, D.S., and Leasure, W.A., Jr., "An Hourly Noise Exposure Meter." Proceedings of Inter-Noise 73, Copenhagen, Denmark, pp. 67-69 (August 22-24, 1973).
- (942) Berendt, R.D., Winzer, G.E., and Burroughs, C.B., "A Guide to Airborne, Impact and Structureborne Noise Control in Multifamily Dwellings." HUD-TS-24, 1968.
- (943) Bartel, T.W., and Schade, P.A., "Digital Processing of Decay Rates for Reverberant Sound Fields," Inter-Noise 74 proceedings, pp. 61-64 (September 1974).
- (944) Wyly, R.S. and Orloski, M.J., "Studies of Reduced-Size Venting of Sanitary Drainage Systems in the U.S.A.." Paper 13, proceedings of Symposium on Drainage for Buildings CIB Commission W62, Stockholm (September 1973).
- (945) "Procedures for Estimating Economic Benefits and Materials Savings for Plumbing Drainage Systems with Reduced-Size Venting," contract report to NBS by Dickerson-Gladstone Associates, Consulting Engineers, Van Nuys, California (October 1975).
- (946) Jackson, T., and Konen, T.P., "An Investigation of the Adequacy of Performance of Reduced Size Vents Installed on a Ten Story Drain, Waste, and Vent System." Report DL-73-1708, Stevens Institute of Technology, contract report to NBS (July 1973).

- (947) Wyly, R.W., and Galowin, L., "An Approach to Performance Evaluation for Water Supply and Drainage for Buildings." Proceedings of Symposium on Drainage and Water Supply for Buildings, CIB Commission W62, Glasgow (September 1975).
- (948) "New Evaluation Lab-Tower Fills Need for Research in Plumbing," CONTRACTOR (February 1972).
- (949) "Plumbing Industry Looks to Research Facility for Better, Cheaper Systems," COMMERCE TODAY (February 21, 1972).
- (950) Snell, J., "Summary Review - Evaluation Factors, Design Requirements and Needed Research." Proceedings of Symposium on Water Demands in Buildings, CIB Commission W62, Garston (U.K.) (September 1972).

SUPPLEMENTS

STAFFING/FUNDING 1966-74



DISCIPLINES OF PROFESSIONAL STAFF

CENTER FOR BUILDING TECHNOLOGY

- **Acoustician**
- **Architect**
- **Architect - Psychologist**
- **Architect - Sociologist**
- **Architectural Engineer**
- **Behavioral Psychologist**
- **Ceramic Engineer**
- **Chemical Engineer**
- **Chemist**
- **Civil Engineer**
- **Code Analyst**
- **Economist**
- **Electrical Engineer**
- **Electronics Engineer**
- **Fire Prevention Engineer**
- **General Engineer**
- **Hydraulics Engineer**
- **Industrial Engineer**
- **Materials Engineer**
- **Mechanical Engineer**
- **Metallurgist**
- **Operation Research Analyst**
- **Physicist**
- **Psychologist**
- **Public Administrator**
- **Safety Engineer**
- **Sociologist**
- **Structural Engineer**
- **Technical Writer**
- **Technologist - Flooring**
- **Technologist - Roofing**
- **Urban Planner**

SPONSORS OF BUILDING RESEARCH

Agency for International Development, Department of State
American Concrete Institute
American Iron & Steel Institute
American Institute of Architects
American National Standards Institute, Inc.
American Society for Heating, Refrigeration & Air Conditioning Engineers
American Society for Testing and Materials
Army Natick Development Center
Atomic Energy Commission
Brick Institute of America
Consumer Product Safety Commission
Defense Civil Preparedness Agency
Defense Supply Agency
Department of Commerce, National Bureau of Standards
Department of Commerce, Small Business Administration
Department of Health, Education and Welfare
Department of Housing & Urban Development
Department of Justice
Department of Transportation
District of Columbia
Dow Chemical Company
Environmental Protection Agency
Executive Office of the President
Fairchild-Hiller Corporation
Federal Aviation Administration
Federal Energy Agency
Federal Highway Administration
Federal Trade Commission
General Services Administration, Public Buildings Service
International Council for Building Research
Studies and Documentation
Law Enforcement Assistance Agency
Law Enforcement Standards Laboratory
Manufacturing Chemists Association
Maritime Administration
Masonry Institute of America
Munsell Color Foundation
National Academy of Science, Building Research Advisory Board
National Aeronautics and Space Administration
National Center for Health Services Research and Development
National Concrete Masonry Association
National Forest Products Association
National Gypsum Company
National Institute of Law Enforcement and Criminal Justice
National Institute of Mental Health
National Park Service
National Transportation Safety Board

National Science Foundation
Naval Civil Engineering Laboratory
Occupational Safety & Health Administration
Office of Civil Defense
Office of Emergency Preparedness
Owens Corning Fiberglas Corporation
Porcelin Enamel Institute
Sandia Corporation
Society of Naval Architects and Marine Engineers
The 3M Company
Tri-Services Committee, Department of Defense
Truck Body and Equipment Association
Underwriters Laboratory
U. S. Air Force
U. S. Army Corps of Engineers
U. S. Army Natick Laboratories
U. S. Coast Guard
U. S. Naval Facilities Engineering Command
U. S. Postal Service
U. S. Public Health Service
U. S. Weather Bureau
Veterans Administration

TECHNICAL EVALUATION PANEL MEMBERS

National Academy of Sciences, National Academy of
Engineering, National Research Council,
Technical Evaluation Panel Members

In 1953 the Secretary of Commerce established an ad hoc committee to evaluate the functions and technical operations of the National Bureau of Standards. Various panels were created each responsible for one unit within the major organizational units within NBS i.e. the Institute for Applied Technology (now the National Engineering Laboratory). Advisory panel members from 1968 through 1974 are listed below.

FY 1968-1969 Advisory Panel Members

Dr. Robert A. Hechtman, Chairman (1970)
821 Clinton Place
McLean, Virginia 22101

Prof. Ray Clough (1971)
Department of Civil Engineering
University of California
Berkeley, California 94720

Mr. Edward N. Davis (1969)
Vice President and Chief Engineer
Fire Protection
Underwriters' Laboratories, Inc.
333 Pfingsten Road
Northbrook, Illinois 60062

Dr. J. Vincent Fitzgerald (1970)
Research Director
Tile Council of America, Inc.
P. O. Box 326
Princeton, New Jersey 08540

Dr. William H. Lindsay, Jr. (1969)
Mechanical Contractors Association
of Philadelphia, Inc.
1422 Chestnut Street
Philadelphia, Pennsylvania 19102

Mr. Andrew R. Lolli (1971)
Director
State Department of General Services
915 Capitol Mall
Sacramento, CA 98514

Mr. Raymond C. Reese (1970)
Post Office Box 556
Toledo, Ohio 43601

Dean Charles E. Schaffner (1969)
Vice President for Administration
Polytechnic Institute of Brooklyn
333 Jay Street
Brooklyn, New York 11201

Dr. J. Stavrolakis (1969)
Manager, Plumbing Fittings Department
American Standard
Plumbing and Heating Division
P. O. Box 1050
Louisville, Kentucky 40201

Mr. Herbert H. Swinburne (1970)
Nolan, Swinburne and Associates
120 South 17th Street
Philadelphia, Pennsylvania 19103

Mr. Charles H. Topping (1970)
Development Department
E. I. DuPont de Nemours & Co.
Wilmington, Delaware 19898

FY 1969-1970 Advisory Panel Members

Dr. J. Vincent Fitzgerald, Chairman (1970)
Research Director
Tile Council of America, Inc.
P. O. Box 326
Princeton, New Jersey 08540

Dr. William W. Caudill (1972)
Partner
Caudill, Rowlett, Scott
P. O. Box 22427
Houston, Texas 77027

Professor Ray Clough (1971)
Department of Civil Engineering
University of California
Berkeley, California 94720

Dr. Robert A. Hechtman (1970)
821 Clinton Place
McLean, Virginia 22101

Mr. William L. Hooper (1972)
Director of Operation Breakthrough
Boise Cascade Urban Development Corporation
525 School Street, S.W.
Washington, D.C. 20024

Mr. Andrew R. Lolli (1971)
Director
State Department of General Services
915 Capitol Mall
Sacramento, California 98514

Mr. Raymond C. Reese (1970)
Post Office Box 556
Toledo, Ohio 43601

Mr. Herbert H. Swinburne (1970)
Nolan, Swinburne and Associates
120 South 17th Street
Philadelphia, Pennsylvania 19103

Dr. Calvin W. Taylor (1972)
Co-Director, Architectural Psychology Program
The University of Utah
Salt Lake City, Utah 84112

Mr. Charles H. Topping (1970)
Development Department
E. I. du Pont de Nemours & Co.
Wilmington, Delaware 19898

Mr. John Wacker, President (1972)
J. W. Bateson Company, Inc.
P. O. Box 20677
Dallas, Texas 75220

FY 1970-1971 Advisory Panel Members

Mr. William L. Hooper, Chairman (1972)
General Manager
Boise Cascade Housing Development
61 Perimeter Park East
Atlanta, Georgia 30341

Mr. George B. Begg (Federal Observer)
Director, Research & Standards Division (PCR)
Office, Design and Construction
Public Buildings Service
General Services Administration
GSA Building, 19th & E Sts., N.W.
Washington, D.C. 20405

Mr. Herman Blum (1973)
President
Herman Blum Consulting Engineers, Inc.
1015 Elm Street
Dallas, Texas 75202

Mr. William W. Caudill (1972)
Partner
Caudill Rowlett Scott
P.O. Box 22427
Houston, Texas 77027

Professor Ray Clough (1971)
Department of Civil Engineering
University of California
Berkeley, California 94720

Mr. Fred Good (1973)
Executive Manager
National Roofing Contractors Association
1515 North Harlem Avenue
Oak Park, Illinois 60302

Mr. Andrew R. Lolli (1971)
Vice President
Meyerson & Co., Inc.
216 Montgomery Street
San Francisco, California 94104

Mr. Alfred A. Perry (Federal Observer)
Director of Operation Breakthrough
Office of Research and Technology
Department of Housing and Urban Development
Washington, D.C. 20410

Mr. Herbert H. Swinburne (1973)
Nolen, Swinburne and Associates, Architects
120 South 17th Street
Philadelphia, Pennsylvania 19103

Dr. Calvin W. Taylor (1972)
Director, Architectural Psychology Program
The University of Utah
Salt Lake City, Utah 84112

Mr. John A. Wacker (1972)
President
J. W. Bateson Company, Inc.
P.O. Box 20677
Dallas, Texas 75220

Mr. Frank Waters (1973)
Director, Sweet's Special Systems
McGraw-Hill Information Systems Company
330 West 42nd Street
New York, New York 10036

FY 1971-1972 Advisory Panel Members

Mr. William L. Hooper, Chairman (1972)
General Manager
Boise Cascade Housing Development
61 Perimeter Park East
Atlanta, Georgia 30341

Mr. George B. Begg (Liaison Representative for GSA)
Director, Program Management Division (PCG)
Office, Design and Construction
Public Buildings Service
General Services Administration
GSA Building, 19th & E Sts., N.W.
Washington, D.C. 20405

Mr. Herman Blum (1973)
President
Herman Blum Consulting Engineers, Inc.
1015 Elm Street
Dallas, Texas 75202

Mr. William W. Caudill (1972)
Partner
Caudill Rowlett Scott
P. O. Box 22457
Houston, Texas 77027

Mr. Fred Good (1973)
Executive Manager
National Roofing Contractors Association
1515 North Harlem Avenue
Oak Park, Illinois 60302

Mr. Alfred A. Perry (Liaison Representative for HUD)
Director of Operation Breakthrough
Office of Research and Technology
Department of Housing and Urban Development
Washington, D.C. 20410

Mr. Herbert H. Swinburne, F.A.I.A (1973)
The Nolen and Swinburne Partnership
Architects, Engineers, Planners
1624 Locust Street
Philadelphia, Pennsylvania 19103

Dr. Calvin w. Taylor (1972)
Professor of Psychology & Director,
Architectural Psychology Program
The University of Utah
Salt Lake City, Utah 84112.

Mr. John A. Wacker (1972)
President
J. W. Bateson Company, Inc.
P.O. Box 20677
Dallas, Texas 75220

Mr. Frank Waters (1973)
Assistant Treasurer
Chemical Bank
20 Pine Street
New York, New York 10015

FY 1972-1973 Advisory Panel Members

No Meetings Conducted

FY 1973-1974 Advisory Panel Members

Dr. Paul Weidlinger, Chairman (1976)
Weidlinger Associates, Consulting Engineers
110 East 59th Street
New York, New York 10022

Dr. Henry Aaron (1976)
Senior Fellow
The Brookings Institution
1775 Massachusetts Ave., N.W.
Washington, D.C. 20036

Dr. John A. Duffie (1975)
Director, Solar Energy Laboratory
Engineering Experiment Station
University of Wisconsin
1500 Johnson Drive
Madison, Wisconsin 53706

Dr. Steven J. Fenves (1976)
Head, Dept. of Civil Engineering
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr. Ralph F. Goldman (1976)
Director, Military Ergonomics Laboratory
U.S. Army Research Institute of
Environmental Medicine
Natick, Massachusetts 01760

Mr. John F. Hennessy, Jr. (1975)
President
Syska & Hennessy, Inc.
110 West 50th Street
New York, NY 10020

Mr. Rudard A. Jones, AIA (1975)
Director & Research Professor of Architecture
Small Homes Council-Building Research Council
University of Illinois at Urbana-Champaign
One East Saint Mary's Road
Champaign, IL 61820

Dr. Fazlur R. Khan, Partner, (1975)
Skidmore, Owings & Merrill
30 West Monroe Street
Chicago, IL 60603

Mr. James Rossant, Partner (1976)
Conklin & Rossant, Architects
251 Park Avenue South
New York, New York 10010

Mr. Herbert Rothman, Partner (1975)
Ammann & Whitney, Civil Engineers
111 Eight Avenue
New York, New York 10011

Mr. Paul Spadone, Jr. (1973)
421 Garison Forest Road
Owings Mills, MD 21117

FY 1974-1975 Advisory Panel Members

Mr. Paul Wiedlinger, Chairman (1976)
Weidlinger Associates, Consulting Engineers
110 East 59th Street
New York, New York 10022

Dr. Henry Aaron (1976)
Senior Fellow
The Brookings Institution
1775 Massachusetts Ave., N.W.
Washington, D.C. 20036

Dr. John A. Duffie (1975)
Director Solar Energy Laboratory
Engineering Experiment Station
University of Wisconsin
1500 Johnson Drive
Madison, Wisconsin 53706

Dr. Steven J. Fenves (1976)
Head, Dept. of Civil Engineering
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr. Ralph F. Goldman (1976)
Director, Military Ergonomics Laboratory
U.S. Army Research Institute of
Environmental Medicine
Natick, Massachusetts 01760

Mr. John F. Hennessy, Jr. (1975)
President
Syska & Hennessy, Inc.
110 West 50th Street
New York, NY 10020

Mr. Rudard A. Jones, AIA (1975)
Director & Research Professor of Architecture
Small Homes Council-Building Research Council
University of Illinois at Urbana-Champaign
One East Saint Mary's Road
Champaign, IL 61820

Dr. Fazlur R. Khan, Partner, (1975)
Skidmore, Owings & Merrill
30 West Monroe Street
Chicago, IL 60603

Mr. James Rossant, Partner (1976)
Conklin & Rossant, Architects
251 Park Avenue South
New York, New York 10010

Mr. Herbert Rothman, Partner (1975)
Ammann & Whitney, Civil Engineers
111 Eight Avenue
New York, New York 10011

Mr. Paul Spadone, Jr. (1973)
421 Garison Forest Road
Owings Mills, MD 21117

FY 1974-1975 Advisory Panel Members

Mr. Paul Wiedlinger, Chairman (1976)
Weidlinger Associates, Consulting Engineers
110 East 59th Street
New York, New York 10022

Dr. Henry Aaron (1976)
Senior Fellow
The Brookings Institution
1775 Massachusetts Ave., N.W.
Washington, D.C. 20036

Dr. John A. Duffie (1975)
Director Solar Energy Laboratory
Engineering Experiment Station
University of Wisconsin
1500 Johnson Drive
Madison, Wisconsin 53706

Dr. Steven J. Fenves (1976)
Head, Dept. of Civil Engineering
Carnegie-Mellon

Dr. Ralph F. Goldman (1976)
Director, Military Ergonomics Laboratory
U.S. Army Research Institute of
Environmental Medicine
Natick, MA 01760

Mr. John F. Hennessy, Jr. (1975)
President
Syska & Hennessy, Inc.
110 West 50th Street
New York, New York 10020

Mr. Rudard A. Jones, AIA (1975)
Director & Research Professor of Architecture
Small Homes Council-Building Research Council
University of Illinois at Urbana-Champaign
One East Mary's Road
Champaign, Illinois 61820

Dr. Fazlur R. Khan, Partner (1975)
Skidmore, Owings & Merrill
30 West Monroe Street
Chicago, Illinois 60603

Dr. James Rossant, Partner (1976)
Conklin & Rossant, Architects
251 Park Avenue South
New York, New York 10010

Mr. Herbert Rothman, Partner (1975)
Ammann & Whitney, Civil Engineers
111 Eighth Avenue
New York, New York 10011

Mr. Paul Spadone, Jr. (1975)
319 Golf Course Road
Owings Mills, MD 21117

CENTER FOR BUILDING TECHNOLOGY ADVISORY COMMITTEE

Department of Commerce
Center for Building Technology
Advisory Committee Members

The Center for Building Technology Advisory Committee was established by the Secretary of Commerce on January 4, 1973. The Committee advises the Department of Commerce on the Nation's needs for building research and technology, and provides a forum for discussions with representatives from the building community to provide guidance for CBT's research activities. Advisory committee members serve a two year term. The list of members for 1973 and 1974 are presented below.

Mr. Michael D. Banko, Jr.
800 N. 2nd Street
Harrisburg, Pennsylvania 17102

Mr. Charles J. Betts
State Building Commissioner
215 North Senate Avenue
Indianapolis, Indiana 46219

Dr. Cleo W. Blackburn
Executive Director, Flanner House
156 East Market Street
Indianapolis, Indiana 46304

Mr. George W. Clark
Engineering Manager - Special Projects
GTE Sylvania Lighting Products
Danvers, Massachusetts 01923

Dr. Patrick Conley
Vice President
The Boston Consulting Group, Inc.
One Boston Place
Boston, Massachusetts 02106

Mr. Robert Georgine
Secretary-Treasurer, Building &
Construction Trades Dept., AFL-CIO
815 16th Street, N.W.
Washington, D.C. 20006

Mr. Geroge T. Heery, President
Heery & Heery
880 West Peachtree Street, N.W.
Atlanta, Georgia 30309

Mr. Kenneth Henke, Jr.
Director
Division of Municipal Affairs
Office of Planning & Programming
523 E. 12th Street
Des Moines, Iowa 50319

Mr. Robert H. Howe
President, Real Estate & Construction
International Business Machines Corp.
100 Westchester Avenue
White Plains, New York 10604

Mr. Carl Huebner, Senior Vice president
Metropolitan Life Insurance Company
1 Madison Avenue
New York, New York 10010

Mrs. Lenore Hershey
Editor
Ladies' Home Journal
641 Lexington Avenue
New York, New York 10022

Mr. Ralph J. Johnson, Staff Vice President
and Director
National Assoc. of Home Builders
Research Foundation, Inc.
627 Southlawn Lane
Rockville, Maryland 20853

Mr. Otis M. Mader, President
Building components & Real Estate Development
Aluminum Company of America
2 Allegheny Center, Room 535
Pittsburgh, Pennsylvania 15272

Miss Laurin Magee
President, Housing Guidance Council, Inc.
5530 Wisconsin Avenue
Washington, D.C. 20015

Mr. W. F. Newton
Vice President, Marketing
PPG Industries
1 Gateway Center
Pittsburgh, Pennsylvania 15222

Mr. James L. Pease, Jr.
President, Pease Company
900 Forest Avenue
Hamilton, Ohio 45021

Mr. Warren G. Skoning
Corporate Vice President
Sears Roebuck & Company
925 South Homan
Chicago, Illinois 60607

Mr. Frederick A. Stahl, President
Stahl/Bennett, Inc.
177 Milk Street
Boston, Massachusetts 02109

Mr. Howard S. Turner
Chairman, Turner Construction Company
150 East 42nd Street
New York, N.Y. 10017

Mr. Martin J. Ward, General President
United Association of Plumbers
901 Massachusetts Avenue, N.W.
Washington, D.C. 20001

U.S. DEPT. OF COMM. BIBLIOGRAPHIC DATA SHEET	1. PUBLICATION OR REPORT NO. NBS BSS 75	2. Gov't Accession No.	3. Recipient's Accession No.
4. TITLE AND SUBTITLE BUILDING RESEARCH AT THE NATIONAL BUREAU OF STANDARDS 1968 - 1974		5. Publication Date March 1979	
		6. Performing Organization Code	
7. AUTHOR(S) Neil Gallagher, Editor		8. Performing Organ. Report No.	
9. PERFORMING ORGANIZATION NAME AND ADDRESS NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE WASHINGTON, D.C. 20234		10. Project/Task/Work Unit No.	
		11. Contract/Grant No.	
12. Sponsoring Organization Name and Complete Address (Street, City, State, ZIP)		13. Type of Report & Period Covered	
		14. Sponsoring Agency Code	
15. SUPPLEMENTARY NOTES Library of Congress Catalog Card Number 79-600008			
16. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here.) This report details the progress of building research at the Center for Building Technology from the year 1968 to 1974. Starting with the backlog of needed research in building techniques, components, and materials that faced researchers in the 60's, this history covers the evolution of the performance concept for building specifications, cooperation with states and codes-generating organizations, and specific technical accomplishments. The report continues with discussions of programs involving the building community, research on the needs of the building users, and technology transfer. A special chapter is devoted to energy conservation in buildings and how CBT's test methods and other programs - including solar - were pressed into this vital national struggle.			
17. KEY WORDS (six to twelve entries; alphabetical order; capitalize only the first letter of the first key word unless a proper name; separated by semicolons) Building technology; Center for Building Technology; history of building research.			
18. AVAILABILITY ☒ Unlimited ☐ For Official Distribution. Do Not Release to NTIS ☒ Order From Sup. of Doc., U.S. Government Printing Office Washington, D.C. 20402, SD Stock No. 003-003-02029-0 ☐ Order From National Technical Information Service (NTIS) Springfield, Virginia 22151		19. SECURITY CLASS (THIS REPORT) UNCLASSIFIED	21. NO. OF PAGES 126
		20. SECURITY CLASS (THIS PAGE) UNCLASSIFIED	22 Price \$3

NBS TECHNICAL PUBLICATIONS

PERIODICALS

JOURNAL OF RESEARCH—The Journal of Research of the National Bureau of Standards reports NBS research and development in those disciplines of the physical and engineering sciences in which the Bureau is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology, and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Bureau's technical and scientific programs. As a special service to subscribers each issue contains complete citations to all recent NBS publications in NBS and non-NBS media. Issued six times a year. Annual subscription: domestic \$17.00; foreign \$21.25. Single copy, \$3.00 domestic; \$3.75 foreign.

Note: The Journal was formerly published in two sections: Section A "Physics and Chemistry" and Section B "Mathematical Sciences."

DIMENSIONS/NBS

This monthly magazine is published to inform scientists, engineers, businessmen, industry, teachers, students, and consumers of the latest advances in science and technology, with primary emphasis on the work at NBS. The magazine highlights and reviews such issues as energy research, fire protection, building technology, metric conversion, pollution abatement, health and safety, and consumer product performance. In addition, it reports the results of Bureau programs in measurement standards and techniques, properties of matter and materials, engineering standards and services, instrumentation, and automatic data processing.

Annual subscription: Domestic, \$11.00; Foreign \$13.75

NONPERIODICALS

Monographs—Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NBS, NBS annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

Applied Mathematics Series—Mathematical tables, manuals, and studies of special interest to physicists, engineers, chemists, biologists, mathematicians, computer programmers, and others engaged in scientific and technical work.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a world-wide program coordinated by NBS. Program under authority of National Standard Data Act (Public Law 90-396).

NOTE: At present the principal publication outlet for these data is the Journal of Physical and Chemical Reference Data (JPCRD) published quarterly for NBS by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements available from ACS, 1155 Sixteenth St. N.W., Wash., D.C. 20056.

Building Science Series—Disseminates technical information developed at the Bureau on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NBS under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The purpose of the standards is to establish nationally recognized requirements for products, and to provide all concerned interests with a basis for common understanding of the characteristics of the products. NBS administers this program as a supplement to the activities of the private sector standardizing organizations.

Consumer Information Series—Practical information, based on NBS research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace.

Order above NBS publications from: Superintendent of Documents, Government Printing Office, Washington, D.C. 20402.

Order following NBS publications—NBSIR's and FIPS from the National Technical Information Services, Springfield, Va. 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. Register serves as the official source of information in the Federal Government regarding standards issued by NBS pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NBS Interagency Reports (NBSIR)—A special series of interim or final reports on work performed by NBS for outside sponsors (both government and non-government). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Services (Springfield, Va. 22161) in paper copy or microfiche form.

BIBLIOGRAPHIC SUBSCRIPTION SERVICES

The following current-awareness and literature-survey bibliographies are issued periodically by the Bureau:

Cryogenic Data Center Current Awareness Service. A literature survey issued biweekly. Annual subscription: Domestic, \$25.00; Foreign, \$30.00.

Liquified Natural Gas. A literature survey issued quarterly. Annual subscription: \$20.00.

Superconducting Devices and Materials. A literature survey issued quarterly. Annual subscription: \$30.00. Send subscription orders and remittances for the preceding bibliographic services to National Bureau of Standards, Cryogenic Data Center (275.02) Boulder, Colorado 80302.

U.S. DEPARTMENT OF COMMERCE
National Bureau of Standards
Washington, D.C. 20234

OFFICIAL BUSINESS

Penalty for Private Use, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF COMMERCE
COM-215



SPECIAL FOURTH-CLASS RATE
BOOK
